


Construction division.
Advice for giving credit to contractors/suppliers.

Sl. No. - site bills register	954	Date - site bills Register	7-2-22
Company Name:	M R M L L P	Site:	G M R
Name of Contractor	Krishna steel Railing & Glass Railing		
Nature of work	SS-Railing work		
Work done	From Date	18-1-22	To Date
			6-2-22

Sl. No.	Villa/Flat/block no.	Qty.	Rate	Units	Amount	Contractors bill no	
1.	A-Block flats:	- 80 -	780/-	Rft	62,400/-		
2.	401, 403, 405					/	
3.	501, 502, 506,						
4.	507 & 508						
5.							
6.							
7.							
8.							
9.							
10.							
11.	Total:				62,400/-		

Bill required	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO.	GST bill required	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO.
Measurement & estimate sheet:	<input checked="" type="checkbox"/> Required <input type="checkbox"/> Not required	Measurement & estimate sheet:	<input checked="" type="checkbox"/> Enclosed <input type="checkbox"/> Not enclosed
PO/WO no.	79509	PO/WO date:	12-8-21

Remarks :

Approved by Project Manager	Approved by Design Team	Approved by M.D.
Date: 07/02/22	Date:	Date:
Sign: 	Sign:	Sign:

Notes: 1. This advice must be sent within 7 days of completing work. 2. This form can be used for certifying labour bills, bills for hire charges, earth work, turnkey civil contractors. 3. Wherever not applicable - fill NA. 4. Estimate and measurement sheets are not required for turnkey jobs where guideline rates are clearly given.

MEASUREMENT SHEET									
Company Name:		Modi Realty Mallapur LLP			Approved by:		Ram Prasad		
Project:		Gulmohar Residency			Sign:				
Work Description:		Glass Railing For A Block 4th & 5th Floor			PO NO		79509		
Contractor Name:		Krishna Steel Railing & Glass Railing			Date:		12.08.21		
Prepared By		Rahul.T							
Date:		07-02-2022							
S No.	Item Head	Item Description	Length	Width	Height	Nos	E= AxBxCxD Quantity	F Units	G=Sum of E Item Head Total
A	Glass Railing For A Block 4th & 5th Floor								
	SS Railing with 10 mm Toughed Glass Fitting		10.00	1.00	3.00	8.00	80.00	Rft	
								Rft	80.00

