



Internal memo no. 903/35/A
Annexure - B
RMC pour report

Company/ firm:	GV Research Centers Pvt Ltd.		Block No.:	4545 Slab-4 Casting purpose.
Project:	Innopolis		Flat / Villa no.:	
Supplier:	RDC Concrete private limited		Slab no.:	
Requisition nos.:	169766		A. Estimated quantity:	830M3
PO nos.:	87993		B. Requisition quantity:	830M3
Sign of Security	Sign of Admin	Sign of Project Manger	C. Actual quantity poured	665M3
	 Sidesi		 Hally	D. Difference (C-A)

Details of RMC pour

Sl. No	Date	Time of dispatch from RMC plant	Time of receipt at site	Time of pour	Quantity poured	Dc No. / Batch no.	Specified wt @2400 kgs/m3	Measured weight (kgs)	Short fall in weight in kgs	Deduction for shortfall in Rs.	7 day cube test strength in kN/m2	28 days cube test strength in kN/m2
1.	06.05.2022	06:32	07:15	07:32	07	S839	16800	16690	-			
2.	06.05.2022	06:42	07:11	07:42	07	S1496	16800	16490	310			
3.	06.05.2022	06:35	07:13	07:35	07	S1497	16800	16370	430			
4.	06.05.2022	06:45	07:13	07:55	07	S840	16800	16890	-			
5.	06.05.2022	07:00	07:33	07:56	07	S841	16800	16790	-			
6.	06.05.2022	07:12	07:54	08:12	07	S842	16800	16750	-			
7.	06.05.2022	06:35	07:21	08:15	07	S1500	16800	16800	-			
8.	06.05.2022	07:00	07:36	08:10	07	S1501	16800	16340	460			
9.	06.05.2022	07:35	08:07	08:22	07	S843	16800	16750	-			
10.	06.05.2022	07:42	08:21	08:45	07	S844	16800	16840	-			
11.	06.05.2022	07:56	08:32	08:52	07	S845	16800	16910	-			
12.	06.05.2022	08:10	08:42	08:59	07	S846	16800	16960	-			
13.	06.05.2022	08:12	08:57	09:10	07	S847	16800	16800	-			
14.	06.05.2022	08:32	09:09	09:32	07	S848	16800	16730	-			
15.	06.05.2022	07:42	08:32	08:56	07	S1502	16800	16500	-			
16.	06.05.2022	07:32	08:01	08:42	07	S1503	16800	16460	340			

17.	06.05.2022	09:01	09:22	09:45	07	S849	16800	17090	-			
18.	06.05.2022	09:15	09:55	10:20	07	S850	16800	16930	-			
19.	06.05.2022	09:32	10:05	10:26	07	S851	16800	17010	-			
20.	06.05.2022	08:12	08:39	09:10	07	S1506	16800	16300	500			
21.	06.05.2022	10:02	10:44	11:10	07	S852	16800	16910	-			
22.	06.05.2022	10:23	11:00	11:35	07	S853	16800	16830	-			
23.	06.05.2022	09:13	09:52	10:12	07	S1509	16800	16030	770			
24.	06.05.2022	10:35	11:10	11:26	07	S854	16800	16930	-			
25.	06.05.2022	09:11	09:40	10:15	07	S1508	16800	16360	440			
26.	06.05.2022	09:23	10:03	10:35	07	S1510	16800	16270	530			
27.	06.05.2022	11:00	11:22	12:05	07	S855	16800	17050	-			
28.	06.05.2022	09:42	10:20	10:56	07	S1512	16800	15660	1140			
29.	06.05.2022	11:01	11:36	11:52	07	S856	16800	16750	-			
30.	06.05.2022	10:02	10:39	11:02	07	S1514	16800	16390	410			
31.	06.05.2022	11:12	11:46	12:15	07	S857	16800	16870	-			
32.	06.05.2022	10:01	10:47	11:05	07	S1515	16800	16320	480			
33.	06.05.2022	11:12	12:00	12:35	07	S858	16800	16880	-			
34.	06.05.2022	11:32	12:11	12:52	07	S859	16800	16910	-			
35.	06.05.2022	12:02	12:24	12:46	07	S860	16800	16910	-			
36.	06.05.2022	12:12	12:39	12:52	07	S861	16800	16630	-			
37.	06.05.2022	12:10	12:50	13:10	07	S862	16800	16830	-			
38.	06.05.2022	12:52	13:21	13:35	07	S864	16800	16760	-			
39.	06.05.2022	12:10	13:10	13:45	07	S863	16800	16740	-			
40.	06.05.2022	12:00	12:31	12:55	07	S1518	16800	16490	310			
41.	06.05.2022	12:05	12:45	13:05	07	S1520	16800	16230	570			
42.	06.05.2022	13:15	13:45	14:02	07	S865	16800	16900	-			
43.	06.05.2022	12:05	12:43	13:12	07	S1521	16800	16420	380			
44.	06.05.2022	12:12	12:55	13:20	07	S1522	16800	16270	530			
45.	06.05.2022	13:18	13:56	14:23	07	S866	16800	16750	-			
46.	06.05.2022	13:35	14:12	14:36	07	S867	16800	16830	-			
47.	06.05.2022	12:17	12:59	13:23	07	S1523	16800	16190	610			

48.	06.05.2022	13:43	14:23	14:53	07	S868	16800	16860	-			
49.	06.05.2022	14:12	14:42	14:56	07	S869	16800	16990	-			
50.	06.05.2022	12:42	13:31	13:56	07	S1525	16800	15590	1210			
51.	06.05.2022	13:12	13:49	14:11	07	S1526	16800	16590	210			
52.	06.05.2022	14:16	14:50	15:13	07	S870	16800	16950	-			
53.	06.05.2022	14:32	15:05	15:25	07	S871	16800	16730	-			
54.	06.05.2022	14:25	15:10	15:32	07	S872	16800	17200	-			
55.	06.05.2022	13:52	14:27	14:43	07	S1528	16800	16560	240			
56.	06.05.2022	14:47	15:24	15:42	07	S873	16800	16930	-			
57.	06.05.2022	13:42	14:19	14:32	07	S1527	16800	16070	730			
58.	06.05.2022	15:00	15:36	15:45	07	S874	16800	16900	-			
59.	06.05.2022	14:20	14:51	15:05	07	S1530	16800	16560	240			
60.	06.05.2022	15:10	15:46	15:55	07	S875	16800	17140	-			
61.	06.05.2022	14:23	15:03	15:20	07	S1531	16800	16260	540			
62.	06.05.2022	15:42	16:10	16:52	07	S876	16800	17010	-			
63.	06.05.2022	16:15	16:41	16:59	07	S877	16800	16750	-			
64.	06.05.2022	16:22	16:51	17:06	07	S878	16800	16660	-			
65.	06.05.2022	16:26	17:03	17:12	07	S879	16800	16850	-			
66.	06.05.2022	16:42	17:16	17:23	07	S880	16800	16630	-			
67.	06.05.2022	17:02	17:29	17:43	07	S881	16800	16720	-			
68.	06.05.2022	17:10	17:51	18:12	07	S882	16800	16810	-			
69.	06.05.2022	17:52	18:25	18:43	07	S883	16800	17030	-			
70.	06.05.2022	18:10	18:37	18:57	07	S884	16800	16880	-			
71.	06.05.2022	18:15	18:48	19:02	07	S885	16800	16720	-			
72.	06.05.2022	17:11	17:43	18:05	07	S1535	16800	16060	740			
73.	06.05.2022	19:05	19:30	19:55	07	S886	16800	16760	-			
74.	06.05.2022	18:32	19:13	19:25	07	S887	16800	16790	-			
75.	06.05.2022	19:13	19:25	19:55	07	S888	16800	16760	-			
76.	06.05.2022	19:05	19:34	19:53	07	S889	16800	16860	-			
77.	06.05.2022	17:24	18:00	18:14	07	S1537	16800	16330	470			
78.	06.05.2022	17:32	18:12	18:20	07	S1538	16800	16070	730			

79.	06.05.2022	18:05	18:23	18:42	07	S1539	16800	16680	-			
80.	06.05.2022	18:56	19:49	19:55	07	S890	16800	16770	-			
81.	06.05.2022	18:03	18:30	18:52	07	S1540	16800	16100	700			
82.	06.05.2022	19:23	20:02	20:15	07	S891	16800	16840	-			
83.	06.05.2022	18:14	18:41	18:59	07	S1541	16800	16120	680			
84.	06.05.2022	20:18	20:50	21:20	07	S892	16800	16760	-			
85.	06.05.2022	20:35	21:05	21:15	07	S893	16800	16790	-			
86.	06.05.2022	20:56	21:19	21:32	07	S894	16800	16980	-			
87.	06.05.2022	21:00	21:32	21:56	07	S895	16800	16700	-			
88.	06.05.2022	21:14	21:46	22:01	07	S896	16800	16520	280			
89.	06.05.2022	21:22	21:57	22:19	07	S897	16800	16700	-			
90.	06.05.2022	21:42	22:11	22:36	07	S898	16800	16690	-			
91.	06.05.2022	22:03	22:27	22:45	07	S899	16800	16720	-			
92.	06.05.2022	22:15	22:43	22:56	07	S900	16800	16970	-			
93.	06.05.2022	23:06	23:21	23:43	07	S902	16800	16760	-			
94.	06.05.2022	23:15	23:31	23:55	07	S903	16800	17090	-			
95.	06.05.2022	23:21	23:52	00:11	07	S905	16800	16980	-			
96.												
97.												
Total:					665M3		1596000	1566790	14980			
Remarks		As per Po quantity 830M3 but consumed only 665M3										

Note: 1. Report to be sent on a daily basis to purchase@mediproperties.com and report-audit@mediproperties.com. 2. Report must be prepared during pour and not later. 3. Report must be sent within one working day. 4. Multiple report can be sent for one PO. 5. Weigh all vehicles. 6. 6 cubic meters vehicle should have a net weight of 14,110 kgs @ 2,400kgs/m³. If the shortfall is more than 50 kgs per load purchase to debit supplier shortfall amount on pro-rata basis. 7. Site to calculate shortfall. 8. Maintain original report + weighment slips + pour reports + test reports + photographs at sit