


A typical picture showing Downcomer, Hose reel drum & Fire hose box (double door) installed at site.



A typical picture showing
Hooter & Manual Call Point
installed at site.



STEL6449-Steel-MS L
Angle-50X50X6Tmm-Kg's



FIRE7855-Fire & Safety -Smoke detector -Non
addressable-Nos



STEL7401-Steel-MS L
Angle-40X40X6Tmm-Kg's



FIRE8108-Fire & Safety-MS
Flange-E table-100mm-No's



STEL2879-Steel-MS
Flat-6mtrs-50x6mm-Kg's



PLUM6888-Plumbing-Non
return valve-100mm-Nos



FIRE6575-Fire & Safety-Pressure
Gauge-0 to 10.5Kgs-No's



FIRE6238-Fire & Safety-Pressure
switch-No's



FIRE6664-Fire&safety-Hose
Box-single door-No's



FIRE5317-Fire&safety-SS Hydrant valve -63Dmm-No's




FIRE9515-Fire & Safety-RRL type A Hose pipe-63Dmm-No's



PAIN8788-Paints-Turpentine oil-1 ltr can



FIRE7360-Fire& Safety -Manual call point -Non addressable-Nos



ELEC8573-Electrical-Copper wire-3CoreX2.5Sqmm-Mtrs



HVAC2886-HVAC-Air Release Valve-20mm-No's

STEEL2516-Steel-MS Round pipe-B Class-100DX6000Lmm-Kg's



FIRE2909-Fire & Safety-4 Buckets+Stand-No's



FIRE5063-Fire & Safety-Booster pump panel-12.5Hp-No's



ELEC8660-Electrical -GI Base saddle 25mm-Boxes

FIRE1752-Fire & Safety-Pressure Booster pump-Kritloskar KDS 1348-12.5hp-No's



FIRE7717-Fire& Safety-Fire Hose Cabinet-900X1500X150mm



FIRE7441-Fire&safety-SSBranch pipe -63Dmm-No's



FIRE2803-Fire & Safety-Dry type Fire extinguisher-6 Kgs-No's

FIRE3382-Fire&safety-Forged brass ball valve-Valve 25mm-No's



FIRE2009-Fire & Safety-Wet type Fire extinguisher-9 Ltrs



FIRE4281-Fire & Safety-Fire Brigade Inlet-2way-100mm-No's



STEL3746-Steel-MS MS Flange-E table-80DX4 Holes-No's



FIRE3271-Fire & Safety-Fire Brigade Inlet-4way-150mm-No's



HARD2902-Hardware-GI U Clamp+Nut+Washer-100x8mm-No's



FIRE9710-Fire&safety-Butterfly valve PN16 -50mm-No's



FIRE1291-Fire & Safety-Hose Box-Double Door-Nos



FIRE6625-Fire & Safety-Fire fighting-Fire sprinklers-No's



STEL6309-Steel-MS Coupling-15mm-No's



FIRE2644 -Fire & Safety- Hooters - Non Addressable-Nos.

STEL4979-Steel-MS Threaded Nipple-150LX80Dmm-No's



HARD4627-Hardware-GI Hose clamp-heavy duty-20Dmm-No's



HARD4639-Hardware-Anchor bolt-Pin
Type-12x62.50mm-No's



FIRE5726-Fire & Safety-Hose Reel
Drum-30mtrs-Nos



PAIN5030-Paints-Enamel-Post Office Red-4Ltrs-
Can



STEL5337-Steel-MS
ISMC-75X6000Lmm-Kg's



PAIN8548-Paints-Red Oxide Primer-Asian-1Ltr-
Can