



FOURTH FLOOR SLAB PROJECTIONS

**GENERAL NOTES**

1. USE M25 (1:1.5:2) GRADE CONCRETE FOR COLUMNS & M20 (1:1.5:3) FOR BEAMS & SLAB
2. USE FE 500 GRADE TOR STEEL.
3. PROVIDE CLEAR COVER OF 1.5" FOR COLUMNS , 1"FOR BEAMS & 3/4" FOR SLAB
4. PROVIDE 1" CAMBER AT FREE END FOR CANTILEVER BEAMS & SLABS.
5. IN SLAB EXTEND -VE STEEL UPTO 0.30L FROM FACE OF SUPPORT.
6. DO NOT PROVIDE EXTRA REINFORCEMENT AT SIMPLY SUPPORTS.
7. LAP LENGTH 48 D ( D- IS THE DIA OF THE BAR) IN COMPRESSION.
8. LAP LENGTH 52 D ( D- IS THE DIA OF THE BAR) IN TENSION.
9. ONLY FIGURED DIMENSIONS SHALL BE FOLLOWED.
10. ALL THE DIMENSIONS ARE IN INCHES & FEET.
11. DO NOT SCALE THE DRAWING.
12. REFER ARCHITECT DRAWING FOR CENTER LINE DIMENSIONS.

REV. No.	DESCRIPTION	DATE
1		



Owners & Developers: \_\_\_\_\_  
 5-4-187 /3&4,Soham mansion,II Floor,  
 M.G. Road, Secunderabad-500003.  
 Phone:66335551(4lines) Fax:040-27544058  
 E-mail :info @modiproperties.com

Architects & Engineers: **KULKARNI CONSULTANT'S**  
 STRUCTURAL ENGINEERS, ARCHITECTS & PROJECT CONSULTANTS  
 #216, KUBERA TOWER'S, NARAYAN GUDA, HYDERABAD.  
 CONTACT NO'S:- 04023223891, 09246343724, 09246343720.

SCALE:	N.T.S	VISTA HOMES BLOCK - (D)
DATE:	14-12-17	
DRAWN:	PAWAN	
CHECKED & APPROVED:	KULKARNI	
TITLE: FOURTH FLOOR slab projections		REV. No. 0
DWG. NO.	KC/VH/SD/D/	