


B7(9' X 22 1/2'') B7(9' X 16 1/2'') B7(9' X 16 1/2'') B7(9' X 19 1/2'')

B7(9' X 16 1/2'') B7(9' X 19 1/2'')

B7(9' X 19 1/2'') B7(9' X 19 1/2'')

- GENERAL NOTES**
- USE M25 (1:1.5:2) GRADE CONCRETE FOR COLUMNS & M20 (1:1.5:3) FOR BEAMS & SLAB
 - USE FE 500 GRADE TOR STEEL.
 - PROVIDE CLEAR COVER OF 1.5" FOR COLUMNS , 1"FOR BEAMS & 3/4" FOR SLAB
 - PROVIDE 1" CAMBER AT FREE END FOR CANTILEVER BEAMS & SLABS.
 - IN SLAB EXTEND -VE STEEL UPTO 0.30L FROM FACE OF SUPPORT.
 - DO NOT PROVIDE EXTRA REINFORCEMENT AT SIMPLY SUPPORTS.
 - LAP LENGTH 48 D (D-IS THE DIA OF THE BAR) IN COMPRESSION.
 - LAP LENGTH 52 D (D-IS THE DIA OF THE BAR) IN TENSION.
 - ONLY FIGURED DIMENSIONS SHALL BE FOLLOWED.
 - ALL THE DIMENSIONS ARE IN INCHES & FEET.
 - DO NOT SCALE THE DRAWING.
 - REFER ARCHITECT DRAWING FOR CENTER LINE DIMENSIONS.



GOOD FOR CONSTRUCTIONS

OWNERS & DEVELOPERS:
KULKARNI CONSULTANTS

ARCHITECTS & ENGINEERS:
KULKARNI CONSULTANTS
STRUCTURAL ENGINEERS, ARCHITECTS & PROJECT CONSULTANTS
#216, KUBERA TOWERS, MARATHI COLONY, TANDERGAO,
MUMBAI-400007, MAHARASHTRA, INDIA
Phone: 9822314100 Fax: 022-25440858
E-mail: info@nkdipropertides.com

SCALE	N.T.S	VISTA HOMES BLOCK - (D)	SH. NO-T
DATE:	9-22-17	TITLE:	BEAM SECTION DETAILS
DRAWN:	PAWAN	CHECKED:	KULKARNI
APPROVED:	KULKARNI	DWG. NO:	KC/HH/SD/D/14
		REV. NO:	0