


- NOTE:
1. Do not scale this drawing follow figured dimensions
  2. All dimensions are in feet n inches only
  3. Use vibrated reinforced concrete of mix M20 for footings, & M25 for columns and pedestal conforming to is 456-85
  4. Use hysd bars of fe -415 as per is 1786-85
  5. Lap lengths recommended for reinforcement
  6. This building is designed for Cellar,Ground+four floors only
  7. S.B.C. of soil is 300 Kn/sqm
  8. Any loose or protruded ng builders shall be regrpved befo laying foundation concrete and shall be filled with p.c.c. Wherever necessary drilling shall be resorted to in hard sheet rock only
  - 9.
  10. Concrete shall be vibrated for obtaining optimum density. The difference in levels of depth of adjacent footing shall greater than half the clear distance between them.
  11. Provide clear cover for footings =50mm, columns =40mm
  12. The cover shall be provided to all reinforcementis including stirrups wired cover blocks of same grade of concrete cured.
  13. Strrups should have standard hook as per sp-34
  14. Correlite with the relevant drawings for necessary details.
  15. Any drawing should be read in conjunction with relevant architectural drawing.
  17. All dimensions shall be verified by the engineer in charge b laying concrete with respect to Architectural pdwg.
  18. The provisions made in is: 456-2000 and sp-34 and other codes should be strictly adhered during execution .
  19. If any variation in soil strata found during the execution of foundation soils, when compared with the considered strata should be brought to the notice of engineer in charge and for revising foundations.



GOOD FOR REFERENCE

REV. NO.	DESCRIPTION	DATE

**Owners & Developers:**  
 5-4-187 /3&4,Soham mandon,11 Floor,  
 M.G. Road, Secunderabad-500003.  
 Phone:6335551(4lines) Fax:040-27544058  
 E-mail:Info @modiproperties.com

**Architects & Engineers:**  
  
**KULKARNI CONSULTANTS**  
 STRUCTURAL ENGINEERS, ARCHITECTS & PROJECT CONSULTANTS  
 # 216, KUBERA TOWERS, NARAYAN GUADA HYDERABAD.  
 CONTACT NOS:- 9402323891, 9924634323A, 9924634323B.

SCALE:	N.T.S	VISTA HOMES BLOCK (F)	TITLE:	COLUMN DETAILS
DATE:	10-2-18		DWG. NO.	KC/WH/SB/F/1
DRAWN:	MAHURGA		REV. NO.	0
CHECKED:				
APPROVED:	KULKARNI			