



General Notes : --

1. Use M25 (1:1:2) grade for columns &
2. Use M20 (1:1.5:3) grade for footings, slab & Beams
3. Provide clear cover of 2" for footings &
4. S.F.C for the soil is taken as 350kn/m<sup>2</sup>.
5. Footings are designen for Ground & 1st
6. Provide clear cover of 1" for beams
7. Read horizontal beams from left to right &
8. vertical from bottom to left
9. crank +ve bars at L/4 th of span & extend -ve bars not over 1/5 th of span at center and top rods at support.
10. Slab thickness

DESCRIPTION	DATE



Client MODI PROPERTIES & INVESTMENTS PVT.LTD

Project NILAGIRI ESTATE AT RAMPALLY, PHASE - II

STRUCTURAL CONSULTANT **KULKARNI CONSULTANT'S**  
 STRUCTURAL ENGINEERS, ARCHITECTS & PROJECT CONSULTANT'S  
 #216, KUBERA TOWER'S, NARAYAN GUDA, HYDERABAD.  
 CONTACT NO'S:- 04023223891, 09246343724, 09246343720.

DATE	19-5-2017	TYPE - (A2 - SINGLE), WEST FACING (80A)		
DEALT BY	PAWAN	TITLE:	PLINTH BEAM DETAILS	
DESIGN BY			DWG. NO.	KC/RP/SD/3
CHECKED & APPROVED:	KULKARNI	REV. No.	1	