


EXISTING CENTER LINE PLAN



- Proposed footing (villa no. 80A)
- Proposed columns (villa no. 80A)
- Existing columns (A2 single)

- General Notes :--
1. Use M25 (1:1:2) grade for columns &
  2. Use M20 (1:1.5:3) grade for footings, slab & Beams
  3. Provide clear cover of 2" for footings &
  4. S.B.C of the soil is taken as 750kn/m<sup>2</sup>.
  5. Footings are design for Ground & 1st
  6. Provide clear cover of 1" for beams
  7. Read horizontal beams from left to right & vertical from bottom to top
  8. Crank +ve bars at L/4 th of span & extend -ve bars 1/5th of span from bottom rods at center and top rods at support.
  10. Slab thickness

DESCRIPTION	DATE

Client: MODI PROPERTIES & INVESTMENTS PVT.LTD

Project: NILAGIRI ESTATE AT RAMPALLY, PHASE - II

STRUCTURAL CONSULTANT: **KULKARNI CONSULTANT'S**  
STRUCTURAL ENGINEERS, ARCHITECTS & PROJECT CONSULTANT'S  
 #216, KUBERA TOWER'S, NARAYAN GUDA, HYDERABAD.  
 CONTACT NO'S: 04023223891, 09246343724, 09246343720.

DATE	27-4-2017	TYPE - (A2 -SINGLE), WEST FACING (80A)
DEALT BY	PAWAN	TITLE: COLUMN & FOOTING DETAILS
CHECKED & APPROVED	KULKARNI	DWG. NO. KC/RP/SD/1
		REV. No. 1