uality
Control
uality Control Check Repot.
Stage: After Finishing Stage II (Villas)
Finishing S
stage II (
Villas)

Flat No	708	Other		SI. No.	26863.
Company	SVR	Project	70C	Phase	
Prepared by	55 K-	Sign	Port	Date	7714174
Project Manager		Sign	Ş	Date	イントノボー
Previous stage report no.	0.	17857	Report filed and signed by PM	d by PM	☐ Yes ☐ No
Checked By MD on		MD Sign		For filling	☐ Yes ☐ No
Recommendation:  Stop further work. Submit A Stop further work. Proceed Proceed with further work o Proceed with further work.	commendation: Stop further work. Submit ATR on QC report Stop further work. Proceed with work after su Proceed with further work only after making of Proceed with further work. ATR not required.	port to QC team. Proceed the resubmitting ATR on ing corrections pointed ired.	Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC.  Stop further work. Proceed with work after submitting ATR on QC report to QC team.  Proceed with further work only after making corrections pointed out in the QC report. ATR not required.	y QC. ATR not required.	

- Inspection should be done after:
  Completion of flooring, bathroom /utility tiles, first coat of paint.
  Completion of doors, windows, grills, electrical wiring, switches must be done in next stage
  False ceiling must be completed before flooring.
- Kitchen platform, granite and dado must be completed where modular kitchen is not provided. Provide granite soffit for main door in this stage.

A CONTRACTOR OF THE CONTRACTOR	CHISTING		1	
granite soffit edge Good Avg Poor	Main door g	7g   Poor	Good Av	Main door granite soffit workmanship Good Avg Poor Main door granite soffit ed
Granite soilli for main door provided Yes No —	Granite son		L ies L No	Oranic South for main door reduned   Les   No
72. 6	2			renite soffit for main door required
			Yes No	Main door fixed with lock & stopper   Yes No

R 9 8 7 6 5 4 3 2 - S No	
S No om S No o	Tiling & granite work
Workmanship of t	iling
White cement filli around CPVC line	ng es ,
Corners finishing	Rate th
Finishing near doors	Rate the quality of (Good , Avg. X, Poor – ne
Finishing on top of t	iles of (Goo
Finishing near ventil	ators
Step at bathroom ent utility	rance X
Step for shower / pot wash	oor – ne
Tile joint grouting	eds correction XX, NA)
Granite platform finis and edge polishing	hing ction X
Granite platform slop	pe X NA)
Granite platform height	ght
Finishing under grani platform	ite

	Remarks	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	S No	
	rks	Other	Utility	Kitchen	Portico	Head room	Terrace-/balcony-2	Terrace/ balcony 1	Lobby-2	Lobby 1 F. Vozz	Dining	Drawing	Bedroom 4	56500000	Bedroom 2 FB	Bedroom 1 MB	Room	Flooring & painting
			<	<	-	<b> </b>	1	<	ļ	<	<	<	1	<	<	5	Color variation of floor tiles	
			5	<	1	1		5	1	<	<	5	\	<	5	5	Flooring workman ship & grouting	
			<	5	1	1	1	<	-	5	5	2		<	5	5	Skirting size (3")	Rate
			<	<	1	١	1	<	ţ	<	5	5	1	<	<	5	Skirting workmanship	Rate the quality of (Good
			<	<	1	1	1	<	i	<	2	7	1	<	<	5	Plastering above skirting	ty of (Go
			<	<	1	1	)	<	į	<	1	, <	1	<	5	5	Plastering & finishing of walls	od ✓, Avg.
			<	<	1		.1.	<		<	1	5	1	<	<	, <	Crack filling	vg. X, Po
		200	<	<	•	ţ	1	!	,	1	)	)	1	1	}	)	Loft Finishing	or – need
			<	1		1				7	<	, <	s	_	<	5	General quality of painting & finishing	ls correct
			1	K	1	1	1	<	1	1	)	<	,	<	1	, <	Door & frame painting quality	or – needs correction XX, NA)
			<	\	1	ļ	j	<	1	١	7	5	1	<	1	, (	Door beading, luppam and painting quality.	NA)
			<	<	1		1. 1	1	1	<	, <	, <	, }	<	, ,	1	Edge building	

## Quality Control Check Repot. Stage: After Finishing Stage II (Villas)

	Remarks:	Quality and workmanship of external cladding/ texture	Quality and workmanship of flooring & setbacks	Quality and workmanship of portico tiles	Miscellaneous check – after finishing stage II
		Good Avg. Poor	Good Avg. Poor	Good WAvg. Poor	