Quanty Cond of Check Repor.	Onality Cantral Charle Danat
Stage: After Column Casting	
Casting (villas)	

Recommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by Question Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR proceed with further work. ATR not required.	Checked By MD on	Previous stage report no.	Project Manager	Prepared by	Company	Block No.
ecommendation: Stop further work. Submit ATR on QC report Stop further work. Proceed with work after s Proceed with further work only after making of the proceed with further work. ATR not required		10.	Balo muli Küzhna	S. Kuldup	KNA	90
eport to QC team. Proc ter submitting ATR on ing corrections pointed ired.	MD Sign		Sign	Sign	Project	Column No.
ecommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not required.		Report filed and signed by	(Nead)	Southers	Blowndale	0)
by QC. ATR not required.	For filling	ed by PM?	Date	Date	Phase	Sl. No.
	☐Yes ☐No	□ Yes □ No	81/01/82	23/10/10	1	31827

Columns Position Check.

Notes:

- Inspection should be done after easting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1") Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

Columns Position Check Plan enclosed? Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it. Yes

Slab Dimensions Check.

Notes:

- 1. Preparc Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
 Show length and width of balconies (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incorrect dimension with red colour

Specified thickness of slab?	Siao Diffensions Check Fian enclosed?	Clab Dimensions Classis II	2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention a
Actual thickness of slab?	L Yes No ν.j		imension with red colour and mention actual dime
	ï	CHOICH HOULE	engion next to it

Quality of centering, rod bending and concreting.	Quality Control Check Repot.
117,171	Stage: After Column Casting (village

should be wal	the nilla.
	000
Avg. Bad	Good G
	ore than 15' head?
	Frequency of curing in number of times a day (enquire from labourers)
	Distance of tap from furthest distance that requires curing. (max permitted 100')
	Cunny bags used for column curing?
	Drum (200 lts) provided for curing?
1 2	Bund size is less than 100 sft?
	Bunds for curing made on slab?
	Curing.
	Kemarks:
✓ Yes ☐ No	raise of cubes each for columns and slab casted and numbered for testing?
. (Have 6 cubes cost. 6. 1
☐ Good ☑ Avg. ☐ Bad	Number of begins that are greated 1.11.
☐ High Medium. ☐ Low	Are the honey combs is slab and columns:
☐ Good Avg. ☐ Bad	Number and size of honey combe?
Good Avg. Bad	Quality of starters?
	Quality of centering and hending and concreting.

Quality Control Check Repot. Stage: After Column Casting (villas)

Columns height, plumb, steel & level marking check.
Notes:
1. Mark ✓ for correct or minor mistake which does not require correction
2. Mark X for minor mistake that requires minor correction.
3. Mark X for major mistake that requires correction by replacement or re-fixing.
4. Mark X X for major mistake that cannot be corrected.
5. Tolerance: Plumb 0.25".
6. Circle actual height of columns if level differs from specified height by more than 1".

20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	<u></u>	7.	6.	5.	4.	ų.	2.	-		**	S No
				2006	E5	C.	tr	m -	03	02	(3	28	0 2	82	ଅ -	AR	Du	A 2	Ą,			Col No.
					c ₁	СЧ	CH	(2	52	CC	CB	22	62	73	C3	Cz	23	e>	27			Col type
					81-761	81-7/2"	21-31/2"	81-71/2"	13/4-18	12/12-18	81-7/29	8-112"	81-11/211	18/12/19	12/E-18	8-15"	21-11/211	11/14-19	81-11/211	,	Spec.	Heigl
					8/4/3	81-611	81-81	1,4-10	114-18	81-6121	R1-61/2"	81-211	Q1-211		114-18	21-17	79 T T T	81-61/2	8-11		Actual	Height in ft
					7	ς .	ζ.	<	ζ	<	ς	ζ	ζ	(ς	ζ	<	ς	ς .	rods	No of	Steel (
					<	<	ς.	(ζ	((ζ.	(ζ	<	ζ	?	۲	7	rods	Size of	Steel (or x)
			Carella (Managarathia) (Managarathia) (Ta		7	0	(<	((ζ	ς .	ς	(<	(7	7	· <		,	Honeycombs
					ζ	(7	ζ	ζ	(Ç	2	ζ	(ς	<	7	ς	(Side 1	Plumb
					ζ	<	C	((ζ.	ζ	,	<	ς.	7	ς.	ς	<	7		Side 2	Plumb (or x)
Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐Yes ☐No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	☐Yes ☐No	Yes No	☐Yes ☐No	Yes No	∠Yes □No	Yes No	✓ Yes □ No	Yes No	Yes No	☐Yes ☐No	Yes No	column?	marked on	Reference level