Quality Control Check Repot. Stage: After Column Casting (villas)

1					
Block No.	187	Column No.	0)	SI. No.	20914
Company	NOC(11P)	Project	7100	Phase)
Prepared by	S. Sund XIVA	Sign	i le	Date	8/12/50
Project Manager	A SIGNA	Sign	£	Date	, T
Previous stage report no.	tno. 30337		Report filed and signed by PM?	by PM?	Yes No
Checked By MD on		MD Sign		For filling	☐Yes ☐No
Recommendation: Stop further work Stop further work Proceed with furt Proceed with furt	ecommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not required.	port to QC team. Proce er submitting ATR on one ing corrections pointed ired.	ed only after recheck b QC report to QC team. out in the QC report. A	y QC. TR not required.	
Columns Position Check, Notes:	eck.				
Dispection should be Drepine Columns Post Divide block B. Show size as C. Show inner- d. Show diagon	Inspection should be done after easting of columns at each stage and before starting centering works for each Prepare Columns Position Check Plan as follows: a. Divide blocks into smaller sub-blocks. b. Show size and orientation of columns. (Tolerance 0.5") c. Show inner—inner space between columns. (Tolerance 1") d. Show diagonals for 20% of bays. (Tolerance 1.5")	s at each stage and before stolerance 0.5") ns. (Tolerance 1") nce 1.5")	arting centering works for e	ach slab.	
3. Circle each correct dimension with green co Columns Position Check Plan enclosed?	Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention umns Position Check Plan enclosed?	lirele each incorrect dimens	ion with red colour and men	tion actual dimension next to it.	to it.
Slab Dimensions Check	ck.				
 Prepare Slab (or plint) a. Show outer c b. Show length 	Prepare Slab (or plinth beams) Dimensions Check Plan as follows: a. Show outer dimensions of slab. (Tolerance 2") b. Show length and width of halconies (Tolerance 1")	Plan as follows: c 2")			
c. Show inner d	Show inner dimensions of ducts and lift well. (Tolerance 1")	ell. (Tolerance 1")			

N.P. 圣

Actual thickness of slab?

Slab Dimensions Check Plan enclosed?

Show location of sunken slab. Print an A3 size plan.

Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.

b Dimensions Check Plan enclosed?

No

Specified thickness of slab?

Quality Control Check Repot. Stage: After Column Casting (villas)

THE CONTRACTOR
☐ Good ☐ Avg. ☐ Bad
Good Avg. Bad
]High ☐Medium. ☐ Low
☐Good ☐Avg. ☐ Bad
)
☐Yes ☐ No
40-0
a Limo
d Avg. Bad

Columns height, plumb, steel & level marking check. Notes:

- Mark \checkmark for correct or minor mistake which does not require correction Mark \times for minor mistake that requires minor correction.

 Mark \times for major mistake that requires correction by replacement or re-fixing. Mark \times \times for major mistake that cannot be corrected.

 Tolerance: Plumb 0.25°.

Circle actual height of columns if level differs from specified height by more than 1".

20.	200	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	œ	7.	6.	5.	4.	÷	2.	1.			S No
												E3	J L	D3	C3	Ca.	gg	D g	А3	Aa			Col No.
												C	C3	Co	Ç	C3	C)	G	C,	Ca.			Col type
							100 o					9-31	9:37	9,3,	9,00	9, 3,	9:31	9,22,	9-3-	9/3/		Spec.	Heig
												9-11	a. 1	9.	9-0			9-0	9.1	9.1		Actual	Height in st
												<	((ζ	((((۲,	rods	No of	Steel (
					i							((7	ζ.	((((1	rods	Size of	Steel (v or x)
												ς .	ς	(ζ	(<	7	(7			Honeycombs
												ζ	<	ζ	(ζ	(ζ	((,	Side 1	Plumb
												((ς	7	(7	7	ς	(Side 2	Plumb (v or x)
Yes No][Yes No	☐ Yes ☐ No	☐Yes ☐No	☐Yes ☐No	☐Yes ☐No	□Yes □No	☐Yes ☐No	∠ Yes □ No	☐ Yes ☐ No	☑ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	∠Yes □No	column?	marked on	Reference level					