| Recommendation:  Stop further work. Submit ATR on QC report  Stop further work. Proceed with work after s  Proceed with further work only after making Proceed with further work. ATR not required   | Checked By MD on | Previous stage report no.  | Project Manager | Prepared by | Company   | Block No.  |
|--|------------------|----------------------------|-----------------|-------------|-----------|------------|
| Submit ATR on QC re<br>Proceed with work af<br>er work only after mak<br>er work. ATR not requ   |                  |                            | A. Swesh        | V. Sambets  | VOC (LLP) | 191        |
| eport to QC team. Proceed ter submitting ATR on the corrections pointed ired.  | MD Sign          | 30747                      | Sign            | Sign        | Project   | Column No. |
| scommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR no Proceed with further work. ATR not required. | 1000000          | Report filed and signed by | Cum             | V. Sugket   | YOU       | 0          |
| by QC.<br>ATR not required.  | For filling      | PM?                        | Date            | Date        | Phase     | SI. No.    |
|  | ☐ Yes ☐ No       | Yes No                     | 24/7/16         | 24/7/18     | -         | 30930      |

## Columns Position Check.

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolcrance 0.5")
- Show inner -- inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

| . Choic each correct dimension with green colour. Circle each incorrect dimension with red colour and mention act | ension with red colour and mention actual dimension next to it. |
|---|---|
| Columns Position Check Plan enclosed?   | ⊠Yes □No  |
|   |   |

## Slab Dimensions Check.

- 1. Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
  Show length and width of balconies (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- Sla Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it

| Slab Dimensions Check Plan enclosed? |                           |   |
|--------------------------------------|---------------------------|---|
| Specified thickness of slab?         | Actual thickness of slab? | g |
|                                      |                           |   |
|                                      | \<br>/                    |   |

## Quality Control Check Repot. Stage: After Column Casting (villas)

|                     | Remarks:  |
|---------------------|---|
| ☐ Good M'Avg. ☐ Bad | Quality of infrastructure for curing.   |
| ∠Yes □No            | Is the pressure in the curing pipe more than 15' head?                                    |
| ξ,                  | Frequency of curing in number of times a day (enquire from labourers)                     |
| 45                  | Distance of tap from furthest distance that requires curing. (max permitted 100')         |
| Yes No              | Gunny bags used for column curing?  |
|                     | Drum (200 lts) provided for curing?   |
| Yes No              | Bund size is less than 100 sft?   |
| Yes No              | Bunds for curing made on slab?  |
|                     | Curing.   |
|                     |   |
|                     | Remarks:  |
| ✓ Yes ∐ No          | Have 6 cubes each for columns and slab casted and numbered for testing?                   |
| Comm                | Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1" |
| ☐ Good ☐ Avg. ☐ Bad | Are the honey combs is slab and columns packed?   |
|                     | Number and size of honey combs?   |
| Good Avg. Bad       | Quality of starters?  |
| ☐ Good [ Avg. ☐ Bad | Quality of centering, rod bending and concreting?   |
|                     | Onality of centering, rod bending and concreting.   |

## Columns height, plumb, steel & level marking check. Notes:

| 20.        | 1      | 1        | 1          |          | 1        |          |          |          | ,_       |          | 100      | ~        |          |           | f K      |          |            | k ~        |           |         |           | SNo             | . 10  |                         | ω.  | 2.  |
|------------|--------|----------|------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|----------|------------|------------|-----------|---------|-----------|-----------------|---|-------------------------|---|---|
| 0.         | 19.    | 18.      | 17.        | 16.      | 15.      | 14.      | 13.      | 12.      | 11.      | 10.      | 9.       |          | 7.       | 6.        | 5.       | 4.       | <u>υ</u>   | 2.         |           |         |           | 0               | Circle a  | Toleran                 | Mark X  | Mark V  |
|            |        |          |            |          |          | -        |          |          |          | Ĺ        | g, Y     |          | 0        | 2         | ()       | 37 C     | P2 1       | Pι         | Do )      |         |           | Col No.         | ctual height  | Tolerance: Plumb 0.25". | X for majo  | for correct for minor 1   |
|            |        |          |            |          |          |          |          |          |          |          | 3        | Co       | 63       | 20        | 6        | C2       | 5          | රා         | ()        |         |           | Col type        | of columns it   | .25".                   | or mistake tha  | or minor mist<br>nistake that r   |
|            |        |          |            | 99       |          |          |          |          |          |          | 91.411   | q'.   'I | 91.411   | 9,411     | وهرقاري  | 5 taire  | 91.41      | 91.111     | a : 111   | •       | Spec.     | Heig            | f level differs   | Tolerance: Plumb 0.25". | it requires con   | Mark $\checkmark$ for correct or minor mistake which does not requi Mark $\times$ for minor mistake that requires minor correction. |
|            |        |          |            |          |          |          |          |          |          |          | 91.311   | 9 . 10 1 | 9.3"     | 9.4"      | ودنقا ی  | stewas   | 91.31211   |            | الم الم   |         | Actual    | Height in ft    | from specifi  | corrected,              | rection by re   | Mark   for correct or minor mistake which does not require correction Mark   for minor mistake that requires minor correction.      |
|            |        |          |            |          |          |          |          |          |          |          | <b>\</b> | ۷        | <        | <         | <b>~</b> | ż        | く          | <u> </u>   | く         | rods    | No of     | Steel           | Circle actual height of columns if level differs from specified height by more than 1". |                         | Mark XX for major mistake that requires correction by replacement or re-fixing. | e correction  |
|            |        |          |            |          |          |          |          |          |          |          | ۷        | <        | <        | <         | <        | ۷        | ۷          | 7          | <u>ر</u>  | rods    | Size of   | Steel ( or x)   | nore than 1".   |                         | re-fixing.  |   |
|            |        |          |            |          |          |          |          |          |          |          | ~        | (        | 4        | ۷,        | ۷.       | <        | `          | <          | 2         | 1       | •         | Honeycombs      |   |                         |   |   |
|            |        |          |            |          |          |          |          |          | 8        |          | く        | ζ        | ٠,       | 7         | ۲.       | 4        | <          | <          | く         | Diag 1  | Side 1    | Plumb           |   |                         |   |   |
|            |        |          |            |          |          |          |          |          |          |          | <        | ~        | ~        | <b>ا</b>  | <        | ۷,       | <          | ۷          | 4         | 5,00    | Side      | Plumb ( v or x) |   |                         |   |   |
| ☐ Yes ☐ No | Yes No | ☐Yes ☐No | ☐ Yes ☐ No | ☐Yes ☐No | ☐Ycs ☐No | ☐Yes ☐No | ☐Ycs ☐No | □Yes □No | ☐Yes ☐No | ☐Yes ☐No | ✓Yes □No | □yes □No | ✓Yes □No | √Yes □ No | √Yes □No | √Yes □No | ✓ Yes □ No | ✓ Yes □ No | ✓Yes □ No | column? | marked on | Reference level |   |                         |   |   |