Quality
Control
Quality Control Check Repot.
Stage: After Column Casting (
Column
Casting (
(villas)

Recommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck b Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. Proceed with further work. ATR not required.	Checked By MD on	Previous stage report no.	Project Manager	Prepared by	Company	Block No.
commendation: Stop further work. Submit ATR on QC report Stop further work. Proceed with work after some Proceed with further work only after making Proceed with further work. ATR not required.		0.	7 axin Hussain	ANUX L	AGH	66
port to QC team. Proceer submitting ATR on ing corrections pointed ired.	MD Sign	30734	Sign	Sign	Project	Column No.
scommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR n Proceed with further work. ATR not required.		Report filed and signed by PM?	Store	80	AVR Milmorres	0)
by QC. ATR not required.	For filling			Date	Phase	SI. No.
	☐Yes ☐No	∠Yes □No	81218	81/7/18)	30900

Columns Position Check.

Notes:

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan. with red colour and mention actual dimension next to it.

5. Circle each correct difficultation with green colour. Clicle each incorrect difficultation with red colour and men	cet differision with red colour and mention actual differentiation free to te.
Columns Position Check Plan enclosed?	Yes No
	Company of the Compan

Slab Dimensions Check. Notes:

- 1. Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.

2	Actual thickness of slab?	2	Specified thickness of slab?
	Yes No	2	Slab Dimensions Check Plan enclosed?
ual dimension next to it.	ition act	Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mer	Circle each correct dimension with

Quality of centering, rod bending and concreting.	Quality Control Check Repot.
	Stage: After Column Casting (villas

Good D. Ava Bad
☐Good ☐Avg. ☐Bad
]High ☑ Medium. ☐ Low
Good Avg. Bad
Yes No
(4)-Sides 05 all Columns,
9 Jims
Good ☐ Avg. ☐ Bad
No N

Columns height, plumb, steel & level marking check. Notes:

- Mark v for correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark X for major mistake that requires correction by replacement or re-fixing.
 Mark X X for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".

Circle actual height of columns if level differs from specified height by more than 1".

Vo Col No. | Col type | Height in ft | Steel (or x)

1. Col.	Col No. Col type	Spec	Height in ft Actual	Steel No of rods	Steel (v or x) of Size of ds rods	Honeycombs	Plumb (v or x) Side 1 Side 2	Side 2
_		1 20	8-3,	5	<	5		7
	_	12	, P.	7	7	ς .		(
		4-8	ر لد	ς	(((
5 t.	-	Siti	S-1-	<	<	(- 1	,
-	(2)	4.8	14.00 14.00	ζ	ς	ς .		۲
6. B3		8.4	8-4	۲	<	7	-	۲
8		<u> </u>	S(1)	ς .	(ζ	-	(
		18.1	119-8	<	<	(-	ζ
		8-4	8-5	<	<	<		ζ
-		18-4	8-8	ς	<	<		(
-		, X-1,	8-8	<	<	(_	5
+	+	120	1,00	<	7	ζ		(
14	CA	2	10-8	<	<	<		7
15.	-							
16.							†	
17.							 	
18.							-	
19.								
20.								