, q	$\frac{1}{2} \ln \frac{1}{2} \ln \frac{1}$	Actual thickness of slab?	(L), 11	;9 	Specified thickness of slab?
		Y'es No		lan enclosed?	Slab Dimensions Check Plan enclosed?
ct to it.	nention actual dimension next to it.	red ec	c Plan as follows: ce 2") erance 1") well. (Tolerance 1") Circle each incorrect dime	Slab (or plinth beams) Dimensions Check Plan as follows: Show outer dimensions of slab. (Tolerance 2") Show length and width of balconies (Tolerance 1") Show inner dimensions of ducts and lift well. (Tolerance 1") Show location of sunken slab. Print an A3 size plan. ch correct dimension with green colour. Circle each incorrect	Notes: 1. Prepare Slab (or plinth beams) Dimensions Check Plan as follows: a. Show outer dimensions of slab. (Tolerance 2") b. Show length and width of balconies (Tolerance 1") c. Show inner dimensions of ducts and lift well. (Tolerance d. Show location of sunken slab. c. Print an A3 size plan. 2. Circle cach correct dimension with green colour. Circle each incorrect dimension with green colour.
		⊠ Yes □ No		lan enclosed?	Slab Dimensions Check.
ct to it.	mention actual dimension next to it.	Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention	Circle each incorrect dime	ion with green colour.	 Circle each correct dimens
			Folerance 0.5") ms. (Tolerance 1") ance 1.5")	Show size and orientation of columns. (Tolerance 0.5") Show inner – inner space between columns. (Tolerance 1") Show diagonals for 20% of bays. (Tolerance 1.5") Print an A3 size plan.	 b. Show size and oriente c. Show inner – inner sp d. Show diagonals for 2 e. Print an A3 size plan.
	or each slab.	Inspection should be done after easting of columns at each stage and before starting centering works for each Prepare Columns Position Check Plan as follows: a. Divide blocks into smaller sub-blocks.	s at each stage and before	n should be done after casting of column Columns Position Check Plan as follows: Divide blocks into smaller sub-blocks.	 Inspection should be done after casting of column Prepare Columns Position Check Plan as follows: a. Divide blocks into smaller sub-blocks.
					Columns Position Check.
	c by QC. n. . ATR not required.	commendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QU Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR Proceed with further work. ATR not required.	eport to QC team. Protes ter submitting ATR of ter submitting points ing corrections points ired.	omit ATR on QC re oceed with work af vork only after mak vork. ATR not requ	Recommendation: Stop further work. Submit ATR on QC report Stop further work. Proceed with work after su Proceed with further work only after making of the proceed with further work. ATR not required.
☐ Yes ☐ No	For filling		MD Sign		Checked By MD on
Yes □No	ned by PM?	Report filed and signed by	30230		Previous stage report no.
04/06/18	Date		Sign	1-Suresh	Project Manager
81/06/19	Date	4月	Sign	M-Teja Shidhu	Prepared by ト
1	Phase	100	Project	NOC (ITTA)	Company
30424	Sl. No.	70	Column No.	90 .	Block No.

Quality Control Check Repot. Stage: After Column Casting (villas)

Quality Control Check Repot. Stage: After Column Casting (villas)

1 1 I'm and a specific of		
Quality of centering, rod bending and concreting?		Good Avg. Bad
Quality of starters?		Good Navg. Bad
Number and size of honey combs?	Ш	High Medium. Low
Are the honey combs is slab and columns packed?		Good Avg. Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"	han 1"	}
Have 6 cubes each for columns and slab casted and numbered for testing?	\[\times \text{Yes} \]	es No
Remarks:		
Curing. Bunds for curing made on slab?	√Yes □ No	:
Bund size is less than 100 sft?		
Drum (200 lts) provided for enting?		
	Yes No	
Distance of tap from furthest distance that requires curing. (max permitted 100')	30'.0"	
Frequency of curing in number of times a day (enquire from labourers)	2 times	
Is the pressure in the curing pipe more than 15' head?	11	
Quality of infrastructure for curing.	Good Avg. Bad	d
Remarks:		
Ma	0 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	

Columns height, plumb, steel & level marking check. Notes:

- Mark Y for correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark XX for major mistake that requires correction by replacement or re-fixing.
 Mark XX for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".
 Circle actual height of columns if level differs from specified height by more than 1".

			200.00			T	_	T		Γ''-	Г				1		}		1	
19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	'n	2.	1.		NO NO
		200 Tab	ı	کی	Cz	E.	Py	D ₂	0,	Ç4	CS	(ar	By	82	90	Z,	<i>₽</i> ,	A		Col No.
	N ₂ Sec _N	20 10 10 10 10 10 10 10 10 10 10 10 10 10	,	5	C1	22	7	Ch	C2	<u>C</u> 1	5.5))	(:2:	(3	C2-	2	5	5		Col type
				1,6;8	 よ、8	8.41	14-18	153	15:3	81.411	11 h 18	116.18	<u>'-'</u>	14.18	112.18	11/8	14.18	114.18	Spec.	Heigh
				= 4.2	8,413	81.511	=4:8	14.18	81.81	~/ ^.	81.51	8.6121	8-7	1,4.8	114-18	81.6161	11218	1,45	Actual	Height in ft
				<	<	<	<	<	<	<	<	~	<	<	<	\	<	<	No of rods	Steel (
				~	۷.	/	1	7	\ \	4	<	~	1	۷.	<u> </u>	/	\	<	Size of rods	Steel (v or x)
				<u> </u>	<	<	<	<	<	<	<	×.	<	<	<	<	<	ζ.		Honeycombs
					<	<	<	<		<	/	<u> </u>	<u> </u>	ς.	~	<	<	<	Side 1	Plumb
				<	<	<	く	<	<u> </u>	۷	<	\checkmark	√	<	<u> </u>	<	<	<	Side 2	Plumb (or x)
☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐Ycs ☑No	☐Yes ☑Ño	☐ Yes ☐ No	☐Yes ☑No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes VNo	☐ Yes ☑ No	☐Yes ☐No	□ Yes □ Ño	∏Yes ⊡Ño	marked on column?	Reference level
	□Yes □		Yes □ Yes	Yes □ Yes □ Yes □ Yes □ Yes □ Yes □ Yes □ Yes □ Yes □	Εq C/ g/3" √ √ √ √ 0 0 Yes - <td< td=""><td> C₃ C₁ S¹, R¹, R¹</td><td> Yes 1 1 1 1 1 1 1 1 1 </td><td> Sax C</td><td> SaA </td><td> Sex C</td><td>C4 C1 8:41 >:T Yes D2 C2 8:41 Yes D3 C2 8:41 Yes E4 C1 8:41 Yes E4 C1 8:41 Yes E5 C2 8:41 8:41 Yes E4 C1 8:41 8:41 Yes C3 8:41 8:41 Yes C4 8:41 8:41 Yes C5 8:41 8:41 Yes Yes Yes</td><td> Sax Car Car</td><td> Sex C C C C C C C C C </td><td> SaA SaA</td><td> SaA SaA</td><td> Si</td><td> A</td><td> Ay Cy State State Cy Cy State State Cy Cy Cy Cy Cy Cy Cy C</td><td> A C </td><td> Spec. Actual No of Size of Side 1 Side 2 marked Fods F</td></td<>	C ₃ C ₁ S ¹ , R ¹	Yes 1 1 1 1 1 1 1 1 1	Sax C	SaA	Sex C	C4 C1 8:41 >:T Yes D2 C2 8:41 Yes D3 C2 8:41 Yes E4 C1 8:41 Yes E4 C1 8:41 Yes E5 C2 8:41 8:41 Yes E4 C1 8:41 8:41 Yes C3 8:41 8:41 Yes C4 8:41 8:41 Yes C5 8:41 8:41 Yes Yes Yes	Sax Car Car	Sex C C C C C C C C C	SaA SaA	SaA SaA	Si	A	Ay Cy State State Cy Cy State State Cy Cy Cy Cy Cy Cy Cy C	A C	Spec. Actual No of Size of Side 1 Side 2 marked Fods F