Un!	p5.	Actual thickness of slab?	ノモ	29	Specified thickness of slab?
		✓Yes □No		lan enclosed?	Slab Dimensions Check Plan enclosed?
on next to it.	ntion actual dimensi	Dimensions Check. S: Prepare Slab (or plinth beams) Dimensions Check Plan as follows: a. Show outer dimensions of slab. (Tolerance 2") b. Show length and width of balconies (Tolerance 1") c. Show inner dimensions of ducts and lift well. (Tolerance 1") d. Show location of sunken slab. e. Print an A3 size plan. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.	<pre> < Plan as follows: ce 2") lerance 1") well. (Tolerance 1") Circle each incorrect dimen.</pre>	Isions Check. Slab (or plinth beams) Dimensions Check Plan as follows: Show outer dimensions of slab. (Tolerance 2") Show length and width of balconies (Tolerance 1") Show inner dimensions of ducts and lift well. (Tolerance 1") Show location of sunken slab. Print an A3 size plan. ch correct dimension with green colour. Circle each incorrect	 Slab Dimensions Check. Notes: Prepare Slab (or plinth beams) Dimensions Check Plan as follows: Show outer dimensions of slab. (Tolerance 2") Show length and width of balconies (Tolerance 1") Show inner dimensions of ducts and lift well. (Tolerance d. Show location of sunken slab. Print an A3 size plan. Circle each correct dimension with green colour. Circle each incorrect.
		✓ Yes □No		Plan enclosed?	Columns Position Check Plan enclosed?
on next to it.	ntion actual dimensi	c. Show inner – inner space between columns. (Tolerance 1") d. Show diagonals for 20% of bays. (Tolerance 1.5") e. Print an A3 size plan. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.	ance 1.5") Circle each incorrect dimen	Show inner – inner space between columns. (Tolerance 1") Show diagonals for 20% of bays. (Tolerance 1.5") Print an A3 size plan. ch correct dimension with green colour. Circle each incorre	c. Show inner – inner sp. d. Show diagonals for 2 e. Print an A3 size plan. 3. Circle each correct dimension
	ach slab.	es: Inspection should be done after casting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows: a. Divide blocks into smaller sub-blocks. b. Show size and orientation of columns. (Tolerance 0.5%)	וs at each stage and before s : Folerance מ פייז	n should be done after easting of columns at each stage Columns Position Check Plan as follows: Divide blocks into smaller sub-blocks. Show size and orientation of columns (Tolerance 0 5%)	Notes: 1. Inspection should be done after casting of column: 2. Prepare Columns Position Check Plan as follows: a. Divide blocks into smaller sub-blocks. b. Show size and orientation of columns Canada.
					Columns Position Check.
	y QC. \TR not required	ommendation: stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not required. Proceed with further work. ATR not required.	commendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck I Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. Proceed with further work. ATR not required.	bmit ATR on QC reoceed with work af work only after mak work. ATR not requ	Recommendation: Stop further work. Submit ATR on QC report Stop further work. Proceed with work after su Proceed with further work only after making of the proceed with further work. ATR not required.
□Yes □No	For filling		MD Sign		Checked By MD on
NYes □No	d by PM?	Report filed and signed by PM?	77267		Previous stage report no.
41/80/80	Date	A-C	Sign	Kylinh Kumar	Project Manager Ky
41/80/80	Date	Ray	Sign	P.So Kemer	Prepared by Q .
曰	Phase	Bur-B	Project	Jun - II	Company
(トナナス	Sl. No.	80	Column No.	(-15 6 2)	Block No.

Quality Control Check Repot.

Stage: After Column Casting (Apartments)

Quality Control Check Repot. Stage: After Column Casting (Apartments)

1000 14 11 15. The
Good Avg. Bad
High √Medium. Low
Good ✓ Avg. ☐ Bad
]No

Columns height, plumb, steel & level marking check.

- Mark v for correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark X for major mistake that requires correction by replacement or re-fixing.
 Mark X X for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".

Circle actual height of columns if level differs from specified height by more than 1".

17.	16.	15.	14.	13.	12.	11.	10.	9.		7.	6.	5.	4.	3.	2.	1.			SNo
1	1)	ſ	1	•	1	}	J	}	•)))	1)	7			Col No.
CS	Cr		-(6	(۲)			CU	Cr	ر <i>م</i>		んと	4	イン	2	24	C1			Col type
	81.712	8. 412	١١١١٠ ا	8.4 1/21	4 11 2		8.411.	1.4.18	2020	8.211.	1 1 1 4 . K	12.4.8	114.8	ジニナショ	2-2-2	8.41/2		Spec.	Heigh
8.81	81.74	Simil.	8'.5"	8,411	81.411	81.4.	81.44	81. 70	81.41	y	8.9.1	1.6.8	8.74	\$1.811	8.41	8.5.11		Actual	Height in ft
<	5	<	\	<	<	<	5	<	V	<,	<	5	\	<	<	<	rods	No of	Steel (
<	<	5	< '	\	<	\ \	,<	<	5	<	<	5	<	<	5	<	rods	Size of	Steel (v or x)
< '	<	۲.	< .	ς,	۲ .	5	<	<	5	\	5	5	\	7	5	5			Honeycombs
<	5	5	<	<	<	ζ,	7	5	<	<	V	<	5	<	<	5		Side 1	Plumb
	\ \	5	\ \ '	5	<	<	<				<	5	<	5	\	\		Side 2	Plumb (v or x)
☐Yes ☐No	У́yes □No	√Yes □No	Yes No	□Yes □No	□Yes □No		Yes No	√Yes □ No	√Yes □ No	∏Yes □No	Yes No	[√Yes] No	Yes No	□Yes □No	✓Yes □No	✓Yes □No	column?	marked on	Reference level

Quality Control Check Repot. Stage: After Column Casting (Apartments)

Г	ľ	Т -	т-	T	T	T —	-	_	т		- <u> </u>	-							<u>-</u> 200				
39.	38.	37.	36.	35.	34.	33.	32.	31.	30.) š	28.	27.	26.	25.	24.	23.	22.	21.	20.	19.	18.		S No
/	1	1	\	1	})	,))	,	1)	}))	J	J))	1)		Col No.
7	Ç	Car	3	CS	८	Cx	2		7	C'+	3	CA		CV	Ca	C8	42	2	2,	27	6		Col type
1.7.1°	-4 11:	1. 7-5°	8-4-5	これ、の	いったい	8.4 11.1	ヤンナング	8-7-12	マーナーン	15-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	الما الم	1114 - 108	٠, ١٠ ال	31.700	B. 411.	8, 4 117	131 C.B	8-4-5	81.4.1"	81.7111	304.8	Spec.	Heig
1.4.8	8-4"	. t &	8.81	8.8.	1.t. 8	8.54	14.18	24.18	8. Yu	81.30	*- - - - - -	81.811	81.44	80.00.1	81.4.1	eloui	81.418	81.811	8,311	46.18	4.8	Actual	Height in ft
<	<	\	<u></u>	<	V	<	<	<		<	<,	?	<	>		~	<	<	<	<	<	No of rods	Steel (
<	< :		<	5	<	`	55	5		<u> </u>	<,	<	<u>,</u>	<	<	~	~	<	\	5	5	Size of rods	Steel (or x)
< '	<	<	\	\	<	<	<	5	5	5	<.	5	5	5	<	5	5	5	*	5	<		Honeycombs
<	<	5	<	7	<		5	5	5		ζ.		\ \			<	<	<			5	Side 1	Plumb
<		<		\	5		5	1		5	<, -		5	<	<	5	<	<	<	< '	5	Side 2	Plumb (vor x)
	√Yes □No	Yes No	√Yes □ No	Wes □No	□Yes □No	√Yes □No			\neg		ŊŶes □No	□VYes □No	Yes No	√Yes □No	∏Yes □No	√Yes □No	TYes No	Yes No	Yes No	√Yes □No	∏Yes □ No	marked on column?	Reference level

Quality Control Check Repot. Stage: After Column Casting (Apartments)

61.	60.	59.	58.	57.	56.	55.	54.	53.	52.	51.	50.	49.	48.	47.	46.	45.	44.	43.	42.	41.	40.		SNo
													1 1 1 1			The second secon])	}		,	Col No.
																		CH	Cr	د٤	CL		Col type
																		J-17-18	8,3110	81. w 16"	11.4.18	Speć.	Height in ft
																		81.34	1.74	81.41	ペーシュ	Actual	t in ft
								2000										\ \	<	<	<	No of rods	Steel (
	2				333.													V	V	5	5	Size of rods	Steel (or x)
																		7	1	7	5		Honeycombs
													8-					<	5	<	<	Side 1	Plumb
	8										i							<	5	7	<	Side 2	Plumb (✓ or 🗙)
☐ Yes ☐ No	□Yes □No	□Yes □No	☐ Yes ☐ No	□Yes □No	☐ Yes ☐ No	☐Yes ☐No	☐Yes ☐No	☐Yes ☐No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	□¥Yes □No	LyYes □No	[북Yes □No	☐Yes ☐No	marked on column?	Reference level				