	? NA	Actual thickness of slab?	NA	s of slab?	Specified thickness of slab?
		☐Yes ☐No	Z=3	Slab Dimensions Check Plan enclosed?	Slab Dimensions C
xt to it.	tion actual dimension no	nsion with red colour and ment	Circle each incorrect dimer	Circle each correct dimension with green colour. Circle each incorrect dimension with rcd colour and mention actual dimension next to it.	<ol><li>Circle each correct</li></ol>
				Show location of sunken slab.  Print an A3 size plan.	e. Print an /
			well. (Tolerance 1")	Show inner dimensions of ducts and lift well. (Tolerance I")	
			derance (")	Show length and width of balconies (Tolerance 1")	a. Show len
			k Plan as follows:	Prepare Slab (or plinth beams) Dimensions Check Plan as follows:	1. Prepare Slab (or p
				Check.	Slab Dimensions Check
		∠Yes ∐No		Columns Position Check Plan enclosed?	Columns Position (
xt to it	tion actual dimension no	nsion with red colour and ment	Circle each incorrect dimer	Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.	<ol><li>Circle each correct</li></ol>
			***************************************	Print an A3 size plan.	
			nns. (Tolerance l'')	Show diagonals for 20% of have (Tolerance 1 5")	c. Show inn
			Tolerance 0.5")	Show size and orientation of columns. (Tolerance 0.5")	
				Divide blocks into smaller sub-blocks.	
	cach slab.	starting centering works for ca	ns at each stage and before:	Inspection should be done after casting of columns at each stage and before starting centering works for Prepare Columns Position Check Plan as follows:	<ol> <li>Inspection should</li> <li>Prepare Columns</li> </ol>
					Notes:
				Check.	Columns Position Check.
	TR not required.	d out in the QC report. A	iter submitting ATR on king corrections pointed.	Stop further work. Proceed with work after submitting ATR on QC report to QC team.  Proceed with further work only after making corrections pointed out in the QC report. ATR not required.  Proceed with further work. ATR not required.	Stop further we Proceed with fi
	QC.	Submit ATR on QC report to QC tcam. Proceed only after recheck by QC	eport to QC tcam. Proc		Recommendation:  Stop further work.
☐ Yes ☐ No	For filling	'n	MD Sign	n	Checked By MD on
Yes No	by PM?	Report filed and signed by PM?	33/8/	ort no.	Previous stage report no.
2913/19	Date	The state of the s	Sign	Saban Baby	Project Manager
99 3 19	Date	7/2 I	Sign	S. Sund Kulma	Prepared by
	Phase	Vision Hames P	Project	إسكا	Company
33284	Sl. No.	S S	Column No.	E- (006 ta 009)	Block No.
	g (Apartments)	Stage: After Column Casting (Apartments)		Quality Control Check Repot.	

Quality Control Check Repot. Stage: After Column Casting (Apartments)

	Remarks:
Good Avg. Bad	Quality of infrastructure for curing.
Yes No	Is the pressure in the curing pipe more than 15' head?
asimes	Frequency of curing in number of times a day (enquire from labourers)
300	Distance of tap from furthest distance that requires curing. (max permitted 100')
Yes No	Gunny bags used for column curing?
Ycs No	Drum (200 lts) provided for curing?
	Bund size is less than 100 sft?
Yes No	Bunds for curing made on slab?
1	Curing.
	Remarks:
∑Yes ☐ No	Have 6 cubes each for columns and slab casted and numbered for testing?
an 1"	Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"
_ Good Avg. Bad	Are the honey combs is slab and columns packed?
☐ High ☐ Medium. ☐ Low	Number and size of honey combs?
Good Avg. Bad	Quality of starters?
Good Avg. Bad	Quality of centering, rod bending and concreting?
	Quality of centering, rod bending and concreting.

## Columns height, plumb, steel & level marking check.

Notes:

- Mark v for correct or minor mistake which does not require correction
   Mark X for minor mistake that requires minor correction.
   Mark X for major mistake that requires correction by replacement or re-fixing.
   Mark X X for major mistake that cannot be corrected.
   Tolerance: Plumb 0.25".

Circle actual height of columns if level differs from specified height by more than 1".

16.	15.	14.	13.	12.	11.	10.	9.	.8	7.	6.	5.	4.	3.	2.	<b>.</b> .			S No
1	1	1	7	1	]	1	1	6	١	1	)	1	)	}	!			Col No.
Q	6	65	50	R	3	Ç,9 (	ر د	$\mathcal{C}_{\mathbf{J}}$	CA	Ca	Ca	(C)	(9)	Ca,	CA			Col type
11- In	18-172	182172	11.10/2	こうさ	10-10	1-1000	18/12	18-77	18.77	ルルール	1,2/t/1	11/2/11	1.1.710	Juk-III	11/0/2	, ,	Spec.	Heigh
11-7	19-1		11-10	17-17	11-11	_	18-1	18-8	18.87	17-81	11-81	11-8,	11-8/2		11-17		Actual	Height in ft
(	ζ	(	ζ	<	ζ	ζ	<	۲	ς .	ζ	ς	(	ς .	ς.	7	rods	No of	Steel (
ς	(	<	ζ	<	(	(	ζ	ζ	(	7	(	٢	(	(	(	rods	Size of	<b>√</b> or <b>×</b> )
ς	7	(	(	(	(	7	ζ	(	(	(	(	ζ	ς .	۲	ζ		•	Honeycombs
(	(	(	(	(	(	(	(	(	(	(	(	<	(	(	ζ		Side 1	Plumb
ς	۲	ζ	ς .	ς	ς	ς	(	ζ.	٢	٢	ζ	ζ	5	(	ς		Side 2	Plumb ( or ×)
Yes No	Yes No	Ycs No			∐Yes ∐No	∠Yes □ No		⊿Yes ∐No	Yes ∐No	Yes No	∠ Yes  No	∠ Yes	Yes No		Yes No	column?	marked on	Reference level
	- (g   ji- x に ) に	- C6 18小が 18小	- C6 18-1/1, 18-1, C C C 18-1/1, 18-1, C C C C C C C C C C C C C C C C C C C	- C6 18-17。18-17	- (5   1i-lgが   1i-li)	一 C5   1g-1gg, 1j-1j,	- CS	一 C6   18小で   18小で   18小で   日Yes   日Yes	C3       1a/x <sup>n</sup> , 1a/x       1a/x <td>C7       18-70       18-8       —</td> <td>□ Cg       対応                                       </td> <td>  Cg     - - - - - - - - - - - - - - - - - </td> <td></td> <td>Cg                                      </td> <td>  Ca                                    </td> <td></td> <td>  CA   11-10 </td> <td>  Spec.   Actual   No of   Size of   Side 1   Side 2   marked    </td>	C7       18-70       18-8       —	□ Cg       対応	Cg     - - - - - - - - - - - - - - - - -		Cg	Ca		CA   11-10	Spec.   Actual   No of   Size of   Side 1   Side 2   marked

## Quality Control Check Repot. Stage: After Column Casting (Apartments)

39.	38.	37.	36.	35.	34.	33.	32.	31.	30.	29.	28.	27.	26.	25.	24.	23.	22.	21.	20.	19.	18.		S No
								}	1	1		-	1	)	-	<b>)</b>	}	}	}	1	j		Col No.
								Ca	િ (	(4	C3	C3	CA	C6	66	C5 '	30	ري `	R	( A	$\mathcal{C}$	3	Col type
								21/2/11	1,10元	11-10-12	ニンガイン	こっと	こうまつ	1914	18-12	11-1072	18110	ニーナー	ことが	11/18/20	江江	Spec.	Heig
								16-51	11-11	コーフィ	11-81				100,					_		Actual	Height in ft
								(	ς	<	ζ	ζ	7				ς .		ς		ς .	No of rods	Steel (
								۲	ς	(	ζ	(	(	(	(	(	(	(	(	(	(	Size of rods	Steel ( v or x)
								ζ	(	<	(	ζ	(	(	ζ	(	<	(	(	ς .	(		Honeycombs
								ζ.	(	<	(	<	(	?	(	(	7	(	C	7	7	Side 1	
								(	ζ	(	(	(	(	<	(	ς	(	(	ς .	5	۲	Side 2	Plumb (v or x)
Yes No	☐ Yes ☐ No	□Yes □No	☐Yes ☐No	☐ Yes ☐ No	Yes No	☐Yes ☐No	☐ Yes ☐ No	Yes No				Yes No			Yes No	Yes No		Yes No	l			marked on column?	Reference level