Oualit	Ouality Control Check Repot. Stas	Stage: After Column Casting (Apa	ng (Apartments)	818 46
Block No.		7	Sl. No.	29-8
7 -	,	MFG	Phase	(=)
Prepared by R. Social	Comer Sign	PRY	Date	41/8/91
Project Manager S. V. Volker	Sign	M. Minandament	Date	7=8 91
Previous stage report no.		Report filed and signed by PM?	d by PM?	┧┌
Checked By MD on	MD Sign		For filling	∐Yes ∐No
Recommendation: Stop further work. Submit A Stop further work. Proceed of the proceed with further work or the proceed with further work or the process.	commendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not	ceed only after recheck laced only after recheck laced only after recheck laced only after to QC report.	y QC. ATR not required.	
Columns Position Check.	XIV not redameer.			
Notes: 1. Inspection should be done after casting of column 2. Prepare Columns Position Check Plan as follows: a. Divide blocks into smaller sub-blocks.	ess: Inspection should be done after casting of columns at each stage and before starting centering works for each slab. Prcpare Columns Position Check Plan as follows: a. Divide blocks into smaller sub-blocks.	starting centering works for	each slab.	
 b. Show size and orientation c. Show inner - inner space d. Show diagonals for 20% c. Print an A3 size plan. 	Show size and orientation of columns. (Tolerance 0.5") Show inner – inner space between columns. (Tolerance 1") Show diagonals for 20% of bays. (Tolerance 1.5") Print an A3 size plan.			
3. Circle each correct dimension with green co Columns Position Check Plan enclosed?	Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it. UNG WESS NO	ension with red colour and m	ention actual dimension ne	ext to it.
Slab Dimensions Check.		•		ŗ
0	mensions Check Plan as follows: of slab. (Tolerance 2") f halconies (Tolerance 1")			
b. Show length and width of pair c. Show inner dimensions of due d. Show location of sunken slab	Show length and width of balcomes (1 bledance 1) Show inner dimensions of ducts and lift well. (Tolerance 1") Show location of sunken slab.			
e. Frint an A3 Size plan. 2. Circle each correct dimension with green c Slab Dimensions Check Plan enclosed?	e. Print an A3 size plan. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it. Dimensions Check Plan enclosed?	ension with red colour and n	ention actual dimension n	ext to it.
Specified thickness of slab?		Actual thickness of slab?	ab? h	11

Quality Control Check Repot. Stage: After Column Casting (Apartments)

Quality of centering, rod bending and concreting.	L'a -
Quality of centering, rod bending and concreting?	Good Mavg, Land
Quality of starters?	Good YAvg. Bad
Number and size of honey combs?	☐ High [¶Medium. ☐ Low
Are the honey combs is slab and columns packed?	☐ Good ☐ Avg. ☐ Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"	
Have 6 cubes each for columns and slab casted and numbered for testing?	✓ Yes ☐ No
Remarks:	
Bunds for curing made on slab?	
Bund size is less than 100 sft?	
П	
Gunny bags used for column curing?	
Distance of tap from furthest distance that requires curing. (max permitted 100')	
Frequency of curing in number of times a day (enquire from labourers)	
Is the pressure in the curing pipe more than 15' head?	
Qualify of infrastructure for curing.	Bad
Remarks:	

Columns height, plumb, steel & level marking check.

Notes:

- Mark v for correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark XX for major mistake that requires correction by replacement or re-fixing.
 Mark XX for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25"

17.	16.	15.	14.	13.	12.	11.	10.	9.	.∞	7.	6.	s.	4.	'n	2.	H			SNo
1	}	<u></u>	J	}	})	1	}		}	\	1	}	-	1)			Col No.
(3)	S	7	C	Cr	CX	2	7	Ç	52	Ç	Ç	7	63	64	5.5	2			Col type
8:711	8.41.	8.4.15	8 7 4	8-4 11:	8-4-	8.4 1.8	8 . v . t.:	"1. t. 3	1 4	3 H 1.8	∴ - t - ⊗	00°	17.4.8	8.41."	いたし	8.415		Spec.	Height in ft
8.8.	8.4.	, h .	8 81	2	1. h .8	3. 4.	8 . 41	8.7"	8. 7.	١٠٨٠.	1.4.18	8 · u "	8.8"	1,h - 8	8- 8-1	00.41		Actual	t in ft
<	1	<	<	<	5	7	5	1	<	5	<	5	<	\	<	5	rods	No of	Steel (v or X)
<		, <	<	. <	, <	<	,	<	,	<	. <	,<	<	, <	<	\	rods	Size of	or ×)
<		, <	\ \ -	5	<		, <	<	,		<		<	<	<	<			Honeycomos
<	<	, <	, <	> <	<	, <	<	<	, <	. <	<	, <	<	1	<	\ <	\	Side 1	OTTIBLE
<	<	<	\ \ \	<	<	<		<	<	, <	, <	, <	\<	, <	\	, <	\	Side 2	
103	ΠE	Wes No		$\neg \mid \Gamma$	\neg \mid \vdash	TVes I No	٦F	╗	TÌT	\neg \vdash	╗	71	7 7	٦lr	T S LNO	No.	1	column?	marked on

Quality Control Check Repot. Stage: After Column Casting (Apartments)

		23							102			es es		· · · · · · · · · · · · · · · · · · ·									
39.	38.	37.	36.	35.	34.	33.	32.	31.	30.	29.	28.	27.	26.	25.	24.	23.	22.	21.	20.	19.	18.		S No
١)	١	1))	1)	\	1	})	1	3	1	}	1	•	1	,]			Col No.
ري	62	C	C.2	٢2	5	Ca	S	વે	5	63	C.	Cc	C.>	ફ	C	2	СЧ	47	Cr	(3	3		Col type
ジーナータ	でナシ	8.411	1.4.18	8.41.	1.1. t8	الم الم	B. H 1."	8.4 11.	,'= t.'8	ごたら	1.1.4.8	8. H 1/2	17:4.8	8.4 1.	111:19	8.400	مياً، بد الن		6 .4 1/2	8-4-E	8.411	Spec.	, Heigh
8 - 8 =	4.30	1, N. &	3-1-8	8.4.1	114.00	8,411	٠٠٠ ٢٠	30	4.4	8-7.	1.6.8	- 7 = 8 - 7 =	16.8	8.41	24.4	03	8.4.	. n 8	8.4.	8	8- ui	Actual	Height in ft
<	<	. <	\	\	<	<		<	<	<	<	,	, <	\	<	<	<	5	<		<	rods	Steel (
<	5	5	<	•	<	, <	, <	<	<	\<	, <	1	<	5	<	, <	<	\	\	<	<	rods	Steel (or x)
<		, \	<	<	<	, <	, <	\	, <	\		, <	<	, <	5	5	<	<	<	5	1		Honeycombs
<	, <	<		, <	, <	<	, <	5	<		\	, <	, <		, <	<	<u></u>	<	5	<	<	DIGO 1	Plumb Side I
<	<	<	<	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	, <	, <	<	<	, <	, <	<		, <	<	, <	<	<	, <	<	_	<		Plumb (or ×)
N 103 100						٦r	7	٦٢	16	$\exists \Gamma$][\neg Γ			7/			┪╴	╗┌				Reference level marked on

Quality Control Check Repot. Stage: After Column Casting (Apartments)

61.	60.	59.	58.	57.	56.	55.	54.	53.	52.	51.	50.	49.	48.	47.	46.	45.	44.	43.	42.	41.	40.		S No C
																	1		}	1	1		Col No.
																	C	2	0 4	43	S		Col type
																	D. 4.11.	21.4.8	いった。	いたい	8.4 11:	Spec.	'Height in ft
				 							-						٠٠٠ ده	1	+	_		Actual	nt in ft
																	<	, <	<	K	\\	rods	Steel
																	•	<	\	, <	1	rods	Steel (v or x)
																				\	, (TIOILOYCOMO
																			< <	`\		5	Side 1
																					<	<	Side 2
	□Yes	□Yes	□Yes	□Yes	☐ Yes	☐ Yes	☐ Yes	□Yes	□Yes	□Yes	□Yes	Yes	□Yes	□Yes	□Yes	□Yes	□Yes	[VYes	以Yes	19Yes	WYcs.	COLUMNIZ.	marked on
	s No	s No	No.	No S	ON.	No	□No	ON	□No	□No	□ No	□No	□ No	□No	□No	No	□ No	□No	□ No	ON O	□ No	No No	ΣM