Quality Control Check Repot.		Stage: After Column Casting	ing (Apartments)	
Block No. F-301 1030	Column No.	95	S1. No.	32270
Company VISTO HOMOS	Project	VICTO FOROS	Phase)
Prepared by S. SIMM XIMMS	Sign		Date	05/18/18
100	Sign	The Control	Date	05/18/18
Previous stage report no.	32146	Report filed and signed b	d by PM?	√Yes □No
Checked By MD on	MD Sign		For filling	□Yes □No
Recommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not required. Proceed with further work. ATR not required.	report to QC team. Profer submitting ATR oking corrections pointuired.	Submit ATR on QC report to QC team. Proceed only after recheck by QC. Proceed with work after submitting ATR on QC report to QC team. er work only after making corrections pointed out in the QC report. ATR ner work. ATR not required.	y QC. ATR not required.	
Columns Position Check.		The state of the s		
spectic epare e a. b. c.	ns at each stage and before s: Tolerance 0.5") nns. (Tolerance 1") ance 1.5")	starting centering works for	ach slab.	
3. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.	Circle each incorrect dime	ension with red colour and me	ntion actual dimension nex	kt to it.
Columns Position Check Plan enclosed?		Ycs No		
Slab Dimensions Check. Notes:				
0	k Plan as follows: 1ce 2'')			e2
 b. Show length and width of balconies (Tolerance 1") c. Show inner dimensions of ducts and lift well. (Tolerance 1") d. Show location of sunken slab. 	derance 1") well. (Tolerance 1")			
3				
lat		L]Yes □No		2000
Specified thickness of slab?	272	Actual thickness of slab?)? }	

Quality Control Check Repot.

Quality of centering, rod bending and concreting. Stage: After Column Casting (Apartments)

Quality of centering, rod bending and concreting?	Good Avg. Bad
Quality of starters?	☐ Good ☐ Avg. ☐ Bad
Number and size of honey combs?	☐ High ☐ Medium. ☐ Low
Are the honey combs is slab and columns packed?	☐ Good ☐ Avg. ☐ Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1")
Have 6 cubes each for columns and slab casted and numbered for testing?	Yes No
Remarks:	
Curing.	
Bunds for curing made on slab?	
Bund size is less than 100 sft?	
Drum (200 lts) provided for curing?	
Gunny bags used for column curing?	
Distance of tap from furthest distance that requires curing. (max permitted 100')	0 1
e from labourers)	1 time
ore than 15' head?	
Quality of infrastructure for curing.	Bad
Remarks:	

Quality Control Check Repot. Stage: After Column Casting (Apartments)

Columns height, plumb, steel & level marking check.

- Mark v for correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark X for major mistake that requires correction by replacement or re-fixing.
 Mark X X for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".

11. 12. 13. 14. 15.							10.	9)	3 .	0.) .	4.	, ,	2.				S No Col No.	ircle ac
62 2 2	654	C4	04			CS	C4	C4	3	S	Ca	Ca	C3	C3	Ca	Ca		1	Col type	ht of columns if
8-142		8-142	8-1/2	8-412	47	8-17	20,75	27/2	8-1/2	8-412	21/2-8	2,12-8	312.8	3/1-8	3/1/2	8-1/2		Spec.	Height in ft	f level differs fi
8-1-12 1-12		8-01	8-0	8,5	0.	8,	8,	S	, x,	8.4	4-18	, 4, 8,-4,	8-8-	4.8	, r. s	8-8	 	Actual	in ft	om specified
<u></u>		۲	5	ζ	٢	(ζ	(ζ	٢	ſ	٢	٢	5	٢	ſ	rods	No of	Steel (l height by m
ς		7	7	7	۲	٢	ſ	7	٢	٢	٢	7	7	١	۲	٢	rods	Size of	Steel (or x)	ore than 1".
		(ς	ζ	٢	٢	ς	٢	٢	۲	٢	ς	ς .	7	١	<			Honeycombs	
		ζ	7	٢	(((((7	٢	(ſ	r	٢	,	•	Side 1	Plumb	
١		٢	٢	ς	٢	٢	٢	٢	ς	ς	ζ	٢	٢	ς	ς	(Side 2	Plumb (v or x)	
て Yes No		∠ Yes No	Yes No	Yes No	⊠Yes □No	⊆ Yes □No	∠Yes □No	└ Yes ☐ No	∠Yes □No	∠Yes □No	□ Yes □ No	∠ Yes □ No	∠Yes □No	∠Ycs □No	∠Yes No	∠Yes □No	column?	marked on	Reference level	

Quality Control Check Repot. Stage: After Column Casting (Apartments)

39.	38.	37.	36.	35.	34.	33.	32.	31.	30.	29.	28.	27.	26.	25.	24.	23.	22.	21.	20.	19.	18.		•••	S No
							١	1	1	1	1	1	1	١	1	J	1	1	1	7	1	•		Col No.
							C\$	<u>(3</u>	(3	C3	Ca	C4	(4	C5					C3	<u> </u>	G			Col type
							8-412	8-7 ¹⁰	8-412	8-011	21.7.7. 2.7.7.7.	8-442	21,47,12	8-472	8-41/2	8-412	1, T. 18	8-412	8-41i	8-412	8-472		Spec.	Height in ft
							8-5	8°7'	8-41	8-1 4-2	P. 7.3	ره رو4	ر م الم	8-4	8-5	S. S.	B.	8-41			۶ ₋ ۲ ₋		Actual	ht in ft
						•	(((7	ς .	7	(۲	ζ	7	۲	(ς.	٢	ς	rods	No of	Steel (
				4 4			7	7	7	٢	٢	ζ	٢	(٢	7	7	((٢	٢	rods	Size of	Steel (or x)
							7	ζ	(ς	٢	7	٢	٢	(ς	٢	۲	٢	ſ	ς			Honeycombs
							ζ.	(7	?	7	7	٢	۲	(7	(ſ	٢	(7		Side 1	Plumb
						3	ζ.	(ζ	5	5	ζ	ς	ς	٢	(ζ.	ς.	ς.	ς	7		Side 2	Plumb (or x)
Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	□ Yes □ No	∏Yes ∏No	Yes No	Yes No	₩Yes No	Yes No	Yes No	Yes No	☐ Yes ☐ No	Yes □No	☐ Yes ☐ No	☐ Yes ☐ No	☐Yes ☐No	✓ Yes ☐ No		∠Yes □No	∠Yes □No	column?	marked on	Reference level