## Quality Control Check Repot. Stage: After Column Casting (villas)

Block No.   128   Column No.   O    Sl. No.   290   7						
Phase    CCC (LLP)   Project   VCC   Phase	Block No.	228	Column No.	0)	Sl. No.	29017
Process Sign  The Surveys Sign	Company	עסכ נררן)	Project	Noc	Phase	1
ort no.    Park   Sign   Date	Prepared by	P. Sai kumar	Sign	Pres	Date	12/0/118
ort no.    28805   Report filed and signed by PM?     m	Project Manager		Sign	Ç	Date	81/10/41
MD Sign  For filling  IX. Submit ATR on QC report to QC team. Proceed only after recheck by QC. ork. Proceed with work after submitting ATR on QC report to QC team. further work only after making corrections pointed out in the QC report. ATR not required. further work. ATR not required.	Previous stage report 1	no.	28805	Report filed and signe	d by PM?	∏Yes □No
ork. Submit ATR on QC report to QC team. Proceed only after recheck ork. Proceed with work after submitting ATR on QC report to QC team urther work only after making corrections pointed out in the QC report. urther work. ATR not required.	Checked By MD on		MD Sign		For filling	☐Yes ☐No
	Recommendation: Stop further work. Stop further work. Proceed with furth Proceed with furth	Submit ATR on QC re Proceed with work af er work only after mak er work, ATR not requ	port to QC team. Proceed ter submitting ATR on ing corrections pointedired.		y QC. ATR not required.	

### Notes:

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
- Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incr

	N Yes No	Committee a centrom Check Fight eliciosed?
		Columns Docition Charle Dlan analogado
THE THE PARTY OF THE PROPERTY OF THE PARTY OF THE	7 J. J	
mention actual dimension next to it		The case case correct which will great colour. Chele cach incollect difficultion with red colour and men

#### Stab Dimensions Check.

Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.

F-19	Actual thickness of slab?	20	Specified thickness of slab?
	Yes No No	osed?	Slab Dimensions Check Plan enclosed?
dimension next to it	t dimension with red colour and mention actual	green colour. Circle each incorrect	2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and men

# Quality Control Check Repot. Stage: After Column Casting (villas)

Quality of centering, rod bending and concreting.  Ouality of centering rod bending and concreting?		Coal Ave Dad
Quality of starters?		1 11 3
Number and size of honey combs?		☐ High ☐ Medium. ☑ Low
Are the honey combs is slab and columns packed?		YGood  Avg.  Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than	than 1"	1
Have 6 cubes each for columns and slab casted and numbered for testing?		√Yes □ No
Remarks:		
Curing.		
Bunds for curing made on slab?	□Yes □No	NA
Bund size is less than 100 sft?	☐Yes ☐No No	モマ
Drum (200 lts) provided for curing?	☐Yes ☐No	
Gunny bags used for column curing?	☐Yes ☐No	
Distance of tap from furthest distance that requires curing. (max permitted 100')	20.01	
Frequency of curing in number of times a day (enquire from labourers)	2 Hones	
Is the pressure in the curing pipe more than 15' head?	Yes □No	
Quality of infrastructure for curing.	Good Avg.	Bad
Remarks:		

## Quality Control Check Repot. Stage: After Column Casting (villas)

# Columns height, plumb, steel & level marking check. Notes:

- Mark v for correct or minor mistake which does not require correction
   Mark X for minor mistake that requires minor correction.
   Mark XX for major mistake that requires correction by replacement or re-fixing.
   Mark XX for major mistake that cannot be corrected.
   Tolerance: Plumb 0.25".

Circle actual height of columns if level differs from specified height by more than 1".

			6.6%	(a) (c)	1		T -		T		_	, -			, .	,				
19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	.∞	7.	6.	5.	4.	з.	2.	7		S
								03	71	દ	C3	(1)	Bu	ß-	151	2	83	7		Col No.
								55	CP	CS	ે	<b>?</b>	63	CY	C 1	C1	63	C1		Col type
							White was to	85_	8.411	29-11	ジ	Blower	₩. 	75	may?	1.4.5	8.7"	54.5	spec.	Heig
						NO.AME		81. 111, "	F . 4"	R1. 1"	401.3	J A.	27:	1.7 · %	span	8 . 7 ·	81.6112	これ・る	Acmai	Height in ft
								<	<	<	<u> </u>	<u> </u>	<	<	~	<	<	5	rods	Steel (
								<	<	<	<	, <	V	~	<b>√</b>	<	<b>\</b>	<	rods	Steel ( or x)
								V	<	<	<	`	<b>✓</b>	~	<	<	<	ζ,		Honeycombs
			4.55					7	<	<	<	\	<	<	<	<	5	<	Side 1	Plumb
								<	<	<	<	<	<	<	5	<	<	<	Side 2	Plumb (v or x)
☐ Yes ☐ No	☐ Yes ☐ No	☐Yes ☐No	☐ Yes ☐ No	☐Yes ☐No	☐ Yes ☐ No	☐Yes ☐No	☐Yes ☐No	☐Yes ☐No	√Yes □No	√Yes □No	☐Yes ☐No	☐Yes ☐No	√Yes □No	√Yes □No	Yes No	Yes □No	√Yes □No	Yes No	column?	Reference level
		☐ Yes ☐ Yes ☐	Yes         Yes         Yes         Yes	Yes         Yes         Yes         Yes         Yes         Yes         Yes	Yes         Yes         Yes         Yes         Yes         Yes         Yes         Yes         Yes         Yes	Yes         Yes	Yes         Yes	Yes       □Yes         Yes       □Yes         Yes       □Yes         Yes       □Yes         Yes       □Yes         □Yes       □Yes         □Yes       □Yes         □Yes       □Yes         □Yes       □Yes         □Yes       □Yes         □Yes       □Yes		D1         CP         g'.u"         L'.u"         V         V         V         V         V         Ves           D3         CS         g'.u"         L'.u"         V         V         V         V         V         Ves         Ves           Unit         V         V         V         V         V         V         Ves         Ves	D1       CS       g'.u"       K'.l"       V       V       V       VYes         D3       CS       g'.u"       g'.u"       V       V       V       V       VYes         D3       CS       g'.u"       g'.u"       V       V       V       V       Vyes         D4       D	C3	C1 (7 glacus Banc)	Sh   C3   3; 1"   5; 1"   V   V   V   V   V   V   V   V   V	B	B    C    Shaw   Shaw   V   V   Yes     B    C    Shaw   Shaw   V   V   Yes     C    C    Shaw   Shaw   V   V   V   V   Yes     C    C    Shaw   Shaw   V   V   V   V   Yes     C    C    Shaw   Shaw   V   V   V   V   Yes     C    C    Shaw   Shaw   V   V   V   V   Yes     C    C    Shaw   Shaw   V   V   V   V   Yes     C    C    Shaw   Shaw   V   V   V   V   Yes     C    C    Shaw   Shaw   V   V   V   V   V   Yes     C    C    Shaw   Shaw   V   V   V   V   V   Yes     C    C    Shaw   Shaw   V   V   V   V   V   Yes     C    C    Shaw   Shaw   V   V   V   V   V   Yes     D    Yes   D    D    Shaw   V   V   V   V   V   V   V   V   V     D    Yes   D    D    Shaw   V   V   V   V   V   V   V   V   V     D    Shaw   D    Shaw   D    Shaw   D    Shaw   D    D    Shaw   D    Shaw	Au   C   S   Au   V   V   Yes	Section   Sect	An	Spec.   Acmail   No of   Nize of   Nide   Nide