	K :
ì)u
	2
	įt
	Juality Control Check Repot.
	$\mathbb{C}($
	m
	tr
	0
	(
	h
	e
	ķ
	F
	₹e
	Ď
	2
	•
	S
	33
	70
- 1	
	e
	e: A
	e: Afi
	e: After
	e: After
The second secon	e: After Co
	e: After Coh
	e: After Colur
Control of the Personal Contro	e: After Column
	e: After Column
Control of the Second	e: After Column Ca
	e: After Column Cas
Commence of the second contract of the second	e: After Column Castii
Control of the Contro	e: After Column Casting
	Stage: After Column Casting (
	e: After Column Casting (vi
	e: After Column Casting (vill:
	e: After Column Casting (villas

Block No. 239 Column No.			
	97	Sl. No.	25023
Company VCC (LLP) Project	V₀ C	Phase	
Prepared by P. Son Kurney Sign	P. Rey	Date	81/10(4)
Project Manager P. Suresh Sign		Date	8-1-10/4
Previous stage report no.	Report filed and signed by	PM?	Yes No
Checked By MD on MD Sign		For filling	☐Yes ☐No
Recommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not required.	ceed only after recheck n QC report to QC team ed out in the QC report.	by QC. ATR not required.	

Columns Position Check.

Notes:

- Inspection should be done after easting of columns at each stage and before starting centering works for each slab.
- Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

INC.	Columnia i Ostron Check i fall Chelosea:
	Columne Desition Check Dian enclosed?
imension with red colour and mention actual dimension next to it,	3. Citcle each correct dimension with green colour. Circle each incollect dimension with red colour and mention ac

Slab Dimensions Check.

Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance 1")
 Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.

Slab Dimensions Check Plan enclosed? Slab Dimensions Check Plan enclosed? Slab Dimensions Check Plan enclosed?	Yes No
Specified thickness of slab?	Actual thickness of slab?

Quality Control Check Repot. Stage: After Column Casting (villas)

Quality of centering, rod bending and concreting	
Quality of centering, rod bending and concreting?	Good Avg. Bad
Quality of starters?	Good WAvg. Bad
Number and size of honey combs?	☐ High ☐ Medium. ▼Low
Are the honey combs is slab and columns packed?	√Good Avg. Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"	``
Have 6 cubes each for columns and slab casted and numbered for testing?	Ycs □ No
Remarks:	
Curing.	
Bunds for curing made on slab?	
Bund size is less than 100 sft?	
Drum (200 lts) provided for enring?	
Cinmy bugs used for column curing?	
Distance of tap from furthest distance that requires curing. (max permitted 100')	
Frequency of curing in number of times a day (enquire from labourers)	
Is the pressure in the curing pipe more than 15' head?	
Quality of infrastructure for curing.	Bad
Remarks:	

Quality Control Check Repot. Stage: After Column Casting (villas)

Columns height, plumb, steel & level marking check.

- Mark v for correct or minor mistake which does not require correction Mark x for minor mistake that requires minor correction.

 Mark x for major mistake that requires correction by replacement or re-fixing. Mark x x for major mistake that cannot be corrected.

 Tolerance: Plumb 0.25"

Circle actual height of columns if level differs from specified height by more than 1".

- 1	- [1			1							1				-500			_	-			3. 30
20.	17.	18.	17.	16.	5 5	14.	13.	12.	11.	10.	9.	; p	c .	း ၄	, Çv	4.	ω.	2.	ŀ	f c		S No
								03	0-	51	(11	•		इ.स.	8.	ر ا	7	7	D			Col No.
						The second secon	53 53	C4	63	()	5.3	- 12		4.)	6.3	(-	3	G	C			Col type
								117.3	1. N. (8	1.C S	<i>کو</i> 	10	(4. 11)	·	, e ,	, oc.	ダイン	ぶん	5.4.S		Spec.	Heig
								D. WY	11 . B	シーンニ	e, , j=	0	Ä	((E. 1711	P. 2''	2,19.8	8-6121	18.31		Actual	Height in ft
								<	<_	< .	<	<	<	ŀ	<	<	<	<	ζ,	rods	No of	Steel (
								Υ.	V	ζ.	4	V	<	<.	<,	<,	<	<	۷,	rods	Size of	Steel (✓ or X)
								V.	ς,	/	<.	<u> </u>	ν	\	<	<	<	<	<.			Honeycombs
								<	<	< .	<	<	<	<	Υ :	٧,		<	<,		Side 1	Plumb
								<	<	<	<	ζ,		٧	<	<	<,	<	<	1	Side 2	Plumb (or x)
☐ Yes ☐ No	☐Yes ☐No	□Yes □No	☐Yes ☐No	☐Yes ☐No	☐Yes ☐No	☐Yes ☐No	☐Yes ☐No	√Yes □No	✓ Yes ☐ No	∨Yes □No	Yes No	Ycs □No	☐YYes ☐No	☐Yes ☐No	Yes No	∏Yes □No	☐ Yes ☐ No	□YYes □ No	Yes No	column?	marked on	Reference level