١	0
	uality (
	tV
	Quality Control Check Repot.
	ro
	C
	hec
	×
	R c
	heck Repot.
	ŀ
	V.
	Stage: After Colum
	.:
	2
	er
	li
	Column Casting (VII
	5
	28
	III
	ung (vii
	I≦

Recommendation: Stop further work. Stop further work. Proceed with furth Proceed with furth	Checked By MD on	Previous stage report no.	Project Manager	Prepared by	Company	Block No.
Stop further work. Submit ATR on QC report Stop further work. Proceed with work after s Proceed with further work only after making Proceed with further work. ATR not required		no.	Belamusah	5 kulders	たいろ	40
cport to QC team. Procher submitting ATR or king corrections pointe uired.	MD Sign	31783	Sign	Sign	Project	Column No.
Recommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by Q Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR Proceed with further work. ATR not required.		Report filed and signed by	(pando	Squaley	Blosmoale	03
by QC. ATR not required.	For filling	ed by PM?	Da	Date	Phase	SI. No.
	☐ Yes ☐ No	MYes No	31/01/20	21/01/20		32285

Columns Position Check. Notes:

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows:
- 5.5 Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1") Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

C	3.
on Check	Circle each correct dimension with green colour.
V Yes No	Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.

Slab Dimensions Check.

Notes:

- 1. Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- 6 46 44 Show location of sunken slab.
- Print an A3 size plan.

J1 =	Actual thickness of slab?	S=	Specified thickness of slab?
	✓Yes □No	in enclosed?	Slab Dimensions Check Plan enclosed?
imension next to it.	nsion with red colour and mention actual di	2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention	Circle each correct dimension

Quality Control Check Repot. Stage: After Column Casting (villas)

V	ded near w	with Daums psouderd near willo
ng is done	willa, willia	Remarks: Note: cusing lap not projuded for
Bad	Good Avg. Bad	Quality of infrastructure for curing.
	☐Yes ☐Ño	Is the pressure in the curing pipe more than 15' head?
	1	Frequency of curing in number of times a day (enquire from labourers)
		Distance of tap from furthest distance that requires curing. (max permitted 100')
	☐Yes ☐ No	Gunny bags used for column curing?
	No □No	Drum (200 lts) provided for curing?
	☐Yes ☐No	Bund size is less than 100 sft?
	Yes No	Bunds for curing made on slab?
		Curing.
		Remarks:
∠Yes □ No		Have 6 cubes each for columns and slab casted and numbered for testing?
1	than 1"	Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"
☐ Good ☐ Avg. ☐ Bad		Are the honey combs is slab and columns packed?
☐ High ☑ Medium. ☐ Low		Number and size of honey combs?
Good ☐ Avg. ☐ Bad		Quality of starters?
Çood ☐ Avg. ☐ Bad		Quality of centering, rod bending and concreting?
		Quality of centering, rod bending and concreting.

Columns height, plumb, steel & level marking check.

Notes:

- Mark \checkmark for correct or minor mistake which does not require correction Mark \times for minor mistake that requires minor correction. Mark \times for major mistake that requires correction by replacement or re-fixing. Mark \times \times for major mistake that cannot be corrected. Tolerance: Plumb 0.25".

- Circle actual height of columns if level differs from specified height by more than 1".

20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	œ	7.	6.	5.	4.	3.	2.	1.		SNo
		8	88						**							1	٦	1		-	Col No.
															,	7	Ca	د کر .	Cy		Col type
												-				和分	41-3"		1 71-3"	Spec.	Heigh
																4-3-	21-311	7-20	7-211	Actual	Height in ft
																(7	ζ	7	No of rods	Steel (
																1	۲	7	٢	Size of rods	Steel (or x)
								and and an artist of the second								(7	ζ	7		Honeycombs
		3														~	<	<	7	Side 1	Plumb
		0.00		5												<	((\	Side 2	Plumb (✓ or 🗙)
Yes No	☐ Yes ☐ No	☐Ycs ☐No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐Yes ☐No	☐ Yes ☐ No	□Yes ☑No	☐Yes ☑No	marked on column?	Reference level					