Specified thickness of slab? Actual thickness of slab?	Slab Dimensions Check Plan enclosed? NA Stab Dimensions Check Plan enclosed? NA Stab Dimensions Check Plan enclosed?	e. Print an A3 size plan. 2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension post to it.	 a. Show outer dimensions of slab. (Tolerance 2") b. Show length and width of balconics (Tolerance 1") c. Show inner dimensions of ducts and lift well. (Tolerance 1") d. Show location of sunken slab. 	Notes: 1. Prepare Slab (or plinth beams) Dimensions Check Plan as follows:	Slah Dimensions Check Slah Dimensions Check	with green colour. Circle each incorrect dimension with red each penalogical?		e (Columns Position Check. Notes:	Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not required. Proceed with further work. ATR not required.	Recommendation: Yes	33625. Reportitied and signed	Sasurane sign	S. SUNJALIMAS Sign Date Ob	Prenared by Settling (Explanation Project Scheric Factors, Phase	Column No. O.1 SI. No.
	At tO II.					ext to it.					Yes No	☐Yes ☐No	06/08/19	06/08/19	1	34153

Quality Control Check Repot. Stage: After Column Casting (villas)

Quality Control Check Repot. Stage: After Column Casting (villas)

Good Avg. Bad
Good Avg. Bad
High Medium. Lov
Good Avg. Bad
Yes No
476
T. H.W.K.
Bad

Columns height, plumb, steel & level marking check. Notes:

- Mark for correct or minor mistake which does not require correction
 Mark × for minor mistake that requires minor correction.
 Mark × for major mistake that requires correction by replacement or re-fixing.
 Mark × × for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".
 Circle actual height of columns if level differs from specified height by more than 1".

20.	19.	18.	1/.	5 5	15.	14.	13.	12.		: 0.	J.	; px	. ~	, 0	- ₋	4.	. ω	2.	1		S Z o
					F	EX	05	03	0)	('5	()3	C'2.	•	11/1	6/2	B1	HA.	AA	P		Col No.
					C /			C	C				<i>((((((((((</i>		5		()		0		Col type
					(C)		8,270	8-472	8/4/2	0,412	0-40	31716		1-13	1	11/1/3	سنا	111	(0) - -	Spec.	Heigh
			7 2	6. 6.	رون پرون	17	8,64	34.3	8-940	0.	8-100	02.	4 10	10.	8.15	CG_	R ()		S4_ -2,	Actual	Height in ft
				\ \	<u> </u>	(iς L	<	(<	((es N ₂			Ć	(No of rods	Steel (
				1	((4.	`	(((7		1	((((Size of rods	or X)
				`. `\.	ζ.	(((((((t	3,	<	<	(<	(Honeycombs
				ξ.	((Ç	ς	ζ	<	(•	((ζ.	₹.	\ \ \	Side 1	Plumb
				<	ζ,	ς.	ζ,	<	((\	.		į	((Ţ	(Side 2	Plumb (✓ or 🗙)
☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	Yes No	∠Yes □No	Yes No	∠ Yes □ No	☐ Yes ☐ No	Yes No	Ycs No	Yes No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	marked on column?	Reference level