	C	١
1	ua	
The real lives in case of the last of the	Quality Control Check Repot.	
	V (	
	ò	ì
	ntı	•
	rol	
		1
	he	•
	heck Repot	•
	Σ	١
	ဗ	
	2	
	V.	į
	5	
ŀ	tage: /	
	<b>D</b>	
	Ť	
	ř	
	$\mathcal{C}$	l
	ž	•
	dumn	
	7	
	$\mathbb{C}^{2}$	1
	S	
	ΞÏ	•
	Stage: After Column Casting (vi	
l	<u>S</u> .	
	illas)	
l	಼	ŕ

Recommendation:  Stop further work. Submit ATR on QC report  Stop further work. Proceed with work after s:  Proceed with further work only after making of Proceed with further work. ATR not required.	Checked By MD on	Previous stage report no.	Project Manager	Prepared by	Company	Block No.
Submit ATR on QC re Proceed with work af er work only after mak er work. ATR not requ		10.		Visantet	YOC CLLP)	100
eport to QC team. Proc fler submitting ATR or king corrections pointe nired.	MD Sign	31010	Sign	Sign	Project	Column No.
Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team.  Proceed with further work only after making corrections pointed out in the QC report. ATR not proceed with further work. ATR not required.		Report filed and signed by	( &	V. Syland	70C	0
by QC. n. ATR not required.	For filling	ed by PM?	Date	Date	Phase	SI. No.
	☐ Yes ☐ No	Yes No	2/8-08-18	28-08-18	1	31284

#### Columns Position Check.

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
- Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner -- inner space between columns. (Tolcrance 1") Show diagonals for 20% of bays. (Tolcrance 1.5")
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.

### Columns Position Check Plan enclosed? ✓ Yes No

#### Slab Dimensions Check.

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it

	Specified thickness of slab?	Slab Dimensions Check Plan enclosed?	2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention
The state of the s	Actual thickness of slab?	Yes No	nension with red colour and mention actual dimension next to it.

# Quality Control Check Repot. Stage: After Column Casting (villas)

Good Avg. Bad
Good Avg. Bad
☐ High ☑ Medium. ☐ Low
Good Avg. Bad
, parti
√ Yes □ No
No
□No ==
No
□No
30-011
ztines
No
Avg. Bad
han 1"  Yes  Yes  Yes  Good

## Columns height, plumb, steel & level marking check.

Notes:

- Mark v for correct or minor mistake which does not require correction
   Mark x for minor mistake that requires minor correction.
   Mark x for major mistake that requires correction by replacement or re-fixing.
   Mark x x for major mistake that cannot be corrected.
   Tolerance: Plumb 0.25".

			-		100000			
L Yes	  -				20			19.
Yes								18.
l res					3000 - 70			17.
l les	-							16.
] V 53						}		15.
							1	14.
7 Cs								13.
V V I ES	~	٧	3	4	119-18 116-18	~\ &	1	12.
V V Les	<u> </u>	<u>ر</u>	1	4	8-41 8-44	<u> </u>	7 -	11.
V Yes	2	4	_	_	8-4" 8-31		ף כ	10.
	, <	4	4	~	8-1" 8-2"	C2 8	C O	9.
V V Yes	, ک	د	<	5	Stains Stains		Co	8.
V V Yes	<	ر	۷	<		62 8	C.	7.
V M Yes	د	<	ح	<			48	6.
✓ Yes	<		2	~	Street Stocks	ٔ ق	62	5.
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2	2	4	۷	8-411 8-511		<del>.</del> 3	4.
Yes	۷	4	<b>ا</b>	د		2	Þ	<u>ب</u>
✓ Yes	<u>`</u>	_	2	۷		V	ל ט ט	2.
√ Yes	<	2	۷.	Z	8-311	د ا	Ð	1-
Side 2 column?		Side	Size of rods	No of rods	ec. Actual	Spec.		
marked on		Honeycombs		Steel (v or x)	Height in ft	Col type	Col No.	S No