1	
Ì	na)
	Ηţ
ł	~
	Control
	Quality Control Check Repot.
	Repo
-)ť.
	Stage:
	After
	Quality Control Check Repot. Stage: After Column Casting (vil
	Casting

Recommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by Q Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR Proceed with further work. ATR not required.	Checked By MD on	Previous stage report no.	Project Manager	Prepared by	Company	Block No.
commendation: Stop further work. Submit ATR on QC report Stop further work. Proceed with work after s Proceed with further work only after making Proceed with further work. ATR not required		Ю.		V. Sanketh	Vac (LLP)	108
eport to QC team. Proceed ter submitting ATR or ing corrections pointe ired.	MD Sign	32769	Sign	Sign	Project	Column No.
scommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not proceed with further work.		Report filed and signed by PM?	C.	V. Swhalla	(oc	62
by QC. a. ATR not required.	For filling	ed by PM?	Date	Date	Phase	SI. No.
	Yes No	Yes No	15/2/19	15/2/19	1	32916

Columns Position Check.

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
- Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolcrance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

Slab Dimensions Check.

Notes:

- 1. Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show length and width of balconies (Tolerance 1") Show outer dimensions of slab. (Tolerance 2")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.

<u>S1</u>

Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.

Specified thickness of slab? 5" Actual thickness of slab? 5"	Slab Dimensions Check Plan enclosed?	Dimensions Check Plan enclosed?	✓Yes □No		
	Specified thickness of slab?	ហ្ម	Actual thickness of slab?	ហ្ម	

Quality Control Check Repot. Stage: After Column Casting (villas)

		Remarks:
Bad	Good Avg.	Quality of infrastructure for curing.
	✓ Yes ☐ No	Is the pressure in the curing pipe more than 15' head?
	2times	Frequency of curing in number of times a day (enquire from labourers)
	30-0"	Distance of tap from furthest distance that requires curing. (max permitted 100')
	Yes No	Gunny bags used for column curing?
,	☐Yes ☐No -	Drum (200 lts) provided for curing?
	Yes No	Bund size is less than 100 sft?
	Yes No	Bunds for curing made on slab?
		Curing.
		Remarks:
✓ Yes □ No		Have 6 cubes each for columns and slab casted and numbered for testing?
١	e than 1"	Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"
☐ Good [Avg. ☐ Bad		Are the honey combs is slab and columns packed?
☐ High ☐ Medium. ☑ Low	٠	Number and size of honey combs?
Good ∴ Avg. ☐ Bad		Quality of starters?
Good Avg. Bad		Quality of centering, rod bending and concreting?
		Shame of contents the existing and contents,

Columns height, plumb, steel & level marking check.

Notes:

- Mark \checkmark for correct or minor mistake which does not require correction Mark \times for minor mistake that requires minor correction.

 Mark \times for major mistake that requires correction by replacement or re-fixing. Mark \times \times for major mistake that cannot be corrected.

 Tolerance: Plumb 0.25".
- Circle actual height of columns if level differs from specified height by more than 1".

20.	19.	18.	17.	16.	15.	14.	13.	. 12.	11.	10.	9.	.8	7.	6.	5.	. 4.	3.	. 2.	1.			S No
									D3	0	4	C3	5	84	<u> </u>	ন্ত্ৰ,	ダボ	AS	Đ			Col No.
									S	Cz	B	Z	C2	C3	た	٥,	2	C3	2			Col type
									8, 1,	8-4"	8-11"	8-7"	Stars	"F8	8-1"	Stein 62	1678	8,-3"	8-7"		Spec.	Heig
									ا لا	8.4.	8-1"	8-5"	881612	8-51/2"	8-211	وينون	826"	8-7"	8-8'2"		Actual	Height in ft
									۷,	۷.	<	· V	ر ر	<	<	<	٧.	<	4	rods	No of	Steel (
									۷.	×.	<u> </u>	<	<	V	<	ν	<i>\</i>	<u> </u>	<	rods	Size of	Steel (✓ or 🗙)
									4	<	_	٧.	V	1	<	~	4	<	۷			Honeycombs
		(E)							〈	۷.	۷.	<	/	<u> </u>	√	٠.	٠,٧	~	<u> </u>		Side 1	Plumb
						ī.			<	〈	<	V	~	<	1	7	<	<	<u> </u>		Side 2	Plumb (• or ×)
☐ Yes ☐ No	☐Yes ☐No	☐ Yes ☐ No	☐ Yes ☐ No	☐Yes ☐No	☐ Yes ☐ No	☐ Yes ☐ No	☐Yes ☐No	☐Yes ☐No	Yes No	Yes No	Yes No	Yes No	Yes No	Yes No	Yes No	Yes □No	✓ Yes □ No	✓ Yes □No	✓ Yes ☐ No	column?	marked on	Reference level