	Actual thickness of slab?	Specified thickness of slab?	Specific
	Yes No	Slab Dimensions Check Plan enclosed? NA	Slab D
ext to it.	n with red colour and mention actual dimension ne	Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.	2. Circ
		d. Show location of sunken slab.	
		•	
		a. Show outer dimensions of slab. (Tolerance 2")	
		Prepare Slab (or plinth beams) Dimensions Check Plan as follows:	I. Pre
		Notes:	Notes:
		improject Cheek	CI of I
ext to it.	on with red colour and mention actual dimension polytection.	Columns Position Check Plan enclosed?	Colum
		e. Fint an A3 size plan.	
		d. Show diagonals for 20% of bays. (Tolerance 1.5")	
ı/			
		a. Divide blocks into smaller sub-blocks	
	rting centering works for each slab.	Inspection should be done after casting of columns at each stage and before starting centering works for each Prepare Columns Position Check Plan as follows:	 Insp. Pre
		Notes:	Notes:
			2
	out in the QC report. ATR not required.	Proceed with further work only after making corrections pointed out in the QC report. ATR not required. Proceed with further work. ATR not required.	
	nd only after recheck by QC. OC report to OC team.	Stop further work. Submit A I R on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team.	Sto
-			Recon
☐ Yes ☐ No	For filling	Checked By MD on MD Sign	Check
Yes No	Report filed and signed by PM?	1 no. 32638	Previo
06/06/19	G. Siva Danisad Date	NO PROSON Sign	Projec
06/06/19	Date	SiSuni	Prepared by
)	Sevens factors Phase	Serene Cere turner Project	Сотрапу
33731	O1 Sl. No.		Block No
			Diad

Quality Control Check Repot. Stage: After Column Casting (villas)

Quality Control Check Repot. Stage: After Column Casting (villas)

Quality of centering, rod bending and concreting? Quality of centering, rod bending and concreting? Quality of starters? Number and size of honey combs? Are the honey combs is slab and columns packed? Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"	e than 1"	Good Avg. Bad Good Avg. Bad High Medium. Low Good Avg. Bad
Have 6 cubes each for columns and slab casted and numbered for testing?	e than 1"	∑·Yes □ No
Remarks:		I es [] No
Curing. Bunds for curing made on stak?		
Bund size is less than 100 sft? Drum (200 Its) provided for enting?	Yes No	
Distance of tap from furthest distance that requires caring, (max permitted 100') Frequency of carino in number of the contraction of the contrac	□Yes □No	
ore than 15' head?	! 1	NA CONTRACTOR OF THE CONTRACTO
Remarks:	Good Avg.	Bad

Quality Control Check Repot. Stage: After Column Casting (villas)

Columns height, plumb, steel & level marking check. Notes:

Mark v for correct or minor mistake which does not require correction
 Mark x for minor mistake that requires minor correction.
 Mark x for major mistake that requires correction by replacement or re-fixing.
 Mark x x for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".
 Circle actual height of columns if level differs from specified height by more than 1".
 S No

20.	30	10.	10 :	17	16	15 1.	13.	12.	1 .	10.	10 %	0 5	¢ .	7	۲.	n .4	٠.	2.) -			S. No
ļ				S		U	50	0	6	CS	(C)	(18		04	0	0,	24	Ag	A			Col No.
					C	01	01	CI	C		6)	C	C	C	CI	01	CI	01	0.			Col type
				8-71-	3.1-8	8-42	8-42	8.27	843	8-472	8-40	8-416	27.00	8715	1. K. 8	2/2/8	24.6	シャング	2/2/2	3	Spec.	Heig
				なった	8-5.	26,05	0,1,	8-6	8-672	1. 8-1. 8-1.	8-6	8-6	.8-8.	8-10	8-11		T-	Ø_	Ø- Ø-		Actual	Height in ft
				<	ζ	(5	<	(((((((((ζ	(rods	No of	Steel (
				٢	(7	7	(((1	((((((((rods	Size of	Steel (v or x)
				ζ	(((ζ	ζ	(((((1	(٢	ς .	ς .		-, <u>I</u>	Honeycombs
				,	1	((ſ	((ſ	((,	¢	((((Side 1	Plumb
		_		(((((ζ	7	۲	ς.	((X	(ζ.	(`		Side 2	Plumb (v or x)
☐Yes ☐No	☐ Yes ☐ No	☐ Yes ☐ No	☐Yes ☐No	∠Yes	Yes No	☐Yes ☐No	☐ Yes ☐ No	□Yes □No	☐Yes □No	☐Yes ☐No	Yes No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	∠Yes □No	column?	marked on	Reference level			