### Quality Control Check Repot. Stage: After Column Casting (villas)

Recommendation: Stop further work. Stop further work. Proceed with furth Proceed with furth	Checked By MD on	Previous stage report no.	Project Manager	Prepared by	Company	Block No.
Recommendation:  Stop further work. Submit ATR on QC report  Stop further work. Proceed with work after su  Proceed with further work only after making of the proceed with further work. ATR not required.		no.	A-suresh	S. Kuldeep	NOC- (LLA)	113
eport to QC team. Proc fter submitting ATR on king corrections pointed.	MD Sign	32187	Sign	Sign	Project	Column No.
Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC.  Stop further work. Proceed with work after submitting ATR on QC report to QC team.  Proceed with further work only after making corrections pointed out in the QC report. ATR not required.  Proceed with further work. ATR not required.		Report filed and signed by	Cyw.	Studens	70V	03
by QC. h. ATR not required.	For filling	ed by PM?	Date	Date	Phase	Sl. No.
	☐ Yes ☐ No	□Yes □No	31/01/81	18/12/18	ţ	32342

#### Columns Position Check.

Notes:

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
- Prepare Columns Position Check Plan as follows: a. Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.
- <u>.</u>

3: Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention a	mension with red colour and mention actual dimension next to it.
Columns Position Check Plan enclosed?	

#### Slab Dimensions Check.

Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolcrance 1") Show location of sunken slab.
- Print an A3 size plan.

2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention:	ision with red colour and mention actual d	imension next to it.
Slab Dimensions Check Plan enclosed?	Yes No	Section 2019
Specified thickness of slab?	Actual thickness of slab?	5"

# Quality Control Check Repot. Stage: After Column Casting (villas)

Good Avg. Bad
Good Avg. Bad
☐ High ☐ Medium. ☐ Low
☐ Good ☐ Avg. ☐ Bad
∏Yes ∏No
A design of the second of the
No Avg. Bad

## Columns height, plumb, steel & level marking check.

Mark ofor correct or minor mistake which does not require correction
Mark X for minor mistake that requires minor correction.

Mark X for major mistake that requires correction by replacement or re-fixing.

Mark X X for major mistake that cannot be corrected.

Tolerance: Plumb 0.25".

Circle actual height of columns if level differs from specified height by more than 1".

20.	19.	18.	17.	16.	15.	14.	13.	12.	11,	10.	9.	×	7.	6.	5.	4.	្ន	2.	1.		C FAC	200
						4117				And the second s						CY	හ ය	ි ද ව	B3		Col Ivo.	o Col No Col type Height in ft Steel (v or x
										and the second s						23	C3	$e_{i}$	(ત્ર		Cor type	Col type
																4-3"	71-311	١٠٤٠/	7)-3"	opec.	Grant	Heigh
									650 0							기·3 <sup>11</sup>	1/3"	如 -2"	7/211	Actual	Actual	Height in ft
		٠		10000				geographe in the								(	<	7	7	rods	NIO OF	Steel (
							100 SE								•	<	(	7	ς	rods	Cize of	Steel $( \vee \text{ or } \mathbf{x})$
										20			20 20 20 20 20 20 20 20 20 20 20 20 20 2			7	1	7	ς			Honevcombs
																ζ.	<	7	7	Orde 1	Side 1	Plumb
		*														(	1	5	(		Cide 2	Plumb ( or x)
☐Yes ☐No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐Yes ☐No	☐Yes ☐No	☐ Ycs: ☐ No	☐ Yes ☐ No	∐Yes ∐No	☐ Yes ☐ No	☐Yes ☐No		☐ Yes ☐ No	∐Yes ∐No	☐Yes ☐No	∐Yes ∐No				lr	column?	marked on	Reference level