Hock No. 114 Column No. 03 SI. No. 30855  Company Wilgin' ESTACT Project All Sign Sign Sign Date 18 07 12018  Project Manager No. Sign No. No. 20855  Previous stage report no. Sign No. No. 20855  Checked By MD on Checked By MD on Stop further work. Submit ATR on QC report to QC team. Proceed with further work only after submitting ATR on QC report to QC report. ATR not required.  Proceed with further work. ATR not required.	ブ1 1 1 1					
piect    Alignic State   Phase	Block No.	114	Column No.	03	Sl. No.	30855
Date    Pate   P	Company	rillain' Estati	Project	wilgiviEstate	Phase	12)
Date    Cobb   PM?   Report filed and signed by PM?   Position   Por filling   Por fi	Prepared by	S.Kul deep	Sign	Straket Contraction	Date	8105/2018
Report filed and signed by PM?  Sign  For filling  to QC team. Proceed only after recheck by QC.  ubmitting ATR on QC report to QC team.  corrections pointed out in the QC report. ATR not required.	Project Manager	Madhusudhown	Sign	N. T. CA	Date	8102/ 40/81
To QC team. Proceed only after recheck by QC. ubmitting ATR on QC report to QC team. corrections pointed out in the QC report. ATR not required.	Previous stage report	no.	50667	Report filed and signe	d by PM?	Yes No
to QC team. Proceed only after recheck by Qubmitting ATR on QC report to QC team. corrections pointed out in the QC report. ATR	Checked By MD on		MD Sign		For filling	□Ycs □No
	Recommendation:  Stop further work.  Stop further work  Proceed with furth  Proceed with furth	Submit ATR on QC re Proceed with work aft ner work only after mak ner work. ATR not require	port to QC team. Proce er submitting ATR on ing corrections pointed ired.	sed only after recheck be QC report to QC report. A out in the QC report.	y QC. ATR not required.	

## Columns Position Check.

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1") Show diagonals for 20% of bays. (Tolerance 1.5") Print an A3 size plan.

- Columns Position Check Plan enclosed? Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it. ✓ Yes No

### Slab Dimensions Check,

- 1. Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconics (Tolerance 1") Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dim

Specified thickness of slab?	Slab Dimensions Check Plan enclosed?		2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention a
Actual thickness of slab?	∠ Yes	The second the substitute of the state of the second state of the	mension with red colour and mention actual dimension next to it

# Quality Control Check Repot. Stage: After Column Casting (villas)

Good Mayg, Bad
Good Avg. Bad
High Medium. L'Low
Good Avg. Bad
Yes No

## Columns height, plumb, steel & level marking check.

- Mark v for correct or minor mistake which does not require correction
   Mark X for minor mistake that requires minor correction.
   Mark X for major mistake that requires correction by replacement or re-fixing.
   Mark X X for major mistake that cannot be corrected.
   Tolerance: Plumb 0.25".

Col No.   Col type   Height in ft   Spec.   Actual	of columns if level differs from specified height by more than 1".  Col type Height in ft Steel ( v or x) Honeycombs Plumb ( v or x)  Spec. Actual No of Size of rods rods rods									
Col No.   Col type   Height in ft   Steel ( • or ×)   Honeycombs   Plumb ( • or ×)	ircle actual height of columns if level differs from specified height by more than 1".  Col No.   Col type   Height in ft   Steel ( • or ×)   Honeycombs   Plumb ( • or ×)	column?	Side 2	Side 1		ř		1		
	height by more than 1".	Kererence level		Plumb (	Honeycombs	Steel ( or x)	Height in ft	Col type	Col No.	S No
	6 Circle actual height of columns if level differs from specified height by more than 1".			4		0		, voicement in	actual ner Price	o. Citoro
						7.77				

					_		_				_				_						_	_
20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	×	7.	6.	5.	4.	ယ	2.	ŗ			SNo
																8¢	4	C#	oc Ø			Col No.
																5	2	62	2.			Col type
																8:4"	8: 44	6.4	8.7"	oper.	Spec	Heigh
																14.8	e1.612"	'al. 6/6"	8:6"		Achial	Height in It
																ζ	۲	5	ζ.	rods	No of	Steel (
																<	ς.	ς.	7	rods	Size of	Steel ( v or x)
																(	<	ζ	(		<b>J</b>	Honeycomos
																<	<	(	(		Side 1	L'imino
																<	(	ζ	C		Side 2	FILLIO ( V OF X)
Yes No	┧┌	$\mathbb{T}$	┧┌╴	┧┌	┧┌	┧┌	┧┌╴	1	┧┌	1 -	٦h	┧┌╴	d -	┧┌╴		┧┌╴	1	1	1	۰۰`	marked on	Neterence rever