	,	1
,		/
	1	

# Quality Control Check Repot. Stage: After Column Casting (villas)

Block No.	132	Column No.	0	SI. No.	32.34
Company	Nilgion Fist to	Project	Main Fot to	Phase	7
Prepared by	J. Sanketh	Sign	V-Sudant	Date	12-12-18
Project Manager	} }	Sign	time	Date	12-12-18
Previous stage report no.	no.	31924	Report filed and signed by PM?	d by PM?	⊠Yes □No
Checked By MD on		MD Sign		For filling	☐ Yes ☐ No
Recommendation:  Stop further work.  Stop further work.  Proceed with furth  Proceed with furth	Recommendation:  Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC.  Stop further work. Proceed with work after submitting ATR on QC report to QC team.  Proceed with further work only after making corrections pointed out in the QC report. ATR not required.  Proceed with further work. ATR not required.	port to QC team. Proceer submitting ATR on ing corrections pointed red.	ed only after recheck b QC report to QC team. I out in the QC report. A	y QC. \TR not required.	
Columns Position Check	ock C				

# Notes:

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1") Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.
- $\Sigma$

Dlumns Position Check Plan enclosed?    WYcs   No
---

## Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
   a. Show outer dimensions of slab. (Tolerance 2")
- Show inner dimensions of ducts and lift well. (Tolcrance 1") Show length and width of balconies (Tolerance I")
- Show location of sunken slab.
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incorrect dimension

Specified thickness of slab?	Slab Dimensions Check Plan enclosed?	2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention
Actual thickness of slab?	□Yes □No N. p	incorrect dimension with red colour and mention actual c
1		limension next to it.

5.	1
ding and concreting	, uall
7	lality Control Check Repot.
2	
1	
1.	2
1	ne
	CK
	Kepo
	100
	ļ.
	Sta
	tage: E
	A
	After (
	Col
	<u>lu</u>
	mn
	$C_2$
	ısti
	Stage: After Column Casting (villas
	(Vi
22	SE

Quality of centering, rod bending and concreting.  Ouality of centering rod bending and concreting.	
One little of the comment of the control of the con	☐ Good Avg. ☐ Bad
Quality of starters?	☐ Good ☑ Avg. ☐ Bad
Number and size of honey combs?	☐ High ☐ Medium. ✓ Low
Are the honey combs is slab and columns packed?	☐ Good ✓ Avg. ☐ Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"	
Have 6 cubes each for columns and slab casted and numbered for testing?	Ves \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Remarks:	11
Curing.	
□ Yes □ No N. P	7. B
Yes No	,
☐ Yes ☐ No	
Gunny bags used for column curing?	
Frequency of curing in much a feet.	
e from labourers)	
ore than 15 head?	
Remarks:	Bad
TAXABLANI.	

# Columns height, plumb, steel & level marking check.

Notes:

- Mark v for correct or minor mistake which does not require correction
  Mark X for minor mistake that requires minor correction.
  Mark XX for major mistake that requires correction by replacement or re-fixing.
  Mark XX for major mistake that cannot be corrected.
  Tolerance: Plumb 0.25".

Circle actual height of columns if level differs from specified height by more than 1".

																		Ï		S
19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8	7.	6.	S.	4.	3.	2.	1.		S No
					ፘ	CK .	4	$c_2$	1.3	38	32	133	15)	24	AS	A.	A3	A١		Col No.
					6	2	C)	2	٠ 2	C	S	5	2	2	ō,	2	2	2		Col type
					1/4-78	1478	8-24	14-18	14-18	42-18	8-4,	8-4-1	14-18	1678	Staws	54.38	1.4.79	1. t. 3	Spec.	Heig
					8-6"	12-18	1.6-18	8-5"	815"	8-6"	8-4"	8-34	818"	8/5"	Sams	Staine	91-421	8:5"	Actual	Height in ft
					< -	<	~	۷,	<	ζ,		<	<		<.	2	<u>ر</u>	۷.	No of rods	Steel (
					<u> </u>	۷		<	<	~	_	<	<	<.	×.	2	<	۷,	Size of rods	Steel ( v or x)
			Notice of		1	<	<	4	<	<	<	<	(	<	L	۷	4	•		Honeycombs
					<	<	<	~	Ų.	<	4	4	<	<	<	4	۷.	۷	Side 1	Plumb
					۷.	<	<	<	4	٤.	<	<	<	<	<	4	4	۲.	Side 2	Plumb ( • or ×)
☐Yes ☐No	∐Yes ∐No	∐Yes ∐No	∐Yes ∐No	∐Yes ∐No			╽┌	┧┌╴	II		1 -	1 -	1 -	1	┧┌╴	╽┌╴	 	Yes No	marked on column?	Reference level
	□ Yes □	☐ Yes ☐		Yes         Yes         Yes         Yes         Yes         Yes         Yes	Yes         Yes         Yes         Yes         Yes         Yes         Yes         Yes	C <sub>6</sub> C <sub>1</sub> g±x <sup>1</sup> g±8"       √       √       √       √       √       Yes       □       Yes       □       Yes       □       Yes       □       Yes       □       Yes       □       □       Yes       □	CK       CI       8½1       1 <td>  Yes   Yes</td> <td>  Sex   C   C   St-X    St-Z    C   C   C   St-X    St-Z    St</td> <td>  C1</td> <td>  Sex   C    Si-7m   Si-Sm   C    C    Si-7m   Si-Sm   C    C    Si-7m   Si-Sm   C    C    C    C    C    C    C   </td> <td>  Yes                                      </td> <td>  Sax  </td> <td>  Sex.                                      </td> <td>  SaX                                      </td> <td>  Yes                                      </td> <td>A+       c1       stains       c1       stains       c2       c3       c4       stains       stains       c4       stains       c4</td> <td>H3       C1       82 - 341       X1 - 411       X1 - 411<!--</td--><td>  日本   日本   日本   日本   日本   日本   日本   日本</td><td>Spec. Actual No of Size of Size of Side 2 marked on rods  An C1 용근구" 용고등"</td></td>	Yes   Yes	Sex   C   C   St-X    St-Z    C   C   C   St-X    St-Z    St	C1	Sex   C    Si-7m   Si-Sm   C    C    Si-7m   Si-Sm   C    C    Si-7m   Si-Sm   C    C    C    C    C    C    C	Yes	Sax	Sex.	SaX	Yes	A+       c1       stains       c1       stains       c2       c3       c4       stains       stains       c4       stains       c4	H3       C1       82 - 341       X1 - 411       X1 - 411 </td <td>  日本   日本   日本   日本   日本   日本   日本   日本</td> <td>Spec. Actual No of Size of Size of Side 2 marked on rods  An C1 용근구" 용고등"</td>	日本   日本   日本   日本   日本   日本   日本   日本	Spec. Actual No of Size of Size of Side 2 marked on rods  An C1 용근구" 용고등"