Quality
Cont
rol Check Repot.
Repot.
S
tage:
After
er Column Cas
Casting
14

スロのマング		)			
DIVON NO.	137	Column No.	02	SI. No.	いたくと
Company	νος (πρ)	Project		Phase	000
Prepared by		Sign	400	7.5	
Decinat Manage	S. Kulder	Sign	Submo	Date	24/01/19
Project Manager	A. Surush.	Sign		Date	24 ) p. 1 / s
Previous stage report no.	no.	32574	Report filed and signed by PM?	d by PM?	Yes No
Checked By MD on		MD Sign		For filling	Yes No
Recommendation:					
Stop further work.  Stop further work.  Proceed with furth  Proceed with furth	Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck!  Stop further work. Proceed with work after submitting ATR on QC report to QC team.  Proceed with further work only after making corrections pointed out in the QC report. It is proceed with further work. ATR not required.	port to QC team. Proce er submitting ATR on ing corrections pointed ired.		by QC. a. ATR not required.	
Columns Position Check,	ck.				

Notes:

- Prepare Columns Position Check Plan as follows: Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
- Show size and orientation of columns. (Tolerance 0.5") Divide blocks into smaller sub-blocks.
- Print an A3 size plan. Show inner - inner space between columns. (Tolerance 1") Show diagonals for 20% of bays. (Tolerance 1.5")
- Columns Position Check Plan enclosed? Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.

	CALIFORNIA T OSTUDII CIICCK LIGHT GUCIOSEG!
[5	
7	7

Slab Dimensions Check.

## Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show inner dimensions of ducts and lift well. (Tolerance 1") Show length and width of balconies (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- Sis Circle each correct dimension with green colour. Circle each inco

	Specified Hickness of Slab?	Opposition (Alice)	State Differsions Check Plan enclosed?	Sich Die City Colour Silver Colour. City Ceach incorrect dimension with red colour and ment
	Actual thickness of slab?	[	Yes No	tension with red colour and mention actual di
٤	Q 11			limension next to it

## Quality Control Check Repot. Stage: After Column Casting (villas)

Good Navg. Bad
High Medium. Low
Good Avg. Bad
Yes No
Bad
- And the state of

## Columns height, plumb, steel & level marking check, Notes:

- Mark V for correct or minor mistake which does not require correction
   Mark X for minor mistake that requires minor correction.
   Mark X X for major mistake that requires correction by replacement or re-fixing.
   Mark X X for major mistake that cannot be corrected.
   Tolerance: Plumb 0.25".

Circle actual height of columns if level differs from specified height by more than 1".

20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	×	7.	6.	'n	4.	'n	2.	1.			S No
						40			200	0	Cu	(3	ſ. 1	છ	ত্র	13°	Au	A3	4			o Col No.
									2	7	c<	cs	<i>(</i> 1	(3	( م	6.1	C)	(3	C <sub>1</sub>			Col type
									8-41	82 L"	8Lu"	8-71	Stain	8 1. 4"	A]_/"	stain	8170	82711	81-7"		Spec.	Height in ft
									814 <u>1</u> 8	8/4	81-U1	81-6"	slairs	67911	81-211	sains	118-18	81-611	8:611		Actual	t in ft Steel (✓ or 🗙)
					200		, s		<	<	ď.	<	<	<	<	<	<	<	(	rods	No of	Steel (
		COURT OF SE					2000	100	<	<	<	<	<	۲.		<	5	<	(	rods	Size of	Steel (✓ or 🗙)
									\	<	\	<	(	,	,	(	5	7	×			Honeycombs
									<	<	<	7	<	ς	<	<	<	ς.	۴		Side 1	Plumb
									(	<	<	<	<		<	7	· ·	ς,	<		Side 2	Plumb ( v or x)
☐Yes ☐No	☐ Yes ☐ No	☐ Yes ☐ No	☐Yes ☐No	☐ Yes ☐ No	☐Yes ☐No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	Yes No	☑Yes □No	✓ Yes ☐ No	□ Yes □ No	✓ Yes ☐ No	Yes No	∠Yes ∟No	∠Yes ∐No	Yes No	∠Yes	column;	marked on	Reference level