|)uality |
|-----------------------------|
| Control |
| Control Check Repot. |
| Stage: At |
| Stage: After Column Casting |
| |

| Several Project Tepared by T | Recommendation: Stop further work. Submit ATR on QC report Stop further work. Proceed with work after s Proceed with further work only after making of the proceed with further work. ATR not required | Checked By MD on | Previous stage report no. | Project Manager Purchattan | Prepared by V. Sankit | Company Sov (LLP) | Block No. 19 |
|--|---|------------------|---------------------------|----------------------------|-----------------------|-------------------|--------------|
| SI. No. Sey Phase Carly Date Report filed and signed by PM? Report filed and signed by PM? Report filed and signed by PM? For filling occeed only after recheck by QC. on QC report to QC team. ted out in the QC report. ATR not required. | R on QC report to QC team. Prith work after submitting ATR y after making corrections poin R not required. | MD Sign | 88 | J . | | | Column No. |
| SI. No. Phase Date Date by PM? For filling / QC. TR not required. | oceed only after recheck by on QC report to QC team. ted out in the QC report. A | | Report filed and signed | XF | くらいと | SaV | |
| | y QC. | For filling | 1 by PM? | Date | Date | Phase | SI. No. |

Columns Position Check.

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5") Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolcrance 1.5")
- Print an A3 size plan.

| Columns Position Check Plan enclosed? |
|---------------------------------------|
| Yes No |

STAU PHILEIRIONS CHECK.

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
 Show length and width of balconies (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.

| | Ξ. |
|---|---|
| | Ci. |
| | <u></u> |
| | C |
| | 2 |
| | <u>~</u> |
| | _ |
| | 2 |
| | 므 |
| | Ξ |
| | 2 |
| | - |
| | Ω. |
| | Ξ. |
| | JI. |
| | 2 |
| | 7 |
| | = . |
| | ≃ |
| | _ |
| | - |
| | = |
| | = |
| ŗ | 9.IG |
| | 7 |
| | |
| | Ξ |
| | 0 |
| | Ó |
| | $\overline{}$ |
| | z |
| | Ξ |
| | |
| | |
| | Ξ. |
| | 0 |
| | Ti. |
| | T. |
| | 2 |
| | <u>_</u> |
| | _ |
| | Ξ. |
| | ನ |
| | 0 |
| | = |
| | Ċ. |
| | |
| | -+ |
| | H n |
| | di. |
| | # dim |
| | t dime |
| | t dimen |
| | t dimensi |
| | t dimension |
| | t dimension |
| | t dimension w |
| | t dimension wit |
| | t dimension with |
| | rt dimension with r |
| | t dimension with rec |
| | t dimension with red |
| | t dimension with red e |
| | x dimension with red col |
| | t dimension with red colo |
| | t dimension with red colou |
| | t dimension with red colour a |
| | at dimension with red colour a |
| | on with red colour an |
| | at dimension with red colour and i |
| | on with red colour an |
| | on with red colour an |
| | on with red colour and mer |
| | on with red colour an |
| | on with red colour and mer |
| | on with red colour and mer |
| | on with red colour and mer |
| | on with red colour and mention act |
| | on with red colour and mer |
| | on with red colour and mention act |
| | on with red colour and mention act |
| | on with red colour and mention actual d |
| | on with red colour and mention actual d |
| | on with red colour and mention actual d |
| | on with red colour and mention actual d |
| | on with red colour and mention actual d |
| | on with red colour and mention actual d |
| | on with red colour and mention actual d |
| | on with red colour and mention actual d |
| | on with red colour and mention actual d |
| | on with red colour and mention actual d |
| | on with red colour and mention actual d |
| | on with red colour and mention actual d |
| | on with red colour and mention actual d |

| ת | Actual thickness of slab? | ن ت | Specified thickness of slab? |
|---|---------------------------|--------|--------------------------------------|
| | Yes No | | Slab Dimensions Check Plan enclosed? |

Quality Control Check Repot. Stage: After Column Casting (villas)

| ☐ Yes | IXIIIans. |
|--|--|
| I yes No No Yes No No No Yes No No No Yes No No No No No No No N | Domarke. |
| Id 100") Yes \(\square \) Yes \(\square \) | Quality of infrastructure for curing. |
| ted 100") Tyes Yes Tyes | Is the pressure in the curing pipe more than 15' head? |
| Yes Yes | Frequency of curing in number of times a day (enquire from labourers) |
| | Distance of tap from furthest distance that requires curing. (max permitted 100') |
| | Gunny bags used for column curing? |
| | Drum (200 lts) provided for curing? |
| 7 | Bund size is less than 100 sft? |
| V Yes No | Bunds for curing made on slab? |
| | Curing. |
| | |
| | Remarks: |
| ng? | Have 6 cubes each for columns and slab casted and numbered for testing? |
| | Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1" |
| ☐ Good ⋈ Avg. ☐ Bad | Are the honey combs is slab and columns packed? |
| High Medium. Lyrow | Number and size of honey combs? |
| Uood MAVS. L. Bau | Quality of starters? |
| Good Avg. Bad | Quality of centering, rod bending and concreting? Quality of centering, rod bending and concreting? |

Columns height, plumb, steel & level marking check. Notes:

- Mark v for correct or minor mistake which does not require correction
 Mark x for minor mistake that requires minor correction.
 Mark x x for major mistake that requires correction by replacement or re-fixing.
 Mark x x x for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".