Quality Cont
Control
Quality Control Check Repot. Stage: After Column Casting (villas)
pot.
Stage: A
After C
olumn
Casting
(villas)

Recommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR n Proceed with further work. ATR not required.	Checked By MD on MD Sign	Previous stage report no. 30027 Report filed and signed by	Project Manager Ryshortam Sign	Prepared by M- Tiga Svidhur Sign WA	Company Sov (LLP) Project Sov	Block No. 20 Column No. 01	
o QC team. Proceed or omitting ATR on QC r orrections pointed out i	Sign	Ì				mn No.	
only after recheck report to QC team in the QC report.		oorf filed and signs	A.	D.A.	Sov	01	
by QC. ATR not required.	For filling	ed by PM?	Date	Date	Phase	Sl. No.	
·	☐Yes ☐No	Yes No	22/05/18	20/05/18	[7]	30316	

Columns Position Check.

- 1. Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
- Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

Columns Position Check Plan enclosed?

Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.

Slab Dimensions Check.

- 1. Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolcrance 1") Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- rrect dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it

1			obecuted anomicon of other
	Actual thickness of slab?		Specified thickness of slah?
			Stab Dimensions Check Fian enclosed:
			01 1 D
THOTISTOIL TICAL TO IT.	USION WITH LEG COLOUR and INSTITUTE actual on	2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and members	Circle each correct dimension with
	The state of the s		

Quality Control Check Repot. Stage: After Column Casting (villas)

	Remarks: Note & Comy bag's not bred for Columns
Date	Quality of infrastructure for curing.
Rad	
	2
	ted 100')
	Yes
1	
	Bunds for curing made on slab?
	(plumn's
	1,600 0 0 10 00
majority of	Remarks: "1 to How Comb's Package wat dove to
Y res No	Have 6 cubes each for columns and slab casted and numbered for testing?
	Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1
	Are the honey combs is slab and columns packed?
Good Avg. Bad	Number and size of noney comos:
High Medium. Low	Charles of the company of
Good Mavg. Bad	Quality of starters?
☐ Good MAvg. ☐ Bad	Quality of centering, rod bending and concreting? Ouality of centering, rod bending and concreting?

Columns height, plumb, steel & level marking check. Notes:

- Mark v for correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark XX for major mistake that requires correction by replacement or re-fixing.
 Mark XX for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".
 Circle actual height of columns if level differs from specified height by more than 1".

£ 2 5 5 5 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6	7 - 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	111年前前前	~ < < < < < <	< < < < < <	< < < < < < × × × ×		< < < < < <	
Ct C2	7 - 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	~ < < < < < <	< < < < < <		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		44444
ct c c c c c c c c c c c c c c c c c c	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	~ < < < < < <	< < < < < <				<<<<<<<
ct c c c c c c c c c c c c c c c c c c	7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	11年前前前	< < < < < <	< < < < < <				<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
C2 C2 C2 C2 C2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11年18日 11日 11日 11日 11日 11日 11日 11日 11日 11日	< < < < < <	< < < < < <				< < < < < <
C C C C C C C C C C C C C C C C C C C	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	< < < < < <	< < < < <	(/ () / / /			< < < < < <
C 2 C C C C C C C C C C C C C C C C C C	1 4 7 4 7 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	元十十十十十十十十十十十十十十十十十十十十十十十十十十十十十十十十十十十十	<<<<<	< < < <	X			< < < < <
C2 C2 C2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14:8 14	۷ < < < <	< < < <	< \ \ x \ x \ x			< < < < <
C2 C2 C2	14.8 14.8 14.8 14.8 14.8 14.18	14.8	< < < <	< < < <	7 × × ×			< < < <
C2 C2	17.8	1.4.8	< < <	< < <	×××			< < <
Ca	14:18	17.18	< <	< <	××		< <	\ \ \ \
Ca	14:3	14.18	<	<	バ		<	ς <
				\	0			
j.	8141	81.41/20	<	<	メ		~	<u> </u>
C'	8] [IP:8	8.u/2"	<	<	×		<	<
62	114.18	112/8	<	<	3		<u> </u>	< \ \
د ا	81411	8.411	<	<	×		<	
4	8:u1	8:41/21	<	<u> </u>	メ	,,	<	<
C2	81211	81211	<	<	メ	,	\ \	< <
61	14.8	12/2/8	<	<		X	<	< <
	!		rods	rods				
ī	Spec.	Actual	No of	Size of			Side 1	Side 1 Side 2
Col type	Heig	ht in ft	Steel	or X	Hon	eycombs		eycombs Plumb (or x)
	C1 C2 C1 C1	C1 8:4" C2 8:4" C1 8:4" C2 8:4" C1 8:4"	C1 8:4" 8:4" C2 8:4" 8:4" C1 8:4" 8:4" C2 8:4" 8:4" C1 8:4" 8:4" C1 8:4" 8:4"	C1 8:4" 8:4" C2 8:4" 8:4" C1 8:4" 8:4" C2 8:4" 8:4" C1 8:4" 8:4" C2 8:4" 8:4" C1 8:4" 8:4" C1 8:4" 8:4" C2 8:4" 8:4"	Columns if level differs from specified neight by more than 1. Oil type Height in ft Steel (• or ×) Spec. Actual No of Size of rods C1 8:4" 8:4" C2 8:4" 8:4" C1 8:4" 8:4" C1 8:4" 8:4" C1 8:4" 8:4" C1 8:4" 8:4"	H	Signature Steel Cor x Honeycombs Signature Size of S	Honeycombs Si