Quality Cont
ty Control Check Repot. Stage: Af
t. Stage:
age: After Column Castin
Casting (villas)

1 1 1 1					
Block No.	22)	Column No.	0/	Sl. No.	279 CX
Company.	Sec (LLP)	Project	700	Phase	
Prepared by	v. Bankuth	Sign	V. S. Jod	Date	20/2/10
Project Manager		Sign	E E	Date	20/2/19
Previous stage report no.	no.	32510	Report filed and signed by	d by PM?	Yes No
Checked By MD on		MD Sign		For filling	Yes No
Recommendation: Stop further work. Stop further work. Proceed with furth Proceed with furth	Recommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not required. Proceed with further work. ATR not required.	port to QC team. Proceer submitting ATR on ing corrections pointed red.	eed only after recheck l QC report to QC team l out in the QC report.	by QC. ATR not required.	
Columns Position Check.	ck.				

Notes:

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
- Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.
- Columns Position Check Plan enclosed? Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it. WY'es

Slab Dimensions Check

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance 1")
- Show location of sunken slab. Show inner dimensions of ducts and lift well. (Tolerance 1")
- Print an A3 size plan.

Specified thickness of slab?	Slad Differsions Check Plan enclosed?	Clab Dimension Clark 1 100	2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention w
Actual thickness of slab?	Yes No 2.D	The solution with the colour and infoliut actual difficultion liext to It.	incorrect dimension with real colour and mantion actual Aimanaica sent to it

Quality Control Check Repot. Stage: After Column Casting (villas)

Yes No No Yes No 25-0" Urrers No Yes No Yes No Yes No Yes No Good Avg. Bad	Remarks:
Yes No 25-0" 2 times No Good Avg.	Remarks:
Yes No 25-0" 2 times Yes No 2 times	
Yes No 25:0" 25:0" Yes No	Quality of infrastructure for curing.
Yes No	Is the pressure in the curing pipe more than 15' head?
Yes No	Frequency of curing in number of times a day (enquire from labourers)
Yes No	Distance of tap from furthest distance that requires curing. (max permitted 100')
No No	Gunny bags used for column curing?
	Drum (200 lts) provided for curing?
	Bund size is less than 100 sft?
Yes No 7.P	Bunds for curing made on slab?
	Curing.
	Remarks:
testing?	Have 6 cubes each for columns and slab casted and numbered for testing?
	Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"
Good JAvg. Bad	Arc the honey combs is slab and columns packed?
☐ High ☑ Medium. ☐ Low	Number and size of honey combs?
Good √Avg. ☐ Bad	Quality of starters?
☐ Good ☑ Avg. ☐ Bad	Quality of centering, rod bending and concreting? Quality of centering, rod bending and concreting?

Columns height, plumb, steel & level marking check.

Notes:

- Mark ✓ for correct or minor mistake which does not require correction Mark X for minor mistake that requires minor correction.
- Mark XX for major mistake that requires correction by replacement or re-fixing. Mark XXX for major mistake that cannot be corrected.

S No	o Col No. Col type Height in ft Steel (v or x)	Col type	Heigh	Height in ft	Steel (Steel (v or x)	Honevcombe	Plumh (v)	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Deference level
	3		Spec	Actual	No of	Ciza of	·	C: 45 1	0:1-0	marked on
			J-		rods	rods		Didc 1	7 JDI C	column?
;-	Ð -	2	6-4"	& 1. 1.	<u>ئ</u>	. \			<	Yes No
2.	₽3	C3	8 L.74 B	1,1078	ح	<	< ,	\ \		√ Yes No
<u>ب</u>	AY	<u>.</u>	114-8	8-5"	٢.	<	Ý	<	د ،	
4.	3	Cı	814"	8-411	•	4	٠. ٠	٠		
5.	533	22	Staurs	etaise	<	۷ .	<	۲	ς ,	Yes No
6.	234	Cl	16-18	116-18	A	V	۷.	<	<	√ Yes □ No
) ·	CI	C2	8-4"	8-312"	K,	2	۷	د		Yes No
×	G. 2	22	50099	Sausis	V	۷	<	<	<	√Yes □No
9.	C4	C2	11-18	8-65		<	<	<	۷.	✓ Yes □ No
10.	ום	42	8-4"	8/2"	S	<	٠.	۷.	<	Yes No
11.	62	23	8-4"	114-18	1	*	<	<	<	✓ Yes No
12.	64	c ₁	11 6-18	116-18	√.			<	<	☐ Yes ☐ No
13.								-		☐ Yes ☐ No
14.						_	Section Section 1			☐Yes ☐No
15.					- 292					☐Yes ☐No
16.										☐ Yes ☐ No
17.										☐ Yes ☐ No
18.										☐Yes ☐No
19.										Yes No
)										