,	No. of Street, or other party of the	
1		
	/	

Quality Control Check Repot. Stage: After Column Casting (villas)

ock No. Repared by Project M. Teja Shidhus Sign M. Teja Shidhus Sign Phase Pha

Columns Position Check.

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
 Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.
- Columns Position Check Plan enclosed? Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it. Yes

Slab Dimensions Check.

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance 1") Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.

Specified thickness of slab?	Slab Dimensions Check Plan enclosed?	e. Print an A3 size plan. 2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention act
Actual thickness of slab?	L xes L No	h incorrect dimension with red colour and mention actual dimension next to it.

Remarks:	Is the pressure in the curing pipe more than 15' head? Ouglity of infrastructure for curing.	Distance of tap from furthest distance that requires curing. (max permitted 100') Frequency of curing in number of times a day (enquire from labourers)	Drum (200 lis) provided for curing?	Bunds for enting nucle on slab?		Remarks:	Are the honey combs is slab and columns packed? Are the honey combs is slab and columns packed? Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1" Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1" Have 6 cubes each for columns and slab casted and numbered for testing?	Quality of starters? Number and size of honey combs?	Ouality of centering, rod bending and concreting? Ouality of centering, rod bending and concreting?	
	Good Avg. Bad	nitted 100') 60'-0' A trois No	so A [7]	No No	INO INO		ab by more than 1"	Good Avg. Bad	Stage: After Column Good Avg. Bad Good Avg. Bad Good Avg. Bad	Casting (villas)

Columns height, plumb, steel & level marking check.

Notes:

- Mark Ior correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark XX for major mistake that requires correction by replacement or re-fixing.
 Mark XX for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".

				8	_				
☐ Yes ☐ No									19.
☐Yes ☐No			-						18.
☐Yes ☐No									17.
☐Yes ☐No									16.
☐Yes ☐No									15.
☐ Yes ☐ No									14.
☐Yes ☐No									13.
☐Yes ☐No			2	2	8.	8:1:	X	63	12.
✓ MYes No		\ \ \		-	0 8.	102	, , ,	12'	11.
☐Yes ☐No		, (× × ×	1/2	52	24	10.
Yes No	< ·	`\`		1	8-1-		(2)	1/3	9.
√Yes □No	<	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<		20-1	-1 -2	4	5	.8
Yes UNo	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\ \ \	\<	-	0.00	8-6-1	5	ha	7.
□Yes □No		Z	<	(र	24.8	14:0	C3	63	6.
NYes □No			<	<	1.30	1.5	62	B,	5.
\\\\Yes \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<	<	15.0	14:8	7	1	4.
Yes □No				1	4.3	17:3	(2.	£3	3.
VYcs □No	, ,		-		8.612	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	C-1	Az	2.
NYes No		<<	\		4.8	17:18	1.5	A.	1.
□ □ No		\	rods	rods		•			
column?	Side 1 Side 2	Si	- 1	No of	Actual	Spec.	,	Corre	O I VO
	Plumb (v or x)	Honeycombs	Col No. Col type Height in ft Steel (v or x)	St	Height in ft	Heigl	Col type	Col No.	C No