Qualit
y Contro
ol Check
Repot.
Sta
ge: After C
0
lumn Casti
ng (villas
S

Recommendation:  Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not proceed with further work. ATR not required.	Checked By MD on	rrevious stage report no.	Project Manager	Prepared by S. Swall dumps	Company	Block No.
C report to QC team. Prok after submitting ATR of making corrections points equired.	MD Sign	27318.	Sign	Nagh Sign	Project	Column No.
ceed only after recheck ln QC report to QC team.		Report filed and signed by PM?	Œ'S		Bloomalab	1
y QC.  ATR not required.	For filling	d by PM?	Date	Date	Phase	S1. No.
	□Yes □No	□Yes ☑No		94/06/14	)	974.54

Notes:

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
- Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

Columns Position Check Plan enclosed? Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it. ∠Yes

## Slab Dimensions Check.

Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolcrance 2")
- Show length and width of balconies (Tolerance 1")
- Show location of sunken slab. Show inner dimensions of ducts and lift well. (Tolerance 1")
- Print an A3 size plan.

specified thickness of slab?	2	Simo Emichalona Check Fight enclosed?	Slah Dimensions Chook plan and Jo	2: Choice each collect dimension with green colour. Circle each incorrect dimension with rad colour and an action
Actual thickness of slab?		Yes No	while the colour and inention actual dimension next to it.	pension with red selection of the select

## Quality Control Check Repot. Quality of centering, rod bending and concreting Stage: After Column Casting (villas)

Quality of centering, rod bending and concreting?		
Quality of starters?		Avg. Bad
Number and size of honey combs?		Wich Avg. Bad
Are the honey combs is slab and columns nacked?		rign [ Medium. Low
Number of beams that are sagging bulging gaved and and a state of the sagging bulging gaved and and a state of the sagging bulging gaved and a state of the sagging bulging gaved and a state of the sagging bulging gaved and sagging bulging gaved		Good Avg. Bad
The state of the s	than 1"	1
Have 6 cubes each for columns and slab casted and numbered for testing?	✓ Yes [	No No
Remarks:		
Curing		
Bund size is less than 100 sft?	Yes UNo	
	☐Yes ☐No	
$\dashv$	☐Yes ☐No	
Distance of tap from furthest distance that requires curing. (max permitted 100')		
Frequency of curing in number of times a day (enquire from labourers)	2 Jimes	8.
ore than 15' head?	Yes No	
Quality of infrastructure for curing.	Good Avg. Bad	
Remarks:		

## Columns height, plumb, steel & level marking check. Notes:

- Mark  $\checkmark$  for correct or minor mistake which does not require correction Mark  $\times$  for minor mistake that requires minor correction.

  Mark  $\times$  for major mistake that requires correction by replacement or re-fixing. Mark  $\times$   $\times$  for major mistake that cannot be corrected.

  Tolerance: Plumb 0.25".

Circle actual height of columns if level differs from specified height by more than 1".

20.	20.	10.	10	17	16	14.	13.	12.		10.		o   o	c .	4 ,5 -	, p	n 4.	, j.	2.	) <u>-</u>	•		S No
					Es	E3	EA	0	03	09	C3	35	84	00	131	74	A3	Ag	A)	•	V-2-10	Col No.
					C	C4	64	Ca	િંદ	G	C3	Ca	Ca	(2)	C3	Ca	C3	Ca	C4			Col type
					8-11-8	8-1 12	8-7/12	8-142	8-1/2	8-4/2	8-12	2-172	8-47	, C.	8-142	, B.	8-1 12	8-11/2	24.0	<del> </del>	Spec.	Heig
					8-1	0-4,	8-6	φ.	8-1	0,	05.	8.	8.6	8.6	s-5.	9-6	0,	0,	9-6		Actual	Height in ft
					<				ζ	ζ	5	<	5	ς	(	(	(	ζ	ς	rods	No of	Steel
					`	<	7	(	(	(	(	<	<	ς	(	(	(	(	(	rods	Size of	Steel ( or x)
					ζ	ζ	ζ.	ζ	ζ	ζ	ζ	ζ	<	5	(	<	<	ζ	ς			Honeycombs
					1	(	ς .	ζ	<	ς	(	(	(	(	ς	ς .	۲	ς	ς.		Side 1	Plumb
					1	۲	1	ς .	ζ	۲	۲	(	<	ζ	ζ	۲	ς.	ς .	٢		Side 2	Plumb (v or x)
☐Yes ☐No	☐Yes ☐No	☐Yes ☐No	☐Yes ☐No	∐Yes ∐No	Yes No	∠Yes □No	∐Yes □No	∠Yes □No	☐Yes ☐No	⊬Yes □No	☑Yes □No	☑ Yes □ No	✓ Yes □ No	∠ Yes ☐ No	☐ Yes ☐ No	∠Yes □No	∐Yes □No	✓ Yes ☐ No	☐Yes ☐No	column?	marked on	Reference level