	_
ı	2
	<u>la</u>
	Quality Control Check Repot.
	0n
	\mathbf{r}_0
	$\bar{}$
	'nε
	ЭCК
-	×
- 1	ep
	0t.
	7
	<u>a 2</u> (
	e: ,
	<u>^</u>
	er
	\subseteq
) I O
	m
	1
	ı Car
	ı Castı
	ı Castıng
	Stage: After Column Casting (vi.

Recommendation: Stop further work. Stop further work. Proceed with further Proceed with further	Checked By MD on	Previous stage report no.	Project Manager	Prepared by	Company	Block No.
commendation: Stop further work. Submit ATR on QC report Stop further work. Proceed with work after submit ATR on QC report proceed with further work only after making a Proceed with further work. ATR not required		10.	Soidhulu	P.sai kun	Fan	88
eport to QC team. Proces	MD Sign	33154	Sign	Sign	Project	Column No.
Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not required.		Report filed and signed		Porch	Aure Gulmo hav	70
by QC. ATR not required.	For filling	ed by PM?	Date	Date	Phase	SI. No.
	☐Yes ☐No	∏Yes □No	16/3/19	16/3/19		33180

Columns Position Check.

Notes:

- Inspection should be done after easting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.
- room deed elect moon

Columns Position Check Plan enclosed?	VYes No
	VYes No

Slab Dimensions Check.

Notes:

- 1. Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance 1")

Show inner dimensions of ducts and lift well. (Tolerance 1")

- Show location of sunken slab.
- Print an A3 size plan.
- S 12

Slab Dimensions Check Plan enclosed? Yes No	☑Yes □No
Specified thickness of slab?	Actual thickness of slab?

Quality Control Check Repot. Stage: After Column Casting (villas)

☐ Good ☑ Avg. ☐ Bad
☐ Good ✓ Avg. ☐ Bad
☐ High [] Medium, ☐ Low
☐ Good YAvg. ☐ Bad
✓ Yes ☐ No
:
Good Mayg. □Bad
Avg No

Columns height, plumb, steel & level marking check. Notes:

- Mark \vee for correct or minor mistake which does not require correction Mark \times for minor mistake that requires minor correction.
- Mark **XX** for major mistake that requires correction by replacement or re-fixing. Mark **XXX** for major mistake that cannot be corrected. Tolcrance: Plumb 0.25".

Circle actual height of columns if level differs from specified height by more than 1".

20.						1				18							l	}	İ		70
-	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	٤	x	, ,	<u>:</u>	`.	4.	3.	2.	1		S No
						o de la companya de l		十十	†)	1.3	5 15	-	-		€5	Ω)	A V	Ar	<u> </u>		Col No.
							3	c 3	CI	C1	()	_	· -	``	۲)	2	CI	CI	0		Col type
						20 0000		== '+	Stanven	Sterine	8. 41.				2.5.5	× - 4 - 5	8,411,11	1414:8	12.41/1	Spec.	Heigl
								== #_	Tres	Stanton	31.61	`.r		۶- ۱: -			1.9.(8	81.71	14.8	Actual	Height in ft
								<	7	<	<	F		2	7	5	5	ς.	ζ	No of rods	Steel (
								<	<	<	۲,	<	٠		ζ.	5	7	7	<	Size of rods	Steel (v or x)
									<	<		ζ,	ζ		<	7	**		5		Honeycombs
								Avs	<	<,	<	<	1	ζ,	5	١.	Avs	<	<	Side 1	Plumb
								<	Avy	<	<	5	۲,	Avx	<	<	<	<	<	Side 2	Plumb (v or x)
☐Yes ☐No	☐ Yes ☐ No	□Yes □No	□Yes □No	∐Yes ∐No		☐ Yes ☐ No	∐Yes ∐No	-		ĺ			Yes No	Yes ∐No	√Yes ∐No	☐Yes ☐No	LlYes ∐No	i –		column?	Reference level