	Duality
	Control
Samuel State and Samuel State and Samuel State S	y Control Check Repot.
	Stage: After Column Casting (vill
	asting
	(villas)

C-luma Davidas Chasle	Recommendation: Stop further work. Stop further work. Proceed with furth Proceed with furth	Checked By MD on	Previous stage report no.	Project Manager	Prepared by	Company	Block No.
	commendation: Stop further work. Submit ATR on QC report Stop further work. Proceed with work after superiored with further work only after making a Proceed with further work. ATR not required.	8 61	no.	Balancoli Kaishna Sign	S-Sunil Zumas	Soyers Constitution Project	ري م
	Recommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR n Proceed with further work. ATR not required.	MD Sign	89781	Sign A.	Sign	Project	Column No.
	eed only after recheck of QC report to QC report.	9	Report filed and signed by l	- coses	1	Seveni Paxins	01
	by QC. ATR not required.	For filling	ed by PM?	Date	Date	Phase	Sl. No.
		☐Yes ☐No	Yes No	09/05/18	09/05/18	١	30826

Notes:

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
 Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Ū.C Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.
- Circle

Slab Dimensions Check.

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
 a. Show outer dimensions of slab. (Tolerance 2")
- Show inner dimensions of ducts and lift well. (Tolerance 1") Show length and width of balconies (Tolerance 1")
- 6 to to b Show location of sunken slab.
- Print an A3 size plan.

Specified th	Slab Dimen	Circle eac
Specified thickness of slab?	Slab Dimensions Check Plan enclosed?	h correct dimensi
?	an enclosed?	on with green col
		our. Circle each in
NA	NA	correct dimens
Actual thickness of slab?	☐Yes ☐No	Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actu
NA		ial dimension next to it.

Quality Control Check Repot. Stage: After Column Casting (villas)

	Remarks:
\$	1 1
Avo Bad	Is the pressure in the curing pipe more than 15' head?
9 4 38	e from labourers)
15.0	Distance of tap from furthest distance that requires curing. (max permitted 100)
	\ \[\]
	1 г
	Bund size is less than 100 stt?
0	
	Curing. Yes No
Packed.	Remarks: (1) A COURTE OF COLLINIS Honey County not
<u> </u>	Have 6 cubes each for columns and slab casted and numbered for testing?
Was No	Number of beams that are sagging, bulging, caved or deflected in the slab by more than I
	Are the honey combs is slab and columns packed?
Good Avg. Bad	Number and size of honey comps:
☐ High ☐ Medium. ☐ Low	Quality of staticts:
Good Avg. Sad	On little of charters?
Good Avg. Dau	Quality of centering, rod bending and concreting?
Dod	the second handing and concreting.

Quality Control Check Repot. Stage: After Column Casting (villas)

Columns height, plumb, steel & level marking check. Notes:

- Mark v for correct or minor mistake which does not require correction.

 Mark X for minor mistake that requires minor correction.

 Mark X for major mistake that requires correction by replacement or re-fixing.

 Mark X X for major mistake that cannot be corrected.

 Tolerance: Plumb 0.25".

 Circle actual height of columns if level differs from specified height by more than 1".

<
(
< <
(
< <
(
(
ς ς
(
ς ς
(
(
(
(
(
(
rods rods
No of Size of
o Col No. Col type Height in ft Steel (✓ or 🗙)