Quality Control Check Repot. Stage: After Column Casting (villas)

ブニ・・・					
Block No.	44	Column No.	0,	SI. No.	25 7 7
Company	NOC (11P)	Project	Voc	Phase	
Prepared by	V. Samkoth	Sign	TO WAY	Date	29)17/10
Project Manager		Sign		Date	29/12/18
Previous stage report no.	no.	32095	Report filed and signed by	d by PM?	Yes No
Checked By MD on		MD Sign		For filling	☐ Yes ☐ No
Recommendation: Stop further work. Stop further work. Proceed with furth Proceed with furth	Recommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after rechcck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not required.	port to QC team. Proce er submitting ATR on one ing corrections pointed red.	ed only after recheck b QC report to QC team. out in the QC report. A	y QC. ATR not required.	
Calina Danie					

- Show size and orientation of columns. (Tolerance 0.5") Divide blocks into smaller sub-blocks.
- Show inner inner space between columns. (Tolerance 1") Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

Slab Dimensions Check, Columns Position Check Plan enclosed? Circle cach correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it. V Yes

Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:

 Show outer dimensions of slab. (Tolerance 2")
 Show length and width of balconies (Tolerance 1")
 Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- SIS

Quality Control Check Repot. Stage: After Column Casting (villas)

Good Avg. Bad
র্ম Good ☐ Avg. ☐ Bad
]High \square Medium. \checkmark Low
Good Avg. Bad
√Yes □ No
The second secon
Bad

Columns height, plumb, steel & level marking check.

- Mark Y for correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark X for major mistake that requires correction by replacement or re-fixing.
 Mark X X for major mistake that cannot be corrected.

SNo Circle actual height of columns if level differs from specified height by more than 1".

No | Col No. | Col type | Height in ft | Steel (v or x)

			T		-					T			T		Γ	Т		Γ	Т	91	Т	Т			т-	_					
	20.	19.	10.	0	17.	16.		15.	14.		12	12.	5		Į.	5	9.	o.	0	7.	0.		٧	4.	į.	! د	2	<u>. </u>			
							±1	3	4	4	3	t,	20)	0	2		Cz	2	9	84	137	0	0	3 4	172	, .	₹		- N	()
							5	1	2	G	-		5	4	-508	2		62	CH		0	S	2	3	ር	C	(2			Cor type
_		_					2478		- 1	87 ty	X- 4	5	g-1-2			Staves	1		8-411		()	8-4	0017		11 5 2	8-41	4	0 =	,	Spec.	неів
				-	 -		8-9"	01	A	かしが、	7		ا الا	4-8	9 111	Stores	7	0_ == ==	8-411	54.0	4	1,778	8-61/2	100%	al en u	18-4121	8-5 /2	1, =		Actual	Height in It
						<	· \	<u> </u>	<		۷.	*	< _	1		< _	<	2	_				۷.	۷	4		<	coos	rode	Noof	Steel (
						\ \ \	\	<	. <		· /·	K	`	ا < _	<	\	د	\			<	/	۷,	X	<	. (<	Spor	10 27rc	Cipant	Steel (or x)
						~		۲	X	*	_	<		<u></u>	<		<u> </u>	\ \ \		<u></u>	7,4		<u>.</u>				<				Honevcombs
					-	\		< -	<	\ \ \	\	<		<u>ر</u>	<		`	e e	ż	·	1	\	/	`	_	<	`		Side 1	OTTENT T	Plumh
		<u> </u>				<	\ \	\	<	<	`	<	<	`	<		\	<	<	1	<	<		`	<	<	_		Side 2	Timilo (or X)	() ()
Yes No	Yes No	☐Yes ☐No	Yes No	٦lr	Yes No	Yes No	J۲	Wes No	Yes LNo	1/ [VIVAS TING	Yes No		Vec No	Yes [No		VYes I No	Yes UNo	1/	Ves No	Yes No	ON!		Yes No	Yes No	1	V Vac TNI	column?	marked on	Reference level	, c
										500						1						L_	1.		0.200	<u> </u>					_