		Actual thickness of slab?	, 	slab?	Specified thickness of slab?
3		Yes No		k Plan enclosed?	Slab Dimensions Check Plan enclosed?
next to it.	n actual dimension	 d. Show location of sunken slab. e. Print an A3 size plan. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it. 	Circle each incorrect dime	Show location of sunken slab. Print an A3 size plan. ch correct dimension with green colour.	d. Show location of sun e. Print an A3 size plan. 2. Circle each correct dimension
			lerance 1") well. (Tolerance 1")	Show length and width of balconies (Tolerance 1") Show inner dimensions of ducts and lift well. (Tolerance 1")	
			k Plan as follows: ice 2")	Prepare Slab (or plinth beams) Dimensions Check Plan as follows: a. Show outer dimensions of slab. (Tolerance 2")	 Prepare Slab (or plinth a. Show outer di
				<u>k</u> .	Slab Dimensions Check Notes:
		⊠Yes □ No		ck Plan enclosed?	Columns Position Check Plan enclosed?
next to it.	on actual dimension	Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it	Circle each incorrect dime	nension with green colour.	3. Circle each correct din
			ance 1.5")	Show diagonals for 20% of bays. (Tolerance 1.5") Print an A3 size plan	
		**	Tolerance 0.5") nns. (Tolerance 1")	Show size and orientation of columns. (Tolerance 0.5") Show inner — inner space between columns. (Tolerance 1")	b. Show size andc. Show inner —
			••	a. Divide blocks into smaller sub-blocks.	 2. Prepare Columns Posi a. Divide blocks
	ı slab.	Propertion should be done after casting of columns at each stage and before starting centering works for each slab.	ns at each stage and before	lone after casting of colum	5
				ck.	Columns Position Check
	R not required.	AT	sing corrections pointuired.	Proceed with further work only after making Proceed with further work. ATR not required	Proceed with furth Proceed with furth
	QC.	Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team.	eport to QC team. Pro fter submitting ATR o	Submit ATR on QC r Proceed with work a	Stop further work. Stop further work.
□ Yes □ No	For filling	Fc	MD Sign		Checked By MD on
√Yes □ No	y PM?	Report filed and signed by PM?	34227	no.	Previous stage report no
20/08/19	Date	Hollo D:	Sign	MUSEUL & Charle	Project Manager
30/08/19	Date	T. Vingo Kumal Di	Sign	T. Vinad Kumas	Prepared by
qui de la companya de	Phase	AUR Gulmahas PI	Project	AGIH	Company
30207	. No.	O) *SI.	Column No.	M O	Block No.
,	ting (villas)	Stage: After Column Casting (villas)	Quality Control Check Repot.	Quality Contr	

)
)
CHOCOL ATTOR
,

Quality of centering, rod bending and concreting. Onality of centering rod bending and concreting?	\[\triangle\]	Good Avg. Bad
Ouality of starters?		Good Wavg. Bad
Number and size of honey combs?		High Medium. Low
Are the honey combs is slab and columns packed?		√Good Avg. Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"	han 1"	N33+4
Have 6 cubes each for columns and slab casted and numbered for testing?		√Yes No
Remarks:		
Bunds for curing made on slab?	∏Yes □No	
Bund size is less than 100 sft?	☐ Yes ☐ No	
Drum (200 lts) provided for curing?	☐ Yes ☐ No	
Gunny bags used for column curing?	Yes No	
Distance of tap from furthest distance that requires curing. (max permitted 100')	15 00/	
Frequency of curing in number of times a day (enquire from labourers)	2 times	
Is the pressure in the curing pipe more than 15' head?	Yes No	
Quality of infrastructure for curing.	Good Avg.	Bad
Remarks:		

Columns height, plumb, steel & level marking check.

Mark v for correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark X for major mistake that requires correction by replacement or re-fixing.
 Mark X X for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".

SNo Circle actual height of columns if level differs from specified height by more than 1".

No | Col No. | Col type | Height in ft | Steel (or x)

									T	T	T	T	T			Г	T-	Т	T		Т		
19.	18.	17.	16.	: !	15	14.	13.	12.	1.	1 .	10	9	.8	7.	6.	J.	4.	۲ ا ز	ı i	: اد	→		(
				ſ	,		1	1	1 0. 11.	- Laboratoria	Ţ			1	T.	1		1	l'anno 11				COLLAG.
					1			<u></u>	5	5	(2	(2	2		(2	(.)	(1	()	(7	(2	\$		Cor type
					0.1"	0 0	11/2	10 1-0-11	8-71	1-10	8-4"	0010	20-4	27 31	まべ.	stail	3	11.18	Z' 7"	1,68	-	Spec.	Hielgi
					8-6	20		79 1 211	8-611	0-0-	200	0-3	000	0/ /=	べれべ	stalx	8-3"	8-611	8-711	14-18		Actual	rieignt in it
					<	. <	, <		<	5	<	<	,			7	5	<	4	5	rods	No of	Steel
					<	K	<	,	<	<,	<	<	<	. <			<	ζ,	ζ,	<	rods	Size of	Steel (• or ×)
					4		. <			۲.	<,	_	<	, <	. <		<	<,	<	<		-,: J	Honeycombs
					<	<			<	(Ava	<	<	<	<		٨٧٩		<	<		Side 1	Plumb
					<.	<	<	\			Ava	<	(, ,	,	Δυο	<	<,	7		Side 2	Plumb (or x)
1		1	1	\neg	Yes No			7/ [✓ Yes □ No	✓ Yes ☐ No	Yes No] [✓ Yes No	✓ Yes □ No	column?	marked on	Reference level
	L Yes	Yes T	☐ Yes ☐ Yes ☐	☐ Yes	☐ Yes	Cl D + 8 - 6 V V ✓ Yes ☐ Yes ☐ L D + 8 - 6 ✓ V ✓ Yes ☐ ☐ ☐ Yes ☐ ☐ Yes ☐ ☐ Yes ☐ ☐ Yes ☐ ☐ Yes ☐ ☐ Yes ☐ Yes		Yes	C3 [0-0" [0-0" V V V V V V V V V	C1 8'-7" 8'-6" V V V VYes C C2 10'-0" 10'-0" V V V V VYes C C3 10'-0" 10'-0" V V V V VYes C C4 8'-7" 8'-6" V V V V V VYes C C5 10'-0" 10'-0" V V V V V VYes C C6 10'-0" 10'-0" V V V V V VYes C C7 10'-0" 10'-0" V V V V V V VYes C C8 10'-0" 10'-0" V V V V V V VYes C C9 10'-0" 10'-0" V V V V V V V V VYes C C9 10'-0" 10'-0" V V V V V V V V VYes C C9 10'-0" 10'-0" V V V V V V V V V V V V VYes C C9 10'-0" 10'-0" 10'-0" V V V V V V V V V VYes C C9 10'-0" 10'-0" V V V V V V V V V V V V V V V V V V V	Yes 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 1 2 2 3 4 4 5 6 7 8 1 1 1 1 1 2 2 3 4 4 5 6 7 8 9 1 1 1 1 1 2 2 3 4 4 5 6 7 8 9	C1 S-711 S-611 ✓ ✓ Av3 Av4 □ Yes C1 S-711 S-611 ✓ <	C1 8-7" 8-6" V V AVS AVS AVS AVS AVS AVS AVS AVS AVS	C1 8-7" 8-6"	C1 S-7 S-6	C1 Stay Stay V V V V V V V V V V V V V V V V V V V	C1 Stall Stall V	C1 Stall S-3 V	C1 Stay Stay V V Avy	C1 Stay Stay V V Avy	C1 Stay Stay V V Any Any Cyes Constraint Stay V V Any Any Cyes Constraint Stay V V V V Any Any Cyes Constraint Stay V V V V Any Cyes Constraint Stay V V V V V Any Cyes Constraint Stay V V V V V V Cyes Constraint Stay V V V V V V Cyes Constraint Stay V V V V V V Cyes Constraint Stay V V V V V V V Cyes Constraint Stay V V V V V V Cyes Constraint Stay V V V V V V V Cyes Constraint Stay V V V V V V V Cyes Constraint Stay V V V V V V V V Cyes Constraint Stay V V V V V V V V V V V Cyes Constraint Stay V V V V V V V V V V V Cyes Constraint Stay V V V V V V V V V V V V V Cyes Constraint Stay V V V V V V V V V V Cyes Constraint Stay V V V V V V V V V V Cyes Constraint Stay V V V V V V V V V V Cyes Constraint Stay V V V V V V V V V V V Cyes Constraint Stay V V V V V V V V V V V V V V V Cyes Constraint Stay V V V V V V V V V V V V V V V V V V V	C2 S-3 " S-3 " V V V V V V V V V	Space Actual No of Size of Side 1 Side 2