	٦ 2	Actual thickness of slab?	UI_	ab?	Specified thickness of slab?
ext to It	tion actual dimension next to it	Dimensions Check Plan enclosed?	Hele each meorreet dimen	Plan enclosed?	Slab Dimensions Check Plan enclosed?
			certan as follows: de 2") erance 1") well (Tolerance 1")	Show outer dimensions of slab. (Tolerance 2") Show length and width of balconies (Tolerance 2") Show length and width of balconies (Tolerance 1") Show inner dimensions of ducts and lift well. (Tolerance 1") Show location of sunken slab Print an A3 size plan.	
				Proposition (*L.)	Slab Dimensions Check. Notes: 1. Prepare Slab for plant by
ext to it.	ntion actual dimension next to it.	umns Position Check Plan enclosed? WYes No	Circle caen incorrect dimer	k Plan enclosed?	Columns Position Check Plan enclosed?
			ance 1.5")	Show diagonals for 20% of bays. (Tolerance 1.5") Print an A3 size plan.	d. Show diagonals for 2 e. Print an A3 size plan. 3. Circle each correct dimension.
			Tolerance 0.5")	Divide blocks into smaller sub-blocks. Show size and orientation of columns. (Tolerance 0.5") Show inner - inner space between the control of the control	a. Divide blocks b. Show size and c. Show inner = 1
	each stab.	Inspection should be done after easting of columns at each stage and before starting centering works for each stab. Prepare Columns Position Check Plan as follows:	ns at each stage and before	Inspection should be done after easting of column Prepare Columns Position Check Plan as follows:	 Inspection should be de Prepare Columns Positi
				<u>ck.</u>	Columns Position Check. Notes:
	y QC. ATR not required.	Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR n Proceed with further work. ATR not required.	report to QC team. Profier submitting ATR of king corrections pointe uired.	Stop further work. Submit ATR on QC report Stop further work. Proceed with work after s Proceed with further work only after making Proceed with further work. ATR not required	Stop further work. Stop further work. Proceed with furthe
☐ Yes ☐ No	For filling		MD Sign		Recommendation:
-	d by PM?	Report filed and signed by	30925	10.	Checked By MD on
10-08-18	Date	C X	Sign	A. Swesh	Project Manager
10-08-10	Date	V. Sweet	Sign	V. Sankets	Prepared by
	Phase	Voc	Project	VOC. (ULP)	Company
31125	SI. No.	03	Column No.	63	BIOCK NO.

Quality Control Check Repot. Singe: After Column Casting (villas)

Quality of centering, rod bending and concreting?	Good Avg. Bad
Quality of starters?	Good Avg. Bad
Number and size of honey combs?	☐ High ☑ Medium. ☐ Low
Are the honey combs is slab and columns packed?	Good Avg. Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"	
	Yes No
Remarks: NOTE: Honey Cornbs need to be facked for	Staircox
Curing. Bunds for curing made on slab?	
Bund size is less than 100 sft?	
Drum (200 lts) provided for euring?	
Gunny bags used for column curing?	
Distance of tap from furthest distance that requires curing. (max permitted 100') 25'	
e from labourers)	
Is the pressure in the curing pipe more than 15' head?	
Quality of infrastructure for curing.	Bad
Remarks:	

Mark ✓ for correct or minor mistake which does not require correction Mark X for minor mistake that requires minor correction. Mark X for major mistake that requires correction by replacement or re-fixing. Mark X X for major mistake that cannot be corrected. Tolerance: Plumb 0.25". Circle actual height < 6.

- Circle actual height of columns if level differs from specified height by more than 1".

20.	19.	18	17.	16	15.	 	15.	13 E	5 .	.	10	5 5	c ,	ب	ا ۱ اح	بر ا	٠,	2 2.				S No
				 								1	2001			-)+	7	3-	3,		15	Col No.
	 				<u> </u>		:									-63	5	C_3	5			Col type
	ļ ļ													-	:	73.7		7-12.	7-31		Spec.	Heigh
			; ;										-	1		7-2"	7-3"	7-25"	1.4-1		Actual	Height in ft
			<u> </u>	ļ												4	<	2	4	rods	No of	Steel (v or x)
																۲,	ر	~	4	rods	Size of	Steel (v or x)
																*	~	4	4			Honeycombs
,																<	<	<u> </u>	۷		Side 1	Plumb
			1	1												<	\ \	<	<		Side 2	Plumb (or x)
Yes No	☐ Yes ☐ No	Yes No		Yes No	☐ Yes ☐ No	Yes No	Yes No	☐Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No		Yes No	Yes No	√Yes □ No	✓ Yes ☐ No	column?	marked on	Reference level