no. ase te te Z not required. actual dimension next on actual dimension next		lab? NA	Actual thickness of slab?	ZP	f slab?	Specified thickness of slab?
AGHH ANH Project AYR. Exultograph Thase Thanager TOTH AUGNAN Sign ANH Sign ANH Sign ANH Sign ANH ANH Sign ANH ANH ANH ANH ANH ANH ANH AN			☐Yes ☐No	28	ck Plan enclosed?	<u>a</u>
AGHH Project ANR. Eduling Phase The Manager ACH TH HASSAN Sign AN ANR Eduling Phase The Manager ANN Eduling Phase ANN Eduling The Manager ANN Eduling	xt to it.	gention actual dimension ner	nension with red colour and m	ur. Circle each incorrect dirr	inension with green colo	
any AGH Project AVR. Edgly 10th Phase any AGH Project AVR. Edgly 10th Phase ted by SCUND Addison Sign Sign Sign Date 3\[7] Date 3\[7					on of sunken slab.	
any AGH Project AVR. ELASINGPR Phase red by Sign Sign Sign Date				lift well. (Tolerance 1")	dimensions of ducts and	
any AGH Project AYR GUMNO. AGH Project AYR GUMNOPP Phase red by CSCANAN MUNOP Sign Date 3N 4 red By MD on Sign Proceed and signed by PM? Date 3N 4 red By MD on MD Sign Report filed and				rance 2")	dimensions of slab. (Tole	
any AGH Project AYR Gulfn9hB Phase Thanager THANAGH Project AYR Gulfn9hB Phase Thase Date AYR Gulfn9hB Phase Thanager THANAGH Date AYR Gulfn9hB Date				eck Plan as follows:	th beams) Dimensions Ch	 Prepare Slab (or plint
any AGH Project AVR. Gulfm9PB Phase THAMAGE THAMAGE THALLS SUPE THAMAGE THA					ck.	Slab Dimensions Che
any AGH Project AVR End Mobre Phase Project AVR End Mobre Phase AN A I Manager CAR THHUS NO. Sign Sign Sign AN A Beport filed and signed by PM? Phase AN A Wes C AVR THHUS NO. AN A I MARCHAIN B Sign AN A I MARCHAIN B Phase AN A I MARCHAIN B AN A			_		eck Plan enclosed'?	Columns Position Che
any AGH Project AN AN Project AN AN AN Phase Phase AN AN AN AN AN AN AN AN AN A	xt to it.	nention actual dimension nex	ension with red colour and m	ur. Circle each incorrect dim	mension with green colo	
AGH Project AYR Gulmob Phase any AGH Project AYR Gulmob Phase red by GSUND AUGOD Sign AND ON Sign AND ON Sign AND ON Sign AND Sign AND ON Sig				Totalion 1.5 /	liais ioi 2076 oi bays. (10	
AGH Project AN AGH Project AN AGH Project AN AGH Phase Red by CSUM AN AGH Sign Sign AN AGH Phase THANAGE RED PHASE THA				lumns. (Tolcrance 1")	inner space between co	
ACH THUS Sign Ted by Sign Sign Sign Date AYR Stutton has Phase That Manager To Hand Hus Sign Date AYR Sign To Hand ATR no QC report filed and signed by PM? The Hand ATR on QC report to QC team. Proceed only after recheck by QC. op further work. Submit ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not required. To ceed with further work. ATR not required. To ceed with further work. ATR not required. The Column No. Sign AYR Sign Date AYR For filling Yes Column No. The Column No. Sign AYR For filling AYR OR C report to QC team. To ceed only after recheck by QC. To filling The Column Signed by PM? The column Signe				. (Tolerance 0.5")	nd orientation of columns	
AGH any AGH Project AVR GWMDh Phase TWANAger Sign Sign Sign AVR GWMDh Phase Date 3\ \frac{1}{4}\ Was stage report no. Sign WD Sign Report filed and signed by PM? The sign of cell ming corrections pointed out in the QC report. ATR not required. The sign occeed with further work. ATR not required. The sign occeed with further work after casting corrections pointed out in the QC report. ATR not required. The sign occeed with further work after submitting ATR on QC report to QC team. The sign occeed with further work after submitting ATR on QC report to QC report. ATR not required. The sign occeed with further work ATR not required. The sign occeed with further work after submitting ATR on QC report. ATR not required. The sign occeed with further work ATR not required. The sign occeed with further work ATR not required. The sign occeed with further work after submitting ATR on QC report. ATR not required. The sign occeed with further work ATR not required.			ţ	3. WS:	ition Check Plan as follo	
Column No. SI. No. SI. No. SI. Ol.		each siab.	e starting centering works for	mns at each stage and before	done after casting of colu	Notes:
Column No. Column No. Sl. No.					eck.	Columns Position Che
Column No. Column No. Sl. No. Sl. No. Slotter				quired.	ner work. ATR not re	Proceed with furth
Column No. Column No. Si. No.		ATR not required.	ed out in the QC report.	aking corrections point	ner work only after m	Proceed with furth
Column No. Column No. Sl. No.		by QC.	ceed only after recheck l	report to QC team. Pro	Submit ATR on QC	Recommendation: Stop further work.
Column No. Sl. No. S		For filling		MD Sign		Checked By MD on
AGH Project AVR Gulmoher Phase 3171		d by PM?	Report filed and signe	30939	no.	Previous stage report i
AGH Project AVR GWMOHAN Date 31	8/7/18	Date	den	-	70 Kin Hugg	
AGH Project AVR Gulmohan Phase	31/7/18	Date	0	_	Discourse Acres	
67 Column No. 6) Sl. No.	1	Phase	AVR Swimoto	Project	AGH	Company
	31011	Sl. No.	0)	Column No.	+3	Block No.

Quality Control Check Repot. Stage: After Column Casting (villas)

Quality of centering, rod bending and concreting?	☐ Good ☑ Avg. ☐ Bad
Quality of starters?	☐ Good ☑ Avg. ☐ Bad
Number and size of honey combs?	☐ High ☐ Medium. ☐ Low
Are the honey combs is slab and columns packed?	☐ Good ☐ Avg. ☐ Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"	Y
Have 6 cubes each for columns and slab casted and numbered for testing?	□Yes □ No
Remarks:	
Curing.	
Bunds for curing made on slab? N♠	□No
Bund size is less than 100 sft?	□No
Drum (200 lts) provided for curing?	□ No
Gunny bags used for column curing?	□ No
Distance of tap from furthest distance that requires curing. (max permitted 100')	30-0'
Frequency of curing in number of times a day (enquire from labourers)	
Is the pressure in the curing pipe more than 15' head?	□No
Quality of infrastructure for curing.] Good ☐Avg. ☐Bad
Remarks: (1) one of the Calumn centering box	not apen. (Da Ca)

Quality Control Check Repot. Stage: After Column Casting (villas)

Columns height, plumb, steel & level marking check. Notes:

Mark v for correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark X for major mistake that requires correction by replacement or re-fixing.
 Mark X X for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".
 Circle actual height of columns if level differs from specified height by more than 1".

☐Yes ☐No										20.
☐Yes ☐No										19.
☐ Yes ☐ No										18.
☐Yes ☐No										17.
☐Yes ☐No										16.
☐Yes ☐No		100							•	15.
Yes No	(((((8.5,	8-7	\overline{C}_1	20	14.
☐Yes ☐No	ζ.	7	ς	ſ	(7-81	, k-81	<u>(9</u>	(C)	13.
☐ Yes ☐ No	(ſ	ς.	(ς	10.80	8'-7'	C3	D.	12.
	((((ς	3-6.	8-71	Ċ,	(5	11.
☐ Yes ☐ No	ζ	7	((ς	1 K-8	, k-9	Ca	64	10.
	(ζ	<	ζ	ς	£-7.	8-7"	Ca	C A	9.
☐ Yes ☐ No	(٢	ζ	((7-,8	<u>6</u>	C,	
☐ Yes ☐ No	ς	(ς.	((8.8	14-18	C۱	B5	7.
☐Yes ☐No	(((((ST.	4-8	<u>(a</u>	84	6.
☐ Yes ☐ No	٢	(ς .	(ς	ST.	1-18	C2	69	5.
☐Yes ☐No	٢	ſ	((٢	8-3.	8-4	Ç	ر و	4.
☐ Yes ☐ No	٢	((((8-6	4-18	C\ ر	A5	3.
☐Yes ☐No	٢	((((14-18	1×-18	(a	A3	2.
☐Yes ☐No	7	(ς.	ζ	ζ	ر مر	ِ هِي ركب	Ca	A١	I.
marked on column?	Side 2	Side 1		Size of rods	No of rods	Actual	Spec.			
Reference level	Plumb (or ×)	Plumb	Honeycombs	Steel (✓ or ×)	Steel (Height in ft	Heig	Col type	Col No.	SNo