| 1 | 1 | _ |
|------------|----------------------------|----------------------------|
| | Juant | 1 |
| | CHAILLY COMMON CHECK NEDGE | Control |
| | (11007 | 7 |
| | 7000 | |
| - Constant | STAKE. TIM | Stone: After Column Castin |
| | T COLUMN | of Calum |
| | II Castil | n Coctiv |

| Block No. | 69 | Column No. | 03 | SI. No. | 31893 |
|--|--|---|---|-----------------------------|------------|
| Company | voc (UP) | Project | VOC | Phase | 1 |
| Prepared by | S. Kuldelp | Sign | Soulder | Date | 05/09/2018 |
| Project Manager | A. Suresh | Sign | W | Date | 05/09/2018 |
| Previous stage report no. | no. | +8808 | Report filed and signed by PM? | d by PM? | ☐Yes ☐No |
| Checked By MD on | | MD Sign | | For filling | ∏Yes ∏No |
| Recommendation: Stop further work. Summer Stop further work. Proceed with further Proceed with further Stop Proceed with f | Recommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not required. Proceed with further work. ATR not required. | eport to QC team. Proceed to submitting ATR on the submitting at the confections pointed tired. | eed only after recheck l QC report to QC team d out in the QC report. | by QC. ATR not required. | |

Notes: Columns Position Check.

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

| | Col | 3. |
|--|---------------------------------------|---|
| | Columns Position Check Plan enclosed? | Circle ea |
| | s Posit | each c |
| | ıns Position Cl | orrect |
| | heck P | dimer |
| | Plan | imension with |
| | neck Plan enclosed? | 1th gre |
| | sed? | en col |
| | | our. C |
| | | ircle ea |
| | | ich inc |
| | | orrect |
| | | dimen |
| | ☐Yes □No | Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention ac |
| | es | ith red c |
| |]No | colour |
| | | and me |
| | | nention a |
| | | ü |
| | | dimei |
| | | usion n |
| | | ext to |
| | | it. |
| A CONTRACTOR OF THE PARTY OF TH | | |
| | | |
| | | |

Slab Dimensions Check.

- 1. Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance 1") Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.

| Specified thickness of slab? | Slab Dimensions Check Plan enclosed? | Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention : |
|------------------------------|--------------------------------------|--|
| Actual thickness of slab? | ✓Yes □No | ision with red colour and mention actual |
| S | | dimension next to it. |

Quality Control Check Repot. Stage: After Column Casting (villas)

| Quality of centering, rod bending and concreting. | | гъ. ј п Пъ.д |
|---|--|---------------------|
| Quality of centering, rod bending and concreting? | | Good Avg. Bad |
| Quality of starters? | 2 | A Good Avg. Bad |
| Number and size of honey combs? | i de la companione de l | High Medium. Low |
| Are the honey combs is slab and columns packed? | | ☐ Good ☐ Avg. ☐ Bad |
| Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1" | than 1" | 1 |
| Have 6 cubes each for columns and slab casted and numbered for testing? | | ☐ Yes ☐ No |
| Remarks: | | |
| | | |
| Curing Bunds for curing made on slab? | Ycs No | |
| | ☐Yes ☐No | |
| Drum (200 h) provided for ening? | | |
| Ginnry bugs used for column curing? | Yes No | |
| Distance of tap from furthest distance that requires curing. (max permitted 100') | 301-011 | |
| Frequency of curing in number of times a day (enquire from labourers) | 2 times | |
| Is the pressure in the curing pipe more than 15' head? | ☐Yes ☐No | |
| Quality of infrastructure for curing. | ☐Good ☐Avg. | Bad |
| Remarks: | | |
| | | |
| | | |

Columns height, plumb, steel & level marking check.

- Mark \checkmark for correct or minor mistake which does not require correction
 Mark \times for minor mistake that requires minor correction.

 Mark \times for major mistake that requires correction by replacement or re-fixing.

 Mark \times for major mistake that cannot be corrected.

 Tolerance: Plumb 0.25".

 Circle actual height of columns if level differs from specified height by more than 1".

| 100 | 20 | - | | | | CAST INSPIRA | 1000 00000 | | 900 90 | | | 900 | | | | | | | 2.70 | | | 27 |
|--------|----------|----------|-----|-----|-----|--------------|------------|-----------------|--------|----------|----------|----------|----|-----|---|------|----------|----------|------|------|-----------|---|
| 20. | 19. | 18. | 17. | 16. | 15. | 14. | 13. | 12. | Ξ | 10. | 9. | × | 7. | 6. | Ņ | 4 | 3. | 1 | 1 | | | S No |
| | | | | | | | | | | | | | | | | Сч | C3 | CP CP | ьв | | | Col No. |
| | | | | | | | | | | | es es | | | | | 10 | Cr | 63 | Cr | | | O Col No. Col type Height in ft Steel (or x) |
| | | | | | | | | ALCOHOLOGY SEC. | | | | | | | | 4.3" | 41.31 | # 3 | 7:31 | | Spec. | Heigh |
| | | | | | | | | | | | | | | | | 7)SI | 71.21/5" | 7: 21/2" | 7.31 | | Actual | Height in ft |
| | | | | | | | | | 33 | | | | | | | < | ۲ | ζ | < | rods | No of | Steel (|
| | | | | | | | | | | | | | | | | < | < | < | (| rods | Size of | Steel (or x) |
| | | | | | | | | | | | | | | | | (| ς . | ^ | (| | | Honeycombs |
| | | | | | | | | | | | | | | | | < | < | < | (| | Side 1 | Plumb |
| | | | | | | | | | | | | | | | | | ς | 2 | 7 | | Side 2 | Plumb (v or x) |
| Yes No | ☐Yes ☐No | □Yes □No | - | i | ┧┌╴ | ∐Yes ∐No | ┧┌╴ | | | ∐Yes ∐No | ☐Yes ☐No | ∐Yes ∐No | ÌГ | ļ — | _ | ┧┌╴ | 1 | - | - | 1 ~ | marked on | Reference level |
| | | | | | | <u> </u> | | 1 | | | | | | | | | L. | | | | | |