Charles Col	Chality
A COURT OF CHECK INCHOLL	Charly Danet
STARE, MICH COLUMN CASHINE	Otnorn After
COINTINI CE	Column
	Cathon Call and

Company MRM (11.0) Project AUR GLUMO Phase Project Manager SYDUMULA WAS Sign Sign Date 26 6 1 8 Stop further work. Submit ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not required.						
MRM(110) Project S. SLINGTON Sign Sign SYDDIU. Sign SYDDIU. Sign Sign MD Sign MD Sign Report filed and signed by PM? Onk. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Ork. Proceed with work after submitting ATR on QC report to QC team. Turther work only after making corrections pointed out in the QC report. ATR not required.	Block No.	R	Column No.	01	SI. No.	30661
S. Sund Yewas Sign Date Sydwlu. Sign Was Report filed and signed by PM? ort no. MD Sign Report filed and signed by PM? The submit ATR on QC report to QC team. Proceed only after recheck by QC. The submit after submitting ATR on QC report to QC team. The submit ATR not required.	Company	MRM (12P)	Project	AUR GLUMORAS	Phase	
SYDULL. Sign Date ort no. Sign Report filed and signed by PM? on MD Sign Report filed and signed by PM? ork. Submit ATR on QC report to QC team. Proceed only after recheck by QC. ork. Proceed with work after submitting ATR on QC report to QC team. ork. Proceed with work after submitting ATR on QC report to QC team. ork. ATR not required.	Prepared by	2000000	Sign		Date	81/2/26
on MD Sign Report filed and signed by PM? on MD Sign For filling ork. Submit ATR on QC report to QC team. Proceed only after recheck by QC. ork. Proceed with work after submitting ATR on QC report to QC team. urther work only after making corrections pointed out in the QC report. ATR not required.	Project Manager		Sign	Osider .	Date	26/6/18
on MD Sign For filling Creport to QC team. Proceed only after recheck by QC. ork. Proceed with work after submitting ATR on QC report to QC team. urther work only after making corrections pointed out in the QC report. ATR not required.	Previous stage report	no.	30564	Report filed and signe	d by PM?	Yes No
ork. Submit ATR on QC report to QC team. Proceed only after recheck by Quork. Proceed with work after submitting ATR on QC report to QC team. Further work only after making corrections pointed out in the QC report. ATR urther work. ATR not required.	Checked By MD on		MD Sign		For filling	☐ Yes ☐ No
	Recommendation: Stop further work. Stop further work. Proceed with furth Proceed with furth	Submit ATR on QC re. Proceed with work aft ner work only after makner work. ATR not require	port to QC team. Proceer submitting ATR on ing corrections pointedired.	ced only after recheck b QC report to QC team. I out in the QC report. A		

Notes:

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
 Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

1	Columns	3. Circle
21 - 7	Position Checl	ach correct dime
	Columns Position Check Plan enclosed?	nsion with green
1 100	17	Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention ac
		h incorrect dime
	□Yes	nsion with rec
	□ No	colour and r
	ā.	nention actual
		dimension nex
	I.	ct to it.

State Difficustons Check.

Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
 a. Show outer dimensions of slab. (Tolerance 2")
 b. Show length and width of balconies (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- 2. Slat e. Print an A3 size plan.

 Circle each correct dimension with green colour. Circle each incorrect dimension with

2 P ·	Actual thickness of slab?	SLAD!	Specified (llickliess of stab?
		11.1.0	Chariffield this land of
	DIES LINO	2	Cite Samonono Circo
		Transport Plan enclosed?	Slah Dimensions Check Plan enclosed?
Jai dimension next to it.	istori with tea cotom, stid idention scin	The same series amension with green colour. Chere each incollect difficility with red colour gild incultion	T. OHOLO OHOLI COLLOCT CIT.

Quality Control Check Repot. Stage: After Column Casting (villas)

Quality of centering rod hending and concreting?	
Quanty of centering, fod bending and concreting?	Good Avg. Bad
Quality of starters?	☐ Good ☑ Avg. ☐ Bad
Number and size of honey combs?	☐ High ☐ Medium. ☐ Lov
Are the honey combs is slab and columns packed?	☐ Good ☐ Avg. ☐ Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"]
Have 6 cubes each for columns and slab casted and numbered for testing?	□ Yes □ No
Remarks:	
Curing.	
Bunds for curing made on slab?	0
Bund size is less than 100 sft?	0
Drum (200 lts) provided for curing?	9
Gunny bags used for column curing?)
Distance of tap from furthest distance that requires curing. (max permitted 100')	D-3
Frequency of curing in number of times a day (enquire from labourers)	City of
Is the pressure in the curing pipe more than 15' head?	No
Quality of infrastructure for curing.	g. Bad
Remarks:	

Columns height, plumb, steel & level marking check. Notes:

- Mark v for correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark X for major mistake that requires correction by replacement or re-fixing.
 Mark X X for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".
 Circle actual height of columnation.
- Circle actual height of columns if level differs from specified height by more than 1".

☐ Yes ☐ No										20.
☐ Yes ☐ No										19.
☐ Yes ☐ No									8	18.
☐Yes ☐No										17.
☐ Yes ☐ No								19		16.
☐Yes ☐No						90.2033				15.
☐Yes ☐No				50 80						14.
☐Yes ☐No								I	-	13.
☐Yes ☐No	(((<	ζ.	8-3	8_1/2	C3	F4	12.
Yes No	ζ.		ζ.	(<	S.T.	ST.	C)	F	11.
☐Yes ☐No	<		((Ç	Sir	ST	C	E)	10.
□Yes □No	(7	Ż.	<	<	8-31	8-412	C)	p.5	9.
☐Yes ☐No	ς	<	<	((8-84	શે ત્રોદે,	\mathbb{C}_{λ}	09	.œ
☐ Yes ☐ No	((ζ	((8.5h	8. 7/°	Cs	Cy	7.
☐ Yes ☐ No	((((<	8-4	8' 1/2	()	BS	6.
☐Yes ☐No	7	(((ζ	9-21	1/7 %	60	63	5.
□ Yes □ No	(((((8-4	φ. Δ.	(۲	())	4.
☐Yes ☐No	(ζ	(ς	(2/4/2	8 16	(ر ۲	A5	3.
☐Yes ☐No	((ζ	((7.8/	8. 41E	CY	A3	2.
⊠Yes □No	<	(7	(ζ.	8/7/2	8. 1h	C/	A)	H
marked on column?	Side 2	Side 1		Size of rods	No of rods	Actual	Spec.			
Reference level	Plumb (v or x)	Plumb	Honeycombs	Steel (vor x)	Steel (Height in ft	Heigh	Col type	Col No.	S No