P	Actual thickness of slab?	NA- A	Specified thickness of slab?
	Yes No	losed?	Slab Dimensions Check Plan enclosed?
ion next to it.	Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.	green colour. Circle each incorrect dimensio	2. Circle each correct dimension with
		140.	151
		Show inner dimensions of ducts and lift well. (Tolerance 1") Show location of sunken clab	 c. Show inner dimensions of due d. Show location of sunker clab
		balconies (Tolerance 1")	
		nensions Check Plan as follows: `slab. (Tolerance 2'')	 Prepare Stab (or plinth beams) Dimensions Check Plan as follows: Show outer dimensions of slab. (Tolerance 2")
			Notes:
			Slab Dimensions Check.
	Yes No	closed?	Columns Position Check Plan enclosed?
sion next to it.	on with red colour and mention actual dimension next to it.	Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention	3. Circle each correct dimension with
			e. Print an A3 size plan.
	,	Show diagonals for 20% of bays. (Tolerance 1.5")	 d. Show diagonals for 20% of bays. (Tolerance 1.5")
	*	Show size and orientation of columns. (Tolerance 0.5")	
		r sub-blocks.	a. Divide blocks into smaller sub-blocks
	rting centering works for each slab.	Inspection should be done after casting of columns at each stage and before starting centering works for each Prepare Columns Position Check Plan as follows:	 Inspection should be done after casting of column Prepare Columns Position Check Plan as follows:
			Notes:
Q.	Oreport to QC team. Out in the QC report. ATR not required.	Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR Proceed with further work. ATR not required.	Stop further work. Proceed with work after sure Proceed with further work only after making of Proceed with further work. ATR not required.
	d only after recheck by OC.	commendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by Q	Recommendation: Stop further work. Submit A
☐Yes ☐No	For filling	MD Sign	Checked By MD on
Yes No	Report filed and signed by PM?	33926 F	Previous stage report no.
16/4/191	Date	ZCX 91 HUSSOLM Sign	Project Manager
01/4/01	Date Date	S. Sunil Kulma Sign	Prepared by S.Sun
	AVR GILLMOND Phase	Project	Company
34000	Sl. No.	S Column No.	Block No. 78

Quality Control Check Repot. Stage: After Column Casting (villas)

Quality Control Check Repot. Stage: After Column Casting (villas)

Quality of centering, rod bending and concreting.	
Quality of centering, rou bending and collecting?	Cood Nake Dan
Quality of starters?	☐ Good ☑ Avg. ☐ Bad
Number and size of honey combs?	☐ High ☐ Medium. ☐ Low
Are the honey combs is slab and columns packed?	☐ Good ☐ Avg. ☐ Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"	demo
Have 6 cubes each for columns and slab casted and numbered for testing?	∠Yes No
Remarks: For a couple of Columns edges who brighton.	
Supervision work is not happening	A site.
Curing.	
Bunds for curing made on slab?	
□ Yes □	
Drum (200 lts) provided for curing?	
Gunny bags used for column curing?	
Distance of tap from furthest distance that requires curing. (max permitted 100')	
Frequency of curing in number of times a day (enquire from labourers)	& times
Is the pressure in the curing pipe more than 15' head?	
Quality of infrastructure for curing.	Bad
Remarks:	

Quality Control Check Repot. Stage: After Column Casting (villas)

Columns height, plumb, steel & level marking check.

- Mark for correct or minor mistake which does not require correction
 Mark for minor mistake that requires minor correction.
 Mark for major mistake that requires correction by replacement or re-fixing.
 Mark for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".
 Circle actual height of columns if level differs from specified height by more than 1".

Col No. Col type Height in ft Steel (or x)	□Yes									20.
Col No. Col type Height in ft Steel (or x) Honeycombs A. A. Spec. Actual No of Size of Size of A. A. S. Att S. Att Size of Size of A. C. S. Att S. Att Size of Size of A. C. S. Att S. Att Size of Size o										19.
Col No. Col type										18.
Col No. Col type Height in ft Steel (\(\sigma \) \(\sigma \) Honeycombs Size of Siz										17.
Col No. Col type Height in ft Steel (\(\sigma \) \(\times \) Honeycombs Size of Siz										16.
Col No. Col type Height in ft Steel (• or x) Honeycombs										15.
Col No. Col type Height in ft Steel (• or x) Honeycombs Spec. Actual No of Size										14.
Col No. Col type Fleight in ft Steel (• or x) Honeycombs										13.
Col No. Col type	5	ζ,	33	ζ	ς	とのよ		(3)	723	12.
Col No. Col type Height in ft Steel (• or *) Honeycombs	1	ζ.	<	(<	S-T.	87	C.	£3	11.
Col No. Col type	1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	((<i>⊙</i> ,	ڻ ٻ	0.	(3)	10.
Col No. Col type Height in ft Steel (• or x) Honeycombs A Spec. Actual No of Size of Size of A C S-Ah S-A rods rods A3 C S-Ah S-A - - B3 C S-Ah S-A - - B3 C S-Ah S-A - - B3 C S-Ah S-B - C S-Ah S-B	1		ς	(ζ	8-41	8-4%	(, , ,	グ (9.
Col No. Col type Height in ft Steel (• or x) Honeycombs Spec. Actual No of Size of Size of A. C. S-Ah. S-Ah. rods rods A. C. S-Ah.	<		ζ.	ζ.	<	8/50	24/20	()	N2.	8.
Col No. Col type Height in ft Steel (• or x) Honeycombs A Spec. Actual No of Size of Size of A C S-A/L S-A/L rods rods AS C S-A/L S-A/L S-A/L S-A/L BS C S-A/L S-A/L S-A/L S-A/L BS C S-A/L S-A/L S-A/L S-A/L	((ζ	(8-6:	3/4/18	0	C.	7.
Col No. Col type Height in ft Steel (or x) Honeycombs Spec. Actual No of Size of rods A. C. S. Alt. S. A. rods rods A. C. S. Alt. S. A. rods A. C. S. Alt. S. A. rods A. C. S. Alt. S. A	<	ξ,	((1	8.	4	C	285	6.
Col No. Col type Height in ft Steel (or x) Honeycombs Spec. Actual No of Size of Size of Pods A C SAM SAM SAM FOR SIZE OF S	ς	ζ	<	ζ,	(ره. رس	8 4/2	C.9	ව (ආ	5.
Col No. Col type Height in ft Steel (or x) Honeycombs Spec. Actual No of Size of Size of Page (S-A/L S-A/	(ζ	<	<	ζ	8-00	4	C	J O	4.
Col No. Col type Height in ft Steel (or x) Honeycombs Spec. Actual No of Size of rods A. C. S. Alt. B. A. rods rods R.3 C. S. Alt. B. A.	(ζ	(5	<	0. 4.	8-416	()	3	3.
Col No. Col type Height in ft Steel (or x) Honeycombs Spec. Actual No of Size of Siz	(ζ	ζ.	<	<	8-4	8-44	C _X	A3	2.
Col No. Col type Height in ft Steel (or x) Honeycombs Spec. Actual No of Size of Siz	ζ.	(({	?	8,4,	3/2/1/2		Ď	1.
Col No. Col type Height in ft Steel (• or ×) Honeycombs	ie 2			Size of rods	No of rods	Actual	Spec.			5.
	×	Plumb (✓ o	Honeycombs	(or X)	Steel (nt in ft	Heigh	Col type	Col No.	S No