| K |
|--------------------------------------|
| Quality Control Check Kepot. |
| HITY COULTS Check Repot |
| Control Check Repot. |
| ro |
| |
| 1001 |
| Ê |
| epo |
| Ŀ |
| Stage: A |
| Sta |
| Stage: After Co |
| A |
| ter |
| Col |
| um |
| m |
| ası |
| Stage: After Column Casting (villas) |
| 3 |
| illas) |
| |

| Block No. | s C | Column No. | ; | SI. No. | 76.6 |
|--|--|--|--|----------------------------|---------------------|
| | | | (°) | | 34186 |
| Company | 35 | Project | 17 P. P. T. | Phase | . The second second |
| Prepared by | からある大気が | Sign | | Date | 9 19 |
| Project Manager | 10 2 1 10 Sain | Sign | 2 | Date | |
| Previous stage report no. | | 24 09 | Report filed and signed by PM? | d by PM? | Yes No |
| Checked By MD on | | MD Sign | | For filling | ☐Yes ☐No |
| Recommendation: | To the second se | | | | |
| Stop further work. Stop further work. Proceed with furth | Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not be a submitted out in the QC report. | port to QC team. Proce or submitting ATR on ng corrections pointed | sed only after recheck by QC report to QC team. out in the QC report. 1 | y QC. ATR not required. | |
| Proceed with furth | Proceed with further work. ATR not required | red. | V 1 | | |
| Columns Position Check. | ock. | | | | |

Notes:

- 1. Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
- Prepare Columns Position Check Plan as follows:

 a. Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

| Sla | Col | Ċ. |
|--------------------|-------------------------------------|--|
| b Dimensions Check | lumns Position Check Plan enclosed? | Circle each correct dimension with |
| | closed? | Circle each correct dimension with green colour. Circle each incorrect dimension |
| | | n With red colour and mention actual dimension next |
| | io It. | ÷. |

Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:

 a. Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each inco

| | Specified thickness of slab? | Slab Dimensions Check Plan enclosed? | 2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and martin correct. |
|---|------------------------------|--------------------------------------|---|
| 1 | Actual thickness of slab? | Yes No | pencion with rad colour and montion actual dimension. |

Quality Control Check Repot. Stage: After Column Casting (villas)

| Quality of centering, rod bending and concreting. Quality of centering, rod bending and concreting? | Casuig (villas) | Good Dave Bad |
|--|-----------------|------------------|
| Quality of starters? | | Good Avg. Bad |
| Number and size of honey combs? | | High Medium. Low |
| Are the honey combs is slab and columns packed? | | Good Avg. Bad |
| Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1" | e than 1" | g-Trans |
| Have 6 cubes each for columns and slab casted and numbered for testing? | | Yes No |
| Remarks: | | |
| | | |
| Curing. | | |
| Bunds for curing made on slab? | ☐Yes ☐No | |
| Bund size is less than 100 sft? | ☑Yes □ No | |
| Drum (200 lts) provided for curing? | ☑'Yes ☐ No | |
| Gunny bags used for column curing? | Yes No | |
| Distance of tap from furthest distance that requires curing. (max permitted 100') | 500 | 9, |
| Frequency of curing in number of times a day (enquire from labourers) | 20 (| g times |
| Is the pressure in the curing pipe more than 15' head? | □Yes □No | |
| Quality of infrastructure for curing. | Good Avg. B | Bad |
| Remarks: | | |
| | | |
| | | |

Notes: Columns height, plumb, steel & level marking check.

- Mark for correct or minor mistake which does not require correction
 Mark × for minor mistake that requires minor correction.
 Mark × for major mistake that requires correction by replacement or re-fixing.
 Mark × × for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".

Circle actual height of columns if level differs from specified height by more than I".

| 20. | 19. | 18. | 17. | 16. | 15. | 14. | 13. | 12. | 11. | 10. | 9. | × | 1. | 6. | 5. | 4. | <u>ن</u> | 2. | 1. | | | SNo |
|------------|------------|------------|------------|------------|----------|------------|----------|-------------|--------|------------|------------|--------|--------|----------------|--------|------------|-------------|--------|--|---------|-----------|-----------------|
| | | | | | | 0.5 | D2. | 5 | (5) | (4 | | CY | .85 | BA | B2. | 0 | As | 3 | P | | | Col No. |
| | | | | | | | C2 | G | C | Cg | | (L) | () | (8) | () | () | 0 | (e) | Ce. | | | Col type |
| | | | | | | 8-1-1-5 | 12 | 20-1-1-20-1 | 0 | 02_ 140 | 9 | 00_ | 8/1/2 | 5 | S.T. | 8 4 | 14.1 18. | 0°,4°, | \$\frac{\frac}\frac{\frac{\frac{\frac{\frac}\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac}\fint{\frac{\frac{\frac{\frac{\frac{\frac}\firket{\frac{\frac{\frac}\firac{\frac{\frac{\frac{\frac{\frac}\firac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac}\frac{\frac{\frac{\frac{\frac{\frac{\frac}\frac{\frac{\frac{\frac}\frac{\frac{\frac{\frac}\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac}\frac{\frac{\frac{\frac{\frac{\frac{\frac}\frac{\frac{ | , | Spec. | Heig |
| | | | | - | | 8-81 | 8-6 | 2.7.8 | 8-8- | 8-8 | 8-9: | 0. | 00, | 5 | ST. | 14.8 | 8- | 0°. | ر ف ر | | Actual | Height in ft |
| | | | | | | (| Ć | (| (| ς . | (| (| ζ. | r | : (, | | (| ŗ | ζ. | rods | No of | Steel |
| | | | | | | (| (| (| (| (| Ç | (| 1 | , | . (| Ç | (| Ç | (| rods | Size of | Steel (• or ×) |
| | | | | | | (| ζ . | ζ . | ζ | < | ١. | (| (| C _i | ζ. | (| < | (| (| | | Honeycombs |
| | | | | | | 3, | (| (| (| (| (| (| ζ | (| (| (| (| (| 1 | | Side 1 | Plumb |
| | | | | | | < | < | ς . | ζ . | (| < | (| ς | (| (| 1 | ζ. | ` | < | | Side 2 | Plumb (• or ×) |
| ☐ Yes ☐ No | ☐Yes ☐No | ☐ Yes ☐ No | ∠Yes □No | Yes No | Yes No | Yes No | ☑ Yes ☐ No | Yes No | Yes No | Yes No | Yes No | ∠ Yes □ No | ☐ Yes ☐ No | Yes No | Yes No | column? | marked on | Reference level |