Control Check Repot. Stage: Al	Control Check Repot. Stage: After C	Control Check Repot. Stage: After Column (	K	Ouality (
Check Repot. Stage: Al	Check Repot. Stage: After C	Check Repot. Stage: After Column (		Control
Stage: Al	Stage: After C	Stage: After Column (		Check Repot.
	fter C	fter Column (		Stage: A
olumn ( asting	asting			villas

Recommendation: Stop further work. Stop further work. Proceed with furth Proceed with furth	Checked By MD on	Previous stage report no.	Project Manager	Prepared by	Company	Block No.
Recommendation:  Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC Stop further work. Proceed with work after submitting ATR on QC report to QC team.  Proceed with further work only after making corrections pointed out in the QC report. ATR Proceed with further work. ATR not required.		no.	12. Sweeth	P. Sin Kumun Sign	Ver (LLP)	82
eport to QC team. Proceer submitting ATR on tension corrections pointe ired.	MD Sign	57十8年	Sign	Sign	Project	Column No.
eed only after recheck QC report to QC tear d out in the QC report		Report filed and signed by		Production 1	Y.O.C	0
n. ATR not required.	For filling	led by PM?	Date	Date	Phase	S. No.
	Ycs No	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	5/2/1/8	811615		29237

## Columns Position Check.

### Notes:

- 1. Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
- Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

0000		
	Columns Position Check Plan enclosed?	3. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention ac
	\[\nabla \text{Yes}  \text{No} \]	incorrect dimension with red colour and mention actual dimension next to it.

## Slab Dimensions Check.

### Notes:

- 1. Prepare Slab (or plinth beams) Dimensions Check Plan as follows: Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconics (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- 3

2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention a	usion With red colour and mention actual unificusion freezible it.
Slab Dimensions Check Plan enclosed?	□Yes □No ▷∂
Specified thickness of slab?	Actual thickness of slab?

# Quality Control Check Repot. Stage: After Column Casting (villas)

	IVIIIIIII
	Remarks:
	1 1
Bad	╗
	Frequency of curing in number of times a day (enquire from labouters)
	(jumny bags used for column cumb;
	Diamilia (Zina its)   MYes   No
	uing?
	Yes No
たら	Yes No
	Remarks:
	TIONE OF CHOCKE AND ADDRESS OF THE PROPERTY OF
	Have 6 cubes each for columns and slab casted and numbered for testing?
No No	Number of beams that are sagging, bulging, caved or deflected in the state by more man.
	Are the honey combs is slab and columns packed?
Good NAvg. Bad	Number and size of honey combs?
□ High \ Medium.    Low	Quality of starters:
Cood A AAB, Dag	Account of the second of the s
Cond St. a. C.	Quality of centering, rod bending and concreting?
Translavo   Bad	

- Mark repaired or minor mistake which does not require correction
   Mark x for minor mistake that requires minor correction.
   Mark x for major mistake that requires correction by replacement or re-fixing.
   Mark x x for major mistake that cannot be corrected.
   Tolerance: Plumb 0.25"
   Circle actual leading.

į	
	1
ì	
<_	
<'	
<	
<	
ζ.	
ζ,	
<	
<	
<	
<	
Honeycombs	dmc