Quality Control Check Repot. Stage: After Column Casting (villas)

				C1 -	2
Block No.	85	Column No.	GL-2	SI. No.	33727
Company	SOV (11P)	Project	Sov	Phase	X
Prepared by	٠,	Sign	Ohn	Date	18 ou 2019
Project Manager	K. Payshadton	Sign	\$10	Date	18 04 2019
Previous stage report no.	no.	33258	Report filed and signed by PM?	d by PM?	Yes UNo
Checked By MD on		MD Sign		For filling	Yes No
Recommendation: Stop further work. Stop further work Proceed with furt Proceed with furt	Recommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not required. Proceed with further work. ATR not required.	cport to QC team. Proc fter submitting ATR on king corrections pointe aired.	eed only after recheck QC report to QC team d out in the QC report.	by QC. ATR not required.	

Columns Position Check.

Notes:

- Inspection should be done after easting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it. Yes

Slab Dimensions Check.

Columns Position Check Plan enclosed?

Notes:

- 1. Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance I")
 Show inner dimensions of ducts and lift well. (Tolerance I")
- Show location of sunken slab.
- Print an A3 size plan.

<u> </u>	Actual thickness of slab?	2 =	Specified thickness of slab?
	Yes No		Slab Dimensions Check Plan enclosed?
Service .	monoton gram was concern	Steen colour. Citere each meonieer am	2. Circle each correct dimension with green colour. Circle cach machiner dimension from the circle cach machiner dimension fro
difference in it.	mension with red colour and mention actual	and a colour Circle each incorrect din	a or a state of the same of the

Quality Control Check Repot. Stage: After Column Casting (villas)

[]VGood Avg. Bad
☐Good ☐Avg. ☐ Bad
High Medium. Low
Good Maye. Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"
\(\frac{\frac{1}{2}\text{Yes}}{\text{No}}\)
Yes No
LYcs No
Yes No
Yes No
301
2times
Yes No
V Good Avg. Bad

Columns height, plumb, steel & level marking check.

- Mark v for correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark XX for major mistake that requires correction by replacement or re-fixing.
 Mark XX for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".
 Circle actual height of columns if level differs from specified height by more than 1".

19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	×	7.	6.	5.	4.	3.	2.	-		SNo
					Ch	C3	C-	62	c ₋	Bu	B3	B.	82	B,	+ N	A3	A2	A,		Col No.
					C1	C2	C	C	Cz	C3	Ch	C3	C3	(3	5)	Ch	C3	Cı		Col type
					= + €	1148	Stairs	Stairs	1 ties	120	114,8	1,4,8	1,418	14.8	114.18	8, N.	2 u	1418	Spec.	Heig
					= t.8	1178	Stairs	Stairs	a 418	1.9,8	8/8"	8'6"	= 4,8	8'6"	= % = %	810"	· 8/u"	1.48	Actual	Height in ft
					<	/	<u> </u>	<	<	<	<		\	<	<	7	<	\	No of rods	Steel (
					7	<u> </u>	\	~	/	<	<	<	<	<	\	\	<	7	Size of rods	Steel (✓ or ×)
					<	<	<	7	۲	<	<		\ \	\	7		\	1		Honeycombs
					7	<	7	7	7	1	1	7	<	7	7	\	×	1	Side 1	Plumb
					7	7	7	7	7	<	7	-	7	7	7	7	7	<	Side 2	Plumb (v or x)
☐Yes ☐No	☐Yes ☐No	☐Yes ☐No	☐Yes ☐No	□Yes □No	√Yes □No	√Yes □No	√Yes □ No	Yes No	√Yes □No	√Yes □No	√Yes □No	Yes No	Vyes No	√Yes □No	\\Yes □ No	√Yes □No	√Yes □No	No No	marked on column?	Reference level
	□ Yes □	□ Yes □ Yes □	□ Yes □ Yes □ Yes □ Yes □ Yes	□ Yes □ Yes □ Yes □ Yes □ Yes □ Yes	□ Yes □	Cu Cu V	Cy C1 817" 8'7" V V V V V V V V V V V V V V V V V V V	C- C1 Stairs Stairs V V V V V V V V V V V V V V V V V V V	C2 C1 Stairs Stairs V <	C1 C1 Stairs Stairs V V V V V V V V V V V V V V V V V V V	Bu C3 8'4" 8'8" V	B3 C4 B4" B4" W W W W W W W W W	B C_3 g'\gamma'' g'\g	B2 C3 Stairs Stairs	B ₁ C ₃ B ₁ V V V V V S B ₂ C ₃ B ₁ V V V V V V S B ₃ C ₄ B ₁ V V V V V V V V S B ₃ C ₄ B ₁ V V V V V V V V V	### C\$ \$(1) \$(1) \$(2) \$(3) \$(4) \$(3) \$(4) \$(4) \$(5) \$(A3 C4 8'u" 8'o" ✓	A2 C3 g'u'' g'u'' Θ'es A3 C4 g'u'' g'e'' Θ'es A3 C4 g'u'' g'e'' Θ'e' A4 C5 Q'fu'' g'e'' Θ'e'' B2 C3 g'fu'' g'e'' Θ'e'' B3 C4 G'fu'' g'e'' Θ'e'' C4 C1 Stairs Stairs Stairs Stairs C4 C1 Stairs Stair	A1. C. 8141 8241	Spec. Actual No of Size of Side 1 Side 2 marked on