•		Kante Control Check Nebol.	() Hality ('Ontrol Charly Dance
	CHOICE COLUMNIA CHOICE	Older Aller olumn ogst	Ctown Art C
	Court Amas	ting (will ac)	

Black No					
DIOCK NO.	00	Column No.	2	Sl. No.	Ru たっと
Company	AGIT	Project	AIR Colonaliza	Phase	7 22.5
Prepared by	a RAIJESH	Sign	O.C.	Date	
Project Manager	_	Sign	1.	Date	05 10 119
Previous stage report no.	110.		Report filed and cions	J has DN 49	05/10/19
		90000	Tipper mice and signed by 1 lvi	a by I ivi:	res
Checked By MD on		MD Sign		For filling	☐ Yes ☐ No
Recommendation:					
Stop further work. Stop further work.	Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by Q stop further work. Proceed with work after submitting ATP on QC team.	port to QC team. Procert submitting ATP on	eed only after recheck b	y QC.	
Proceed with furth Proceed with furth	Proceed with further work only after making corrections pointed out in the QC report. ATR Proceed with further work. ATR not required.	ing corrections pointed ired.	d out in the QC report. A	TR not required.	
Columns Position Check.	ck.				

NOTES:

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
- Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner -- inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.
- Columns Position Check Plan enclosed? Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it. ∨ Yes No

Slab Dimensions Check.

Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dim

Specified thickness of slab?	Slab Dimensions Check Plan enclosed?
5 " Actual thickness of slab?	d? Yes No

Quality Control Check Repot. Stage: After Column Casting (villas)

Good V Avo Rad
High Medium. Low
☐ Good ☑ Avg. ☐ Bad
✓ Yes ☐ No
No
No
]No
No
•
No
Good Avg. Bad

Columns height, plumb, steel & level marking check.

- Mark v for correct or minor mistake which does not require correction
 Mark x for minor mistake that requires minor correction.
 Mark x for major mistake that requires correction by replacement or re-fixing.
 Mark x x for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".

Circle actual height of columns if level differs from specified height by more than 1".

No '| Col No. | Col type | Height in ft | *Steel (• or ×)

20.	19.	18.	10	17	16.	15.	14.	13.	12.	5 -			0	∞ :	7	6 :	5 :	4	» i	7	-		SNo
								n	52) <u>^</u>	0.3					ت ا		100		>	1	Col No.
								2	-	, ,		. (2	. 7	` .	(.)			, ((2)		>		Col type
								S 1-1-4	61.70	6 1411	4 h . 9	\$ 0 C	귝	54545	6 7 "		5-24115	7. 2. 7				Spec.	Heigl
								@1 Km	4	2 2	3.5		ار ا ا	Stars	97.	1. t.	V.		11-618	0016"		Actual	Height in ft
									Ċ	ς.	<,	Κ.	<		S.	. <	<	<	. <	Ĺ	rods	No of	Height in ft
								۲,	ζ.	<.	4	<	<,	<	<		ζ.	<	c \	7	rods	Size of	• or ×)
							<		ς.	<	<	<,	<.	<	<,	<	<	<,	< .	< ,			Honeycombs
							<		€.	<	<.	₹.	4	<,	<	<	<	<	<	4		Side 1	Plumb
							<		ς.	ς,	₹.	<,	<	<	1	1	<,	۲,	<	٢.	•	Side 2	Plumb (v or x)
		Yes No	☐Yes ☐No	Yes No	Yes No	1	7/1		Yes No	∵Yes □No	Yes No	✓ Yes □ No	✓ Yes □ No	Yes No	Yes No	Yes No	Yes No	☐ Yes ☐ No	Yes No	☑ Yes □ No	column?	marked on	Reference level