	1
	8
	Ξ
	y Control Check Repot.
	Ö
-	
	Ξ
	2
	Check k
ļ	ec
ı	$\overline{\lambda}$
	7
-	Repot
-	ğ
-	2
1	٠
- 1	
	č
ı	0
ı	æ
ı	
- 1	2
ı	-
ı	er
J	ò
١	Ĭ
١	Ξ
١	1
1	_
ı	$\ddot{\Omega}$
1	SE
J	₫.
	=
	Stage: After Column Casting (v
ľ	<
1	ij
	S.
L	2

Recommendation: Stop further work. Stop further work. Proceed with furth Proceed with furth	Checked By MD on	Previous stage report no.	Project Manager	Prepared by	Company	Block No.
Recommendation: Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR n Proceed with further work. ATR not required.		no.	K. Pueshottam	S. Kuldeep	SOV (LLP)	9)
eport to QC team. Proceed ter submitting ATR on ing corrections pointed tired.	MD Sign	31252	Sign	Sign	Project	Column No.
eed only after recheck QC report to QC team d out in the QC report.		Report filed and signed by PM?	F	Suprifice	2DV	01
by QC. L ATR not required.	For filling	ed by PM?	Date	Date	Phase	Sl. No.
	☐ Yes ☐ No	Yes No	8, (01/20	03/10/18	*	31626

Columns Position Check. Notes:

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.
- Circle each correct dimension with green colour Circle each inco-

Jolumns Position Check Plan enclosed?	√Yes No
1sh Dimonalone Ol. 1	

Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconics (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.

٠.

- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and m

	Actual thickness of slab?	-	Specified thickness of slab?
	□Yes □No p.A		Slab Dimensions Check Plan enclosed?
dimension next to it.	nsion with red colour and mention actual	2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention a	2. Circle each correct dimension with

Quality Control Check Repot, Stage: After Column Casting (villas)

Quality Control Check Repot. Stage: After Column Casting (villas)

Columns height, plumb, steel & level marking check. Notes:

- Mark V for correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark XX for major mistake that requires correction by replacement or re-fixing.
 Mark XX for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".
 Circle actual height of columns if level differs from specified height by more than

20.	19.	18.	17.	16.	15.	14. F3 C	13. F ₁ C	12.	13	10. E, c	9. P3 (8. D 3 C	7. C ₂ C	6. C ₁ C ₃	5. 6 8 (81	3. B /	2. A - C	1. A, (SINO COLINO. CO
						1		C1 81	C2 C-		C2 8.		C2 81.			C2 8	6	ر ا	C3 8		Spec.	Cor type
						01-411 81	·(2 114-13.	81-71 81-18	18 114-13	18 12-18	R-41 81	8-71 01	R1-411 R1	P 11 2	Q'-7" Q!	81.71 81	11-18. 11-18		8-41 8		c. Actual	петвит п
							21-211		81-81	81-711	21-51	0-7	81-411	e1-7"	21-7611	81-811	7 4	81-811	8-311	rods	ual No of	
						(< <	7	(< <	,	7	6	(,	(2	(of Size of	Steet (v or x)
						<	\		(•	,				<	ζ			ζ	3	of	x) Honeycombs
						<i>c</i> ,	ζ.	ς	ζ.	ς	1	ζ.	ς.	7	(?	7	٢	7		Side 1	Plumb (v or X)
						<	ζ	(ζ	ζ	ζ.	(C	ς	<	(~	7	5		Side 2	v or x)
☐ Yes ☐ No	☐Yes ☐No	☐ Yes ☐ No	☐Yes ☐No	☐ Yes ☐ No	☐Yes ☐No	☑Yes □No	☐ Yes ☐ No	☐ Yes ☐ No	☑Yes □No	Yes No	☑Yes □No	☐ Yes ☐ No	☐Yes ☐ No	Yes No	☐Yes ☐No	☑Yes ☐No	☑Yes □No	Yes No	☑Yes □No	column?	marked on	Reference level