K
III
One
rol
C
eck
Ke
Control Check Repot.
ľ
V
tag
e: A
Stage: After Column Casting (
O C
olu
nn
Ca
stin
6 (1
zilla
S

rorming
Previous stage report no. Sign Oble 18 18 18 18 18 18 18 18
33449 Report fried and signed by PM? MD Sign For filling
MD Sign For filling

- Prepare Columns Position Check Plan as follows: Inspection should be done after easting of columns at each stage and before starting centering works for each slab.
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolcrance 0.5")
- Show inner inner space between columns. (Tolerance 1") Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.
- Columns Position Check Plan enclosed? Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it. ✓ Yes No

Slab Dimensions Check.

Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolcrance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.

7	_
-	Circle each correct
.	C
Dimencia	0
ž	ac
3.	F
3 1	00
o Cha	H
)	Ċ
1901-1	d
2	E
ol- Dlan a	Ľ,
Diama	<u>8</u> .
1	Ħ
1	٤.
51	n with gr
7	19
	e
5	
	<u>Ö</u>
	2
	_
- 18	ੁਂ:
	<u> </u>
	T)
100	÷
	Ξ.
1	ž
	7
1000	3
15	4
15	3
łÈ	ř
٦	5.
V	3
3	Ξ.
15	7
TOT DAY	3
OTO D	,
15	2
15	
2	
15	L
ĺ	
menu	
110	t.
Ē	
C	
cu:	
=	4
E	•
le!	
ISI	
011	
ne	
ex	
<u> </u>	
1	

A 2	Actual thickness of slab?	8=	Specified thickness of slab?
	Yes No	ICIUSEU!	Care Extremetons Check t 1911 Ch
וו מווויטונטויו וויסו נט וו.	The second and incomment account	ologodo	Slab Dimensions Check Dlan analogado
dimension next to it	usion with red colour and mention actival	mention with green colour. Chele each incoffect dunension with red colour and mention	MAN TIOIGNIA CONTRACT CONTRACT WALL

Quality Control Check Repot. Stage: After Column Casting (villas)

Quality of centering, rod bending and concreting.		
Quality of centering, rod bending and concreting?		Good Avg. Bad
Quality of starters?		☐ Good ☑ Avg. ☐ Bad
Number and size of honey combs?		☐ High ☑ Medium. ☐ Low
Are the honey combs is slab and columns packed?		Good Avg. Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than	than 1"	`
Have 6 cubes each for columns and slab casted and numbered for testing?		√ Yes □ No
Remarks:		
Curing.		
Bunds for curing made on slab?	Yes No	
Bund size is less than 100 sft?	Yes No	
Drum (200 lts) provided for curing?	☐Yes ☐No —	
Gunny bags used for column curing?	Yes No	
Distance of tap from furthest distance that requires curing. (max permitted 100')	wo_0_	
Frequency of curing in number of times a day (enquire from labourers)	times	
Is the pressure in the curing pipe more than 15' head?	Yes No	
Quality of infrastructure for curing.	Good Avg.	Bad
Remarks:		

Columns height, plumb, steel & level marking check. Notes:

- Mark v for correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark XX for major mistake that requires correction by replacement or re-fixing.
 Mark XXX for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".
- Circle actual height of columns if level differs from specified height by more than 1".

20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	×	7.	6.	5.	4.	3.	2.]]		SZO
																Cz	C	132	131		Col No.
																C5	S	C4	D		Col type
																713"	1274	7-2"	コニマッ	Spec.	Heig
																17-1-4	1274	1274	1-	Actual	Height in ft
															-	<	.	<	<	rods	Steel
										-							۲ ,			Size of rods	Steel (✓ or ×)
																\				***************************************	Honeycombs
																<		<		Side 1	Plumb
																<	۲,	< <		Side 2	Plumb (v or x)
╗		$\neg \Gamma$	$\neg \lceil$							[\neg r		\neg Ir			Yes V No	Yes No	Yes No	Yes No	marked on column?	Reference level