Quality Control Check Repot. Stage: After Column Casting (villas)

Block No.		7 - 1			
)	66	Column No.	02	Sl. No.	J))
Company	AUI	Project	P 50 5.1.1	Phase	52234
Prepared by	0.1.	Sion	J. J. Carman		\
Decinat Man	1 son Knier	ngro	May	Date	30/11/13
Project Manager		Sign		Date	30/11/10
Previous stage report no	- 1		***************************************		81/11/108
		32125	Keport filed and signed by PM?	d by PM?	UYes □ No
Checked By MD on		MD Sign		For filling	Vec No
Recommendation:				0	
Stop further work. Stop further work.	Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC.	oort to QC team. Proce	ed only after recheck b	y QC.	
Proceed with furthe	Proceed with further work only after making corrections pointed out in the QC report. Proceed with further work. ATR not required.	ng corrections pointed red.	out in the QC report. A	ATR not required.	
Columns Position Check.	<u>k</u>				
INOICS:					

- Prepare Columns Position Check Plan as follows: Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

Columns Position Check Plan enclosed? Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it. マYes

Slab Dimensions Check.

Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.

,	Specified thickness of slab?	Slab Dimensions Check Plan enclosed?	2. Circle each correct dimension with green colour. Circle each incorrect dimension with green colour.
Actual unexpess of slab?	A care 41: 1	Yes No	

Quality Control Check Repot. Stage: After Column Casting (villas)

Columns height, plumb, steel & level marking check.

- Mark v for correct or minor mistake which does not require correction
 Mark x for minor mistake that requires minor correction.
 Mark x for major mistake that requires correction by replacement or re-fixing.
 Mark x x for major mistake that cannot be corrected.
 Tolcrance: Plumb 0.25".

Circle actual height of columns if level differs from specified height by more than 1".

•								N. Company	5 00 5	-	_		- 1		- <u> </u>				_		1	T		
-	20.	<u>19.</u>	∞.	17.	16.	15.	14.	13.	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;		=	⊝ —	د 	æ 	7	6.	5	4.	3.	2.	-			S No
						_				.	<u> </u>	<u>-</u>	_		<u> </u>		7.7.		a	6.1	B			Col No.
1	g ji																(2		,	(,	ر ا			Col type
I -	1		- -														0	5 :	×1.) = 	,	Spec.	Heig
,n <u></u>	50																0,0	~_l	0	, o	S 1 15		Actual	Height in ft
	-																<	<			<	rods	No of	Steel (
!	1	-															<	<	<	, /		rods	Size of	Steel (v or x)
																	<	. <	. <					Honeycombs
																	<	<	,			I anto I	G: 1	Plumb
																	<	5	<	<		Side 2	2 2	Plumb (v or x)
Yes No	1		Yes No	1		┧┌	1		$\neg r$	Yes No	☐ Yes ☐ No	☐Yes ☐No	☐ Yes ☐ No	∐Wes □No	Tyes L No	1	7		column?	marked on	Reference level			
	-	- 6		-1		 _			<u> </u>				!	<u></u>				<u>L.</u>	<u>L.</u>		0.0			Ш